ISSUE: Certificate of Appropriateness for signage

APPLICANT: Jesse Amador

LOCATION: Old and Historic Alexandria District

621 King Street

ZONE: KR/King Street urban retail zone.


STAFF RECOMMENDATION

Staff recommends approval of the Certificate of Appropriateness for signage with the following conditions:

- 1. Use small targeted external illumination, such as mini spotlights or halo illumination for signs A and C. If halo lights are installed, the illumination shall be no greater than 150 lumens and the color of the light should be warmer rather than whiter/cooler and no greater than 3000K; and.
- 2. The blade sign (sign B) should be illuminated by mini spotlights.

GENERAL NOTES TO THE APPLICANT

- 1. APPEAL OF DECISION: In accordance with the Zoning Ordinance, if the Board of Architectural Review denies or approves an application in whole or in part, the applicant or opponent may appeal the Board's decision to City Council on or before 14 days after the decision of the Board.
- 2. COMPLIANCE WITH BAR POLICIES: All materials must comply with the BAR's adopted policies unless otherwise specifically approved.
- 3. BUILDING PERMITS: Most projects approved by the Board of Architectural Review require the issuance of one or more construction permits by Department of Code Administration (<u>including signs</u>). The applicant is responsible for obtaining all necessary construction permits after receiving Board of Architectural Review approval. Contact Code Administration, Permit Center, 4850 Mark Center Drive, Suite 2015, 703-746-4200 for further information.
- 4. ISSUANCE OF CERTIFICATES OF APPROPRIATENESS AND PERMITS TO DEMOLISH: Applicants must obtain a copy of the Certificate of Appropriateness or Permit to Demolish PRIOR to applying for a building permit. Contact BAR Staff, Room 2100, City Hall, 703-746-3833, or preservation@alexandriava.gov for further information.
- 5. EXPIRATION OF APPROVALS NOTE: In accordance with Sections 10-106(B), 10-206(B) and 10-307 of the Zoning Ordinance, any Board of Architectural Review approval will expire 12 months from the date of issuance if the work is not commenced and diligently and substantially pursued by the end of that 12-month period.
- 6. HISTORIC PROPERTY TAX CREDITS: Applicants performing extensive, certified rehabilitations of historic properties may separately be eligible for state and/or federal tax credits. Consult with the <u>Virginia Department of Historic Resources (VDHR)</u> prior to initiating any work to determine whether the proposed project may qualify for such credits.



I. APPLICANT'S PROPOSAL

The applicant requests a Certificate of Appropriateness to install three internally illuminated signs and door decals, at 621 Street. The total amount of signage proposed is 23.53 ft².

SIGN A – Channel Letters on Backer Panel (15.45 ft²)

SIGN B – Blade Sign (4.50 ft ²)

SIGN C – Burger Logo Blade Sign (2.06 ft²)

SIGN D – Door Vinyl Logos (1.52 ft²)

II. HISTORY

In 1906, the two 19th century buildings that stood at 621 and 623 King Street were partially demolished and combined into a single commercial building including the replacement of the King Street façade. The combination of the two buildings was designed by Alexandria architect William Leon Clark and built by Julian Knight, to accommodate the R. E. Knight store which operated in this location until 1963. At that time the property became the Brown's Men's Shop, and the ground floor storefront was modified. In 1979 the building was purchased by Burke and Herbert Bank, the most recent building tenant, who again modified the storefront. The ground floor storefront for this building has been modified several times since its original construction in 1906.

Previous BAR Approvals

4/19/2023 – The Board approved new construction (BAR2023-00124)

5/16/2012 – The Board approved signage and lighting (BAR2011-00301)

5/3/2000 – The Board approved a window sign (BAR2000-00072)

5/19/1999- The Board approved a hanging sign (BAR99-00057)



Photo 1: Existing conditions at 621 King St.

III. ANALYSIS

Certificate of Appropriateness

The *Design Guidelines* state that "signs should blend with and not detract from the historic architecture of the districts. When signs distract, shout out to the pedestrian, are not sensitively placed on the architecture or obscure it, a negative image of the historic commercial streetscape is created...Signs should augment, not compete with the surrounding architecture."

Staff has no objection to the size and location of the proposed signage. The applicant proposes to internally illuminate the wall and blade signs; however, internal illuminated signs don't comply with the BAR's Guidelines and Policies. Staff recommends that the applicant use small targeted external illumination, such as mini spotlights or halo illumination for signs A and C. If halo lights are installed, the illumination shall be no greater than 150 lumens and the color of the light should be warmer rather than whiter/cooler and no greater than 3000K.



Photo 2: Proposed signage at 621 King St.

For the blade sign (sign B), staff recommends that the applicant use mini spotlights for illumination. Lastly, the non-illuminated door decals sign complies with the BAR's Administrative Sign Policy and staff has no objection to the decals. With the conditions above, staff recommends approval of the project.

STAFF

Amirah Lane, Historic Preservation Planner, Planning & Zoning Tony LaColla, AICP, Land Use Services Division Chief, Planning & Zoning

IV. CITY DEPARTMENT COMMENTS

Legend: C- code requirement R- recommendation S- suggestion F- finding

Zoning

C-1 Proposed signage will comply with Zoning.

Code Administration

C-1 Sign permit is required.

Transportation and Environmental Services

- C-1 Comply with all requirements of DSUP2022-10011. (T&ES)
- C-2 The Final Site Plan must be approved and released and a copy of that plan must be attached to the demolition permit application. No demolition permit will be issued in advance of the building permit unless the Final Site Plan includes a demolition plan which clearly represents the demolished condition. (T&ES)

Alexandria Archaeology

No archaeology comments

V. <u>ATTACHMENTS</u>

- Application Materials
- Completed application
- Plans
- Material specifications
- Scaled survey plat if applicable
- Photographs

BAR2025-00215 BAR CASE# (OFFICE USE ONLY) ADDRESS OF PROJECT: 621 King St, Alexandria, VA 22314 DISTRICT: ■ Old & Historic Alexandria □ Parker – Gray □ 100 Year Old Building TAX MAP AND PARCEL: 074.02-03-18 zoning: KR **APPLICATION FOR:** (Please check all that apply) CERTIFICATE OF APPROPRIATENESS ☐ PERMIT TO MOVE, REMOVE, ENCAPSULATE OR DEMOLISH (Required if more than 25 square feet of a structure is to be demolished/impacted) □ WAIVER OF VISION CLEARANCE REQUIREMENT and/or YARD REQUIREMENTS IN A VISION CLEARANCE AREA (Section 7-802, Alexandria 1992 Zoning Ordinance) ■ WAIVER OF ROOFTOP HVAC SCREENING REQUIREMENT (Section 6-403(B)(3), Alexandria 1992 Zoning Ordinance) **Applicant:** Property Owner Business (Please provide business name & contact person) Pattison Id / Jesse Amador Address: City: State: Zip: (a) Phone E-mail: **Authorized Agent** (if applicable): Attorney Architect Name:__ Phone: E-mail: **Legal Property Owner:** KING STREET LLC C/O EDITH DITA MANSLY Name: Address Zip: City: State:

E-mail:

Phone

BAR2025-00215

		BAR CASE#	
			(OFFICE USE ONLY)
NATURE OF PROPOSED	WORK: Please check all that	apply	
NEW CONSTRUCTION EXTERIOR ALTERA awning doors lighting other ADDITION DEMOLITION/ENCAPSU SIGNAGE	TION: Please check all that app fence, gate or garden wall windows pergola/trellis		☐ shutters ☐ shed conry
DESCRIPTION OF PRO	POSED WORK: Please de	scribe the proposed work in	detail (Additional pages may
14" "SHAKE SHACK", painte	d aluminum channel letters, whi	te acrylic faces, internally ill	uminated with white LEDs
mounted to pan panel			
1'-6" x 3'-0" double faced blade s	ign with routed out graphics with wh	ite acrylic and vinyl pushed thr	u openings, internally
illuminated with white LEDs			
18" burger logo, painted acrylic lo	ogo with clear push-thru faces and v	inyl overlays, internally illumina	ted with white LEDs,
plate mounted suspended wit	h 1" square tube supports		
Door vinyls			
copy of the letter approving Items listed below compris request additional informat Design Guidelines for furth Applicants must use the ch material that are necessary docketing of the application All applicants are encourage	is a homeowner's association the project. e the minimum supporting ion during application review er information on appropriate ecklist below to ensure the appropriate to thoroughly describe the property of the project to meet with staff prior to	materials for BAR appler. Please refer to the relest treatments. Application is complete. In project. Incomplete application are required for submission of a complete	ications. Staff may vant section of the aclude all information and eations will delay the all proposed additions.
	ion: All applicants requesting heck N/A if an item in this section		
 Existing elevation Clear and labeled to be demolished. Description of the labeled 	ng the extent of the proposed drawings clearly showing all photographs of all elevations reason for demolition/encaps alternatives to demolition/enc e.	elements proposed for do of the building if the enti- culation.	emolition/encapsulation. re structure is proposed

	BAR2025-00215
BAR CASE# _	

(OFFICE USE ONLY)

Additions & New Construction: Drawings must be to scale and should not exceed 11" x 17" unless approved by staff. Check N/A if an item in this section does not apply to your project.

	N/A	
		Scaled survey plat showing dimensions of lot and location of existing building and other structures on the lot, location of proposed structure or addition, dimensions of existing structure(s), proposed addition or new construction, and all exterior, ground and roof mounted equipment.
		FAR & Open Space calculation form. Clear and labeled photographs of the site, surrounding properties and existing structures, if
П	П	applicable. Existing elevations must be scaled and include dimensions.
		Proposed elevations must be scaled and include dimensions. Include the relationship to
		adjacent structures in plan and elevations. Materials and colors to be used must be specified and delineated on the drawings. Actual
		samples may be provided or required.
Ш	Ш	Manufacturer's specifications for materials to include, but not limited to: roofing, siding, windows, doors, lighting, fencing, HVAC equipment and walls.
		For development site plan projects, a model showing mass relationships to adjacent properties and structures.
illun	ninat	& Awnings: One sign per building under one square foot does not require BAR approval unless ed. All other signs including window signs require BAR approval. Check N/A if an item in this section does y to your project.
	N/A	Linear feet of building: Front: 38' Secondary front (if corner lot):
Alt	erat	tions: Check N/A if an item in this section does not apply to your project.
	N/A	Clear and labeled photographs of the site, especially the area being impacted by the alterations,
		all sides of the building and any pertinent details. Manufacturer's specifications for materials to include, but not limited to: roofing, siding, windows,
		doors, lighting, fencing, HVAC equipment and walls. Drawings accurately representing the changes to the proposed structure, including materials and
_	_	overall dimensions. Drawings must be to scale.
		An official survey plat showing the proposed locations of HVAC units, fences, and sheds. Historic elevations or photographs should accompany any request to return a structure to an earlier appearance.

BAR2025-00215

(OFFICE USE ONLY)

ALL APPLICATIONS: Please read and check that you have read and understand the following items:

- I understand that after reviewing the proposed alterations, BAR staff will invoice the appropriate filing fee in APEX. The application will not be processed until the fee is paid online.
- I understand the notice requirements and will return a copy of the three respective notice forms to BAR staff at least five days prior to the hearing. If I am unsure to whom I should send notice I will contact Planning and Zoning staff for assistance in identifying adjacent parcels.
- I, the applicant, or an authorized representative will be present at the public hearing.
- I understand that any revisions to this initial application submission (including applications deferred for restudy) must be accompanied by the BAR Supplemental form and revised materials.

The undersigned hereby attests that all of the information herein provided including the site plan, building elevations, prospective drawings of the project, and written descriptive information are true, correct and accurate. The undersigned further understands that, should such information be found incorrect, any action taken by the Board based on such information may be invalidated. The undersigned also hereby grants the City of Alexandria permission to post placard notice as required by Article XI, Division A, Section 11-301(B) of the 1992 Alexandria City Zoning Ordinance, on the property which is the subject of this application. The undersigned also hereby authorizes the City staff and members of the BAR to inspect this site as necessary in the course of research and evaluating the application. The applicant, if other than the property owner, also attests that he/she has obtained permission from the property owner to make this application.

		OR AUTHORIZ Jesse Amado	ZED AGENT: Digitally signed by: Jesse Amador DV: CN = Jesse Amador mall = jamador@pattisonid.com C = U Optic 2025.05.2 14.32:18 -000
Signatu	re:	r	
Printed	Name:	Jesse Am	ador
Date:	5/22	/25	

OWNERSHIP AND DISCLOSURE STATEMENT Use additional sheets if necessary

an interest in the applicant, ur case identify each owner of r include any legal or equitable which is the subject of the appli		on or partnership, in which erm ownership interest shall application in the real property
Name	Address	Percent of Ownership
1. Jesse Amador		0%
2.		
3.		
an interest in the property locate entity is a corporation or partner percent. The term ownership into	ddress and percent of ownership ed at 621 King St, Alexandria, VA 22314 rship, in which case identify each terest shall include any legal or eal property which is the subject of	(address), unless the owner of more than three quitable interest held at the theapplication.
Name	Address	Percent of Ownership
1. KING STREET LLC C/O EDITH DITA MANSLY		0%
2.		
3.		
ownership interest in the applicationship business or financial relationship existing at the time of this applications.	ionships. Each person or entity list ant or in the subject property is re p, as defined by Section 11-350 o cation, or within the12-month perior of the Alexandria City Council, F s of Architectural Review.	quired to disclose any of the Zoning Ordinance, od prior to the submission of Planning Commission, Board of
Name of person or entity	Relationship as defined by Section 11-350 of the Zoning Ordinance	Member of the Approving Body (i.e. City Council, Planning Commission, etc.)
1.		
2.		
3.		
	relationships of the type descri	

As the applicant or the applicant's authorized agent, I hereby attest to the best of my ability that the information provided above is true and correct.

to the public hearings.

5/22/25 Jesse Amador		Jesse Digitally signed by: Jesse Amador Digitally signed by: GISS above Amador Digitally signed by: Jesse A	iid.
Date	Printed Name	Signature	





OLD TOWN ALEXANDRIA 621 KING STREET ALEXANDRIA, VA

DESIGN REVISIONS

REV#	DATE	ARTIST	REVISION NOTES	INTERNAL	PERMIT	CLIENT
Α	12/10/24	JH	INITIAL DESIGN BASED ON 75% SET of DRAWINGS			х
R1	01/08/25	LDB	REDUCED SIGN A LETTERS TO 14" TALL; INCREASED SIGN B BURGER LOGO STROKE AND LOWERED SIGN PLACEMENT; MOVED SIGN C TO EXTERIOR OF BUILDING, ADDED BLACK FINISH TO BACK OF SIGN; ADDED SIGN D PROPERTY IDENTIFIER "OLD TOWN"; REVISED SIGNS H1/H2 FCO PAINT COLOR; REVISED IS.15 & IS.18 PLACEMENTS.			х
R2	2/27/25	GD	A: increase bkgnd panel, add electrical notes; B: move location; C: show curved mounting plate; D: update to single door; F Center above kiosk, G Update drawing to include enclosure box; I: revise placement, IS.03 revise to Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser			х
R3	3/21/25	JH	'A' - show as panel as (±), update Dim. on pg.8; 'C' - revise placement, update rendering, add enclosure box color; 'E' - update to single door; 'D'-add "Door to remain" text; 'F'- update elevation; 'G' - add enclosure box color; 'IS.03'- rivse to w/o HC symbol; 'IS.18' - show counter plan w/ location; Update restroom floor plan & elevations.			х
R4	4/8/25	JH	'F' & 'I'- relocated placement slightly (pg. 17) Removed uneeded clutter from pg. 25			
R5						L
R6						
R7						
R8						
R9						
R10						
R11						
R12						
R13						ı
R14						
R15						ı
R16						
R17						
R18						
R19						
R20						

Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA Designer: JH

Sign Item

AS NOTED

Revision Note

Scale: AS NOTED

R1-IDB-01/09/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign O property identifier; Revised H1/H2 for color call out; Revised H1/H2 for Color levations; Updated Sign E elevations; Updated Sign G Arch Drawings.

Drawings.

12 GD 2.27.25. A: increase bkgn panel, add electical notes; 8: move location; c. show curved mounting plate; D: update to single door; F. Center above kioks, G. Update drawing to include enclosure box; I: revise placement, IS.03 event show the control of the contro

in front of water dispenser

3:1H:3/21/25: "N - show as panel
as (t) update Dim. on pg.8." (")

"buy update Dim. on pg.8." (")

"buy the single door; "D' add

"Door to remain..." text;" F' update to elevation; "O' add

"Door to remain..." text;" F' update to color; IS.03 - rivse to w/O HC

syncholorises. "Bow counter plan

which also as abow counter plan

plan & elevations."

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY

All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Patitison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pati


It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Patison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 2 of 30





Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024 Contact: M. WILSON/ JA

Designer: JH

Sign Item
AS NOTED

AS NOTEL

Scale: AS NOTED

Revision Note

R1-IDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width, Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 for color call out; Revised H1/H2 for color call out; Revised IS 15.8 & 18 placements; Updated Sign E elevations; Updated Sign G Arch Drawings.

Drawings.

2 GO 2.27.25: A: increase bkgn panel, add electical notes; 8: move location; C: show curved mounting plate; D: update to single door; F: Center above kiosk, G: Update drawing to include enclosure box; I: revise placement, IS.03 event show the control of the control

in front of water dispenser

(31H:32/L/S: "A - show as panel
as (t), update Dim. on gg.8; "C'revise placement, update
rendering, add enclosure box color;
"E'- update to single door; "D'-add
"Door to remain..." text;"F'- update
levation; "G'- add enclosure box
color; IS.03 - rivse to w/O HC
will be added to the color of the color of the color
will location; Update restroom floor
plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY

All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattis

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 3 of 30



RENDERING (for reference only) - A810 SCALE: N.T.S. UPDATED 3/21/2025

that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.

Signature MM/DD/YYYY

Pattison

1.866.635.1110 pattisonid.com

Page 4 of 30

Project ID 0424483Ar4 SHAKE SHACK 621 King St. Alexandria, VA 22314-3156 Date: 12/10/2024 Contact: M. WILSON/ JA Designer: JH

Sign Item


AS NOTED Scale: AS NOTED **Revision Note**

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

It is the Customer's responsibility to ensure



FLOOR PLAN A101 SCALE: 3/32" = 1'-0" UPDATED 12/10/2024

EXTERIOR SIGN KEY			
ID	QTY	SIGN TYPE/DESCRIPTION	PAGE#
Α	1	CHANNEL LETTERS on BACKER	9-10
В	1	D/F BLADE SIGN	11
С	1	D/F SUSPENDED SIGN	12
D	1	DOOR VINYL - LOGO	14
F	1	ADDRESS VINYI	15

Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA

Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R-1-DB-01/08/25: Reduce Sign A letter site: Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 for color call out; Revised H1/H2 for color call out; Revised H1/H2 for Color call out; Revised H1/H2 for Color Elevations; Updated Sign E elevations; Updated Sign G Arch Drawings.

Urawings.

72 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate; D: update to single door; F: center above kiosk, G: Update drawing to include enclosure box; revise placement, IS.03 evolution to Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

in front of water dispenser

(31H:32/L/S: "A - show as panel
as (t), update Dim. on gg.8; "C'revise placement, update
rendering, add enclosure box color;
"E'- update to single door; "D'-add
"Door to remain..." text;"F'- update
levation; "G'- add enclosure box
color; IS.03 - rivse to w/O HC
will be added to the color of the color of the color
will location; Update restroom floor
plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 5 of 30



CODE ALLOWS 1 SQFT. per 1 LF OF BUILDING FRONTAGE BASED on 38'-0" LEASE LENGTH

Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA

Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

REVISION TO CE

RELIDBOL (1987) S. Reduce Sign A

letter size, increase Sign B burger
logs since with Sign C and finish
color; Added Sign D property
identifier; Revised H1/H2 for color
call out; Revised H1/H2 f

Urawings.

72 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location, add electical policy location place in clude endough electical policy location place in control policy location place in control place in co

in front of water dispenser

(3:HH3/21/25: "A' - show as panel
as (4) update Dim. on gg.8; "C'
revise placement, update
rendering, add enclosure box color;
"E' - update to single door; "D' add
"Door to remain..." text;"F' - update
levation; "G' - add enclosure box
color; "IS.03: -rivse to w/O HC
update visual to the color of the color of the color
plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 6 of 30



GENERAL NOTES

- A. ALL TARGET ELEVATIONS ARE TAKEN IN RELATION TO PROJECT +/-0"-0"
 B. GC TO COORDINATE ALL EXTERIOR SECURITY CAMERA LOCATIONS WITH
- OWNER.

 C GC TO COORDINATE ALL UTILITY CONNECTIONS AND METER LOCATIONS
 WITH MEP & CIVIL DRAWINGS, UTILITIES SHOWN ON ARCHITECT'S EXTERIOR ELEVATIONS ARE FOR REFERENCE ONLY.

KEYNOTES

- SIGNAGE BY OWNER'S SIGNAGE CONTRACTOR, GC. TO PROVIDE POWER & BLOCKING AS REQUIRED. SIGNAGE WILL BE SUBMITTED UNDER SEPARATE PERMIT. COORDINATE ACCESS BEHIND WALL FOR WIRING AND POWER SUPPLY WITH OWNER'S VENDOR.
- (2) LOCATION OF RTI AND CO2 FILL BOXES, COORDINATE FINAL LOCATION WITH OWNERS VENDOR AND LANDLORD;
- 3 EXISTING EXTERIOR BUILDING WALL SCONES; TO REMAIN
- 4 VINYL ADDRESS AND LOGO APPLIED TO THE INTERIOR FACE OF STOREFRONT. SIGNAGE BY OWNER'S SIGNAGE CONTRACTOR UNDER SEPERATE PERMIT.
- 5 EXISTING FIXED STOREFRONT SYSTEM; TO REMAIN.

LOCATION	DESCRIPTION	SQ FOOTAGE	SQ FOOTAGE
	EXTERIOR SIGNS	ALLOWED	PROPOSED
Α	CHANNEL LETTERS on BACKER PANEL	38.0	15.45
В	D/F BLADE SIGN		4.50
С	S/F BURGER LOGO- EXTERIOR		2.06
D	DOOR VINYL LOGOS		N/A
E	VINYL ADDRESS NUMBERS		N/A
		38 O SE TOTAL	22.01 Total

CODE ALLOWS 1 SQFT. per 1 LF OF BUILDING LENGTH BASED on 38'-0" LEASE LENGTH

Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA

Designer: JH

Sign Item AS NOTED

Scale: AS NOTED

Revision Note

R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 foc color call out; Revised H1/H2 TCO COIC call out; Revised IS.15 & 18 placements; Updated Sign E elevations; Updated Sign G Arch Drawings.

Drawings.

72 GO 2.27.25. A: increase bkgn panel, add electical notes; 8: move location; C. show curved mounting plate; D: update to single door; F. Center above kiosk, G Update drawing to include enclosure box; I: revise placement, IS.03 event excessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

r3:JH:3/21/25: 'A' - show as panel ri3.IH.3/21/25: 'A' - show as panel as (t), update bim on pg.8; 'C' - revise placement, update rendering, add enclosure box color; 'E' - update to single door; 'D'-add 'Door to remain...' text,'F' - update elevation;'G' - add enclosure box color; 'IS.03' - rivse to w/o HC symbol;'IS.18' - show counter plan w/ location; 'Update restroom floor plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY

All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of


It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



Pattison ID.

1.866.635.1110 pattisonid.com

Page 7 of 30



A-301 #A3 BUILDING SECTION @ 621 KING ST. SCALE: 3/32" = 1'-0" UPDATED 12/10/2024

Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA

Designer: JH

Sign Item **AS NOTED**

Scale: AS NOTED

Revision Note

R1.LDB.01/08/25: Reduce Sign A letter size; increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 for color call out; Revised H1/H2 for color call out; Revised H1/H2 for Good Call out; Revised H1/H2 for Color Call Out Page 18 for Call Out Page 18 fo

Drawings.

72 GO 2.27.25. A: increase bkgn panel, add electical notes; 8: move location; C. show curved mounting plate; D: update to single door; F. Center above kiosk, G Update drawing to include enclosure box; I: revise placement, IS.03 event excessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

in front of water dispenser

(3:IH:32/1J25: "A' - show as panel
as (4), update Dim. on gg.8; "C'
revise placement, update
rendering, add enclosure box color;
"C' - update to single door; "O'-add
"Door to remain..." text; "F' - update
levation; "G' - add enclosure box
color; "IS:03" - rivse to w/O HC
will be add to the color of t

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.


It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 8 of 30






SHAKE SHACK

SIMULATED NIGHT VIEW

ALL UL LABELS ARE TO BE OUT OF PUBLIC VIEW



CHANNEL LETTER and BACKER PANEL DETAIL SCALE: 1½" = 1'-0"

WITHIN BACKGROUND PANEL

SEE NEXT PAGE FOR FULL DETAIL

GENERAL INFORMATION

ELECTRICAL REQUIREMENTS: Sign Requires (1) 120v, 20a dedicated circuit, GC

to provide j-box w/ switch on backside of wall within 6' max of sign area.

SIGN WEIGHT: ± 100 Lbs. w/ bkg'd panel

COLOR KEY

LETTERS:

RETURNS: PRE-FINISHED MATTE BLACK ALUM. COIL

FACES: 7328 WHITE ACRYLIC

TRIMCAP: BLACK

BACKGROUND PANEL: PAINTED MATTE BLACK

ADDITIONAL NOTES

LETTERS:

SLIGHTLY TIGHTEN LED SPACING FOR BRIGHTER ILLUMINATION.

Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024 Contact: M. WILSON/ JA

Designer: JH

Sign Item AS NOTED

Scale: AS NOTED

Revision Note

R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 fco color call out: Revised IS 15 & 18 placements; Updated Sign E elevations; Updated Sign G Arch

Urawings.

'2 GD 2.27.25: A: increase bkgn
panel, add electical notes; B: move
noted, add electical notes; B: move
noted, add electical notes; B: move
classification of the control of the control
plate; D: update to single door; F
center above kiosk, G Update
drawing to include enclosure box; I:
revise placement, IS.03 evos to
Accessible, IS.06 Update detail and
sign location, IS.18: show installed
in front of water dispenser

r3:IH:3/21/25: 'A' - show as nanel ri3.IH.3/21/25: 'A' - show as panel as (t), update bim on pg.8; 'C' - revise placement, update rendering, add enclosure box color; 'E' - update to single door; 'D'-add 'Door to remain...' text,'F' - update elevation;'G' - add enclosure box color; 'IS.03' - rivse to w/o HC symbol;'IS.18' - show counter plan w/ location; 'Update restroom floor plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 9 of 30



Project ID **0424483Ar4**

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA

Designer: JH

Sign Item
AS NOTED

Scale: AS NOTED

.....

Revision Note

R-1-DB-01/08/25: Reduce Sign A letter site: Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 for color call out; Revised H1/H2 for color call out; Revised H1/H2 for Color call out; Revised H1/H2 for Color Elevations; Updated Sign E elevations; Updated Sign G Arch Drawings.

Urawings.

72 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location, add electical policy location place in clude endough electical policy location place in control policy location place in control place in co

in front of water dispenser

(3:IH:32/1J25: "A' - show as panel
as (4), update Dim. on gg.8; "C'
revise placement, update
rendering, add enclosure box color;
"C' - update to single door; "O'-add
"Door to remain..." text; "F' - update
levation; "G' - add enclosure box
color; "IS:03" - rivse to w/O HC
will be add to the color of t

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY

All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.




1.866.635.1110 pattisonid.com

Page 10 of 30

D/F R.O.P.T. BLADE SIGN





SCALE: 1-1/2" = 1'-0"

ONE [1] REQUIRED - MANUFACTURE & INSTALL

4.5 SQFT

GENERAL SPECIFICATIONS


FABRICATED ALUMINUM D/F BLADE SIGN PAINTED MAP BLACK W/ 2-STAGE BASE COAT & MATTE CLEAR COAT.


GRAPHICS ARE 3/4" THK (3/8" PROJ) ROPT ACRYLIC: LOGO: CLEAR ACRYLIC W/ 1ST AND 2ND SURFACE 3630-106 BRILLIANT GREEN VINYL; LETTERS: 7328 WHITE

INTERNALLY ILLUMINATE W/ 3500K WHITE LEDS. HOUSE POWER SUPPLIES INSIDE CABINET.



SIMULATED NIGHT VIEW





Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024 Contact: M. WILSON/ JA

Contact: M. WILSON, Designer: IH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 for color call out; Revised H1/H2 for solor call out; Revised H1/H2 for solor call out; Revised H1/H2 for solor leventings; Updated Sign E elevations; Updated Sign G Arch Drawings.

r2 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location, C: show curved mounting plate; D: update to single door, F drawing to include enclosure box; I: revise placement, Is.03 revise to Accessible, Is.06 Update detail and sign location, Is.18: show installed in front of water dispenser.

r3:JH:3/21/25: A' - show as panel as (£), update Dim. on g.8; "C' - revise placement, update revise placement, update revise placement, update revise placement, update placement, and placement of the placement

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Patticos ID.

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.





1.866.635.1110 pattisonid.com

Page 11 of 30




ONE [1] REQUIRED - MANUFACTURE & INSTALL





1" SQ. ALUMINUM SUPPORTS WELDED TO 3/8" thk. x 6" x 18" MOUNTING PLATE 2.06 SQFT NOTE: SITE SURVEY REQUIRED TO DETERMINE FINAL ATTACHMENT DETAILS FACE / RETURNS: 1-1/2" THK. CLEAR ACRYLIC w/ CENTER ROUTED OUT FOR LED's AND



COLOR KEY

BURGER LOGO:

FACES/RETURNS/BACK: MATTE BLACK

SUPPORTS/CLIPS: MATTE BLACK (VERIFY) GRAPHIC AREA: 3M 3630-106 BRILLIANT GREEN VINYL

1st AND 2nd SURFACE

ALL PAINT FINISHES MUST HAVE 2-STAGE BASE COAT AND MATTE CLEAR COAT

ADDITIONAL NOTES

BURGER LOGO:

SLIGHTLY TIGHTEN LED SPACING FOR BRIGHTER ILLUMINATION.

BOTTOM OF MOUNTING ANGLES MUST BE PAINTED FOR PROTECTION AGAINST DISSIMILAR METALS.

GENERAL INFORMATION

ELECTRICAL REQUIREMENTS: Sign Requires (1) 120v, 20a dedicated circuit, GC

to provide j-box w/ switch on backside of wall within 6' max of sign area.

SIGN WEIGHT: ±45 Lbs.

BLOCKING: EXACT ATTACHMENT TBD

Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA

Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 fco color call out; Revised IS.15 & 18 placements; Updated Sign E elevations; Updated Sign G Arch Drawings.

Drawings.

72 GO 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate: D: update to single door; F: Center above kiosk, G: Update drawing to include enclosure box; I: revise placement, IS.03 even of Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

r3:JH:3/21/25: 'A' - show as panel ri3.IH.3/21/25: 'A' - show as panel as (t), update bim on pg.8; 'C' - revise placement, update rendering, add enclosure box color; 'E' - update to single door; 'D'-add 'Door to remain...' text,'F' - update elevation;'G' - add enclosure box color; 'IS.03' - rivse to w/o HC symbol;'IS.18' - show counter plan w/ location; 'Update restroom floor plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 12 of 30



Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024 Contact: M. WILSON/ JA

Designer: JH

Sign Item **AS NOTED**

Scale: AS NOTED

Revision Note

R-1-DB-01/08/25: Reduce Sign A letter site: Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 for color call out; Revised H1/H2 for color call out; Revised H1/H2 for Color call out; Revised H1/H2 for Color Elevations; Updated Sign E elevations; Updated Sign G Arch Drawings.

Urawings.

72 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location, add electical policy location place in clude endough electical policy location place in control policy location place in control place in co

in front of water dispenser

(31H:32/L/S: "A - show as panel
as (t), update Dim. on gg.8; "C'revise placement, update
rendering, add enclosure box color;
"E'- update to single door; "D'-add
"Door to remain..." text;"F'- update
levation; "G'- add enclosure box
color; IS.03 - rivse to w/O HC
will be added to the color of the color of the color
will location; Update restroom floor
plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY

All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.


It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 13 of 30

DOOR VINYL - LOGOS



DOOR VINYL w/ PROPERTY IDENTIFIER SCALE: 2" = 1'-0" ONE [1] LOGO REQUIRED - MANUFACTURE & INSTALL

GENERAL SPECIFICATIONS

7725-10 OPAQUE WHITE VINYL & 3630-106 BRILLIANT GREEN VINYL APPLIED FIRST SURFACE TO GLASS.

FONT: ADOBE FUTURA PT MEDIUM



SAMPLE ELEVATIONS

SCALE: 1/2" = 1' - 0"

22"

ORS TO REMAIN UNLOCKED DURING BUSINESS HOURS



HALF SCALE: 1:2

ONE [1] REQUIRED - MANUFACTURE & INSTALL

GENERAL SPECIFICATIONS

7725-10 OPAQUE WHITE VINYL APPLIED FIRST SURFACE TO GLASS.

APPLY 3" FROM BOTTOM OF GLASS.

TYPEFACE: FUTURA STD MD

Customer Approval

Information Required for Production

Project ID 0424483Ar4

SHAKE SHACK 621 King St. Alexandria, VA 22314-3156 Date: 12/10/2024

Contact: M. WILSON/ JA Designer: JH

Sign Item

AS NOTED

call out; Revised H1/H2 TCO COIC call out; Revised IS.15 & 18 placements; Updated Sign E elevations; Updated Sign G Arch Drawings.

Drawings.

72 GO 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate: D: update to single door; F: Center above kiosk, G: Update drawing to include enclosure box; I: revise placement, IS.03 even of Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

r3:JH:3/21/25: 'A' - show as panel

ri3.IH.3/21/25: 'A' - show as panel as (t), update bim on pg.8; 'C' - revise placement, update rendering, add enclosure box color; 'E' - update to single door; 'D'-add 'Door to remain...' text,'F' - update elevation;'G' - add enclosure box color; 'IS.03' - rivse to w/o HC symbol;'IS.18' - show counter plan w/ location; 'Update restroom floor plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Scale: AS NOTED **Revision Note** R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 fco color

Signature

MM/DD/YYYY

All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.


It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 14 of 30

WINDOW VINYL - ADDRESS NUMBERS



TRANSOM WINDOW VINYL


SCALE:3" = 1'-0"

ONE [1] REQUIRED - MANUFACTURE & INSTALL

GENERAL SPECIFICATIONS

7725-10 **OPAQUE** WHITE VINYL APPLIED FIRST SURFACE TO GLASS.

TYPEFACE: FUTURA BOLD



Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024 Contact: M. WILSON/ JA

Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R-1-DB-01/08/25: Reduce Sign A letter site: Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 for color call out; Revised H1/H2 for color call out; Revised H1/H2 for Color call out; Revised H1/H2 for Color Elevations; Updated Sign E elevations; Updated Sign G Arch Drawings.

Urawings.

72 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate; D: update to single door; F: center above kiosk, G: Update drawing to include enclosure box; revise placement, IS.03 evolution to Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

in front of water dispenser

(31H:32/L/S: "A - show as panel
as (t), update Dim. on gg.8; "C'revise placement, update
rendering, add enclosure box color;
"E'- update to single door; "D'-add
"Door to remain..." text;"F'- update
levation; "G'- add enclosure box
color; IS.03 - rivse to w/O HC
will be added to the color of the color of the color
will location; Update restroom floor
plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 15 of 30



FLOOR PLAN A101 SCALE: 3/32" = 1'-0" UPDATED 2/27/25

INTERIOR SIGN KEY SIGN TYPE/DESCRIPTION ID QTY PAGE # MENU BOARDS - WALL MOUNTED 19-20 4 14.8" SFSG LED SIGN 21 G 1 H1/H2 2 INTERIOR B.O.L. 22 WINE RACKS 23 2 COUNTER MENU STANDS 24 J D/F BURGER LOGO SUSPENDED C* 12

*EXTERIOR SIGNAGE

Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA

Designer: JH Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R-1-DB-01/08/25: Reduce Sign A letter site: Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 for color call out; Revised H1/H2 for color call out; Revised H1/H2 for Color call out; Revised H1/H2 for Color Elevations; Updated Sign E elevations; Updated Sign G Arch Drawings.

Urawings.

72 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate; D: update to single door; F: center above kiosk, G: Update drawing to include enclosure box; revise placement, IS.03 evoluse to Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

in front of water dispenser

(3:IH:32/1J25: "A' - show as panel
as (4), update Dim. on gg.8; "C'
revise placement, update
rendering, add enclosure box color;
"C' - update to single door; "O'-add
"Door to remain..." text; "F' - update
levation; "G' - add enclosure box
color; "IS:03" - rivse to w/O HC
will be add to the color of t

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.


It is the Customer's responsibility to ensure that the sign installation location is suitable that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 16 of 30






INTERIOR ELEVATION - A210 #1 SCALE: 3/16" = 1' - 0" UPDATED 2/27/2025

INTERIOR ELEVATION - A210 #2 SCALE: 3/16" = 1' - 0"

UPDATED 3/21/2025

SIGN TO BE MOUNTED TO EXTERIOR



INTERIOR ELEVATION - A210 #3 SCALE: 3/16" = 1' - 0"
UPDATED 2/27/2025

Project ID 0424483Ar4

SHAKE SHACK 621 King St.

Alexandria, VA 22314-3156

Date: 12/10/2024 Contact: M. WILSON/ JA

Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 fco color

identifier; Revised H1/H2 fco colo call out; Revised IS.15 & 18 placements; Updated Sign E elevations; Updated Sign G Arch Drawings.

Drawings.

72 GO 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate: D: update to single door; F: Center above kiosk, G: Update drawing to include enclosure box; I: revise placement, IS.03 even of Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

r3:JH:3/21/25: A' - show as panel as (±), update Dim. on ga,8; °C' - revise placement, update rendering, add enclosure box color, 'E - update to snigle door, 'D- add 'Door to ernalm. Exct, 'F - update color, 'S (a) - rivse to w/o HC color, 'S (a) - rivse to w/o HC symbol; IS.18' - show counter plan w/o location; Update restroom floor plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.




1.866.635.1110 pattisonid.com

Page 17 of 30



INTERIOR ELEVATION - A210 #4 SCALE: 3/16" = 1' - 0"
UPDATED 2/27/2025



INTERIOR ELEVATION - A210 #6 SCALE: 3/16" = 1' - 0"
UPDATED 12/10/2024

Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024 Contact: M. WILSON/ JA

Designer: JH

esigner: JH Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R1-IDB-01/08/75: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 foo color call out; Revised IS15 & IS1 placements; Updated Sign E elevations; Updated Sign E elevations; Updated Sign G Arch Drawings.

Urawings.

72 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location, add electical policy location place in clude endough electical policy location place in control policy location place in control place in co

in front of water dispenser

(3:IH:32/1J25: "A' - show as panel
as (4), update Dim. on gg.8; "C'
revise placement, update
rendering, add enclosure box color;
"C' - update to single door; "O'-add
"Door to remain..." text; "F' - update
levation; "G' - add enclosure box
color; "IS:03" - rivse to w/O HC
will be add to the color of t

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com


Page 18 of 30



MENU INSERTS BY OTHERS

WALL-MOUNTED MENUBOARDS - STACKED SCALE: 1" = 1' - 0"
FOUR [4] STACKED SET OF TWO REQUIRED - MANUFACTURE & INSTALL

SEE DETAIL ON FOLLOWING SHEET



Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA

Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier: Revised H1/H2 foc color

call out; Revised IS.15 & 18
placements; Updated Sign E
elevations; Updated Sign G Arch
Drawings.

r2 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate; D: update to single door; F Center above klosk, G: Update ox; I: revise placement, IS.03 revise to Accessible; IS.06 Update detail and sign location, IS.18: show installed in front of water dispense.

r3.IH:3/21/25: A' - show as panel as (£), update Dim. on g.8; C' - revise placement, update rendering, add enclosure tox color; rendering, add enclosure; D'ond d'Dort to remain, "text?"; update elevation; G' - add enclosure bocolor; '1S.03' - rivse to w/o HC symbol; '1S.18' - show counter plan w/location; Update restroom floor plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of


It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 19 of 30






34" MDO PLYWOOD - PAINT ALL SURFACES BLACK.

McMASTER-CARR SHEET METAL HINGE / RETAINER ON RIGHT SIDE ONLY. PART NO. #15665A288 (SEE END TREATMENTS BELOW)


NEODYMIUM DISC MAGNET FLUSH TO FACE - (4) PER RETAINER) McMASTER-CARR PART NO. #5862K95

(.375" DIA. x .125" THK.)



PRELIM. DETAIL-TOP VIEW

SCALE: 3" = 1'-0"



Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WII SON/ IA Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier: Revised H1/H2 fco color call out: Revised IS 15 & 18 placements; Updated Sign E elevations; Updated Sign G Arch Drawings.

r2 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate; D: update to single door; F Center above klosk, G Update drawing to include enclosure box; I: review elections. revise placement, IS.03 revise to Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

r3:IH:3/21/25: 'A' - show as nanel ri3.IH.3/21/25: 'A' - show as panel as (t), update bim on pg.8; 'C' - revise placement, update rendering, add enclosure box color; 'E' - update to single door; 'D'-add 'Door to remain...' text,'F' - update elevation;'G' - add enclosure box color; 'IS.03' - rivse to w/o HC symbol;'IS.18' - show counter plan w/ location; 'Update restroom floor plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com


Page 20 of 30



1.866.635.1110 pattisonid.com

Page 21 of 30

INTERIOR BAND OF LETTERS (FCO's) w/ BACKER PLATE



LONG SIDE



INTERIOR BAND OF LETTERS SCALE: 1/2" = 1'-0" ± 30'-3" L.F. REQUIRED - MANUFACTURE & INSTALL AREA = 15.68 SQFT

GENERAL SPECIFICATIONS

1/4" ALUMINUM FLAT CUT OUT LETTERS

LETTERS MOUNT ON ALUM. TUBE SPACERS TO 1/8" THK ALUMINUM BACKER PAINTED TO MATCH CHANNEL. MIN. THREE (3) FASTENERS PER LETTER


BACKER MOUNTS FLUSH TO EXISTING I-BEAM OR CHANNEL. DRILL & TAP.

FIELD SURVEY REQUIRED TO CONFIRM DIMENSIONS PRIOR TO MANUFACTURE AND AFTER GC PROVIDED PANELING HAVE BEEN INSTALLED.

COLOR KEY BACKER PLATE AND SPACERS: SW 7069 IRON ORE LETTERS: MP 18140 SMOKY SILVER METALLIC ALL PAINT FINISHES MUST HAVE 2-STAGE BASE COAT AND MATTE CLEAR COAT

PREFERRED WORD ORDER:

BURGERS FROZEN CUSTARD FRIES SHAKES HOTDOGS SODA



Project ID **0424483Ar4**

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024 Contact: M. WII SON/ IA

Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 foc color call out; Revised IS.15 & 18 placements; Updated Sign E elevations; Updated Sign E elevations; Updated Sign G Arch Drawings.

r2 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate; D: update to single door; F Center above klosk, G: Updatox; I: revise placement, Is.O3 revise to Accessible, Is.O6 Update detail and sign location, Is.18: show installed in front of water dispense.

Is3IH3/11/25: A" - show as panel as (±) update bim on pg.8: C' - revise placement, update cendering, add enclosure box color; "E' - update to single door; 'D' add "Door to remain..." text; P': update elevation; G' - add enclosure box color; 'IS.3B' - show counter plan wy location; 'Update restroom floor plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY

All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.


It is the Lustomer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.




1.866.635.1110 pattisonid.com

Page 22 of 30

TILE WALL





3 ½"

3 1/2"

FOR INSTALLER)

SCALE: 3" = 1'-0"

WINE RACK SECTION

2" x 2" WOOD BLOCKING BEHIND WALL @ MOUNTING LOCATIONS

BEVERAGE SHELF

09 30 00

TILING

09 29 00.A01 GYP BD 5/8"

06 10 53.T01

PLYWOOD BACKING PANEL

1/4" LAG BOLTS - PAINTED RAL#9004 BLACK TO MATCH WINE RACKS (PattisonID TO PROVIDE TOUCH UP PAINT

(6) PER WINE SHELF INTO BLOCKING (BY G.C.)

.125" ALUM. END CAP - BEVEL OUTSIDE, WELD & GRIND SMOOTH

ABOVE COUNTER

1' - 8"

.125" BRAKE-FORMED ALUMINUM

SHELF-PAINTED RAL# 9004 BLACK

ri3.IH.3/11/25: 'A' - show as panel as (t), update Dim on pg. 8: 'C' - revise placement, update rendering, add enclosure box color; 'E' - update to single door; 'D'-add to Door to remain... 'text,'F' - update elevation; 'G' - add enclosure box color; 'S.03. 'rivse to w/o HC symbol; 'IS.18' - show counter plan w/ location; 'Update restroom floor plan & elevations.

Project ID

0424483Ar4

SHAKE SHACK 621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA

Sign Item

AS NOTED Scale: AS NOTED **Revision Note**

R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 foc color call out; Revised IS.15 & 18 placements: Undated Sign F

placements; Updated Sign E elevations; Updated Sign G Arch Drawings.

Urawings.

'2 GD 2.27.25: A: increase bkgn
panel, add electical notes; B: move
noted, add electical notes; B: move
noted, add electical notes; B: move
classification of the control of the control
plate; D: update to single door; F
center above kiosk, G Update
drawing to include enclosure box; I:
revise placement, IS.03 evos to
Accessible, IS.06 Update detail and
sign location, IS.18: show installed
in front of water dispenser

r3:JH:3/21/25: 'A' - show as panel

Designer: JH

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY

All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 23 of 30



TWO [2] REQUIRED-MANUFACTURE & INSTALL


GENERAL SPECIFICATIONS

MANUFACTURE and INSTALL BRAKE FORMED ALUMINUM SHELVES-PAINTED RAL #9004 BLACK, MATTE FINISH.

ALL MOUNTING HARDWARE TO BE PAINTED TO MATCH SHELF.

TYPICAL LETTER COLOR/FINISHES

RAL #9004 BLACK TWO-STAGE BASE COAT AND MATTE CLEAR COAT



Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024 Contact: M. WILSON/ JA

AS NOTED

R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 fco color call out; Revised IS.15 & 18

Drawings.

72 GO 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate: D: update to single door; F: Center above kiosk, G: Update drawing to include enclosure box; I: revise placement, IS.03 even of Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

in front of water dispenser
[33.H3/21/25]: "A - show as panel
as (1), update Dim. on gg, "C" revise placement, update
rendering, add enclosure box color,
"E - update to single door," D'add
"Door to remain..." text;" F- update
levation; "G - add enclosure box
color; IS.63" - rivse to w/O HC
out of the color of the color of the color
will location; Update restroom floor
plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of


It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 24 of 30

AND MATTE CLEAR COAT



TACTILE SIGNAGE PLAN - A105

SCALE: 1/8" = 1'-0"

UPDATED 2/27/25

	TACTILE SIGN KEY			
ID	QTY	SIGN TYPE/DESCRIPTION		
IS.03	2	ALL GENDER RESTROOM - ACCESSIBLE		
IS.04	2	BABY CHANGING		
IS.05	2	ACCESSIBLE		
IS.06	2	NO SMOKING/WASH		
IS.08	2	WHOA THERE		
IS.09	2	LOCK IT UP		
IS.12	1	NO SMOKING		
IS.13	1	EMPLOYEES ONLY		
IS.14	2	EXIT		
IS.15	1	MAX. OCCUPANCY		
IS.17	1	NO ALCOHOL		
IS.18	1	TRIPLE FILTERED		
IS.20	3	VOICE OVER		

Project ID 0424483Ar4

> SHAKE SHACK 621 King St.

Alexandria, VA 22314-3156

Date: 12/10/2024 Contact: M. WILSON/ JA

Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R-1-DB-01/08/25: Reduce Sign A letter site: Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 for color call out; Revised H1/H2 for color call out; Revised H1/H2 for Color call out; Revised H1/H2 for Color Elevations; Updated Sign E elevations; Updated Sign G Arch Drawings.

Urawings.

72 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate; D: update to single door; F: center above kiosk, G: Update drawing to include enclosure box; revise placement, IS.03 evoluse to Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

in front of water dispenser

(31H:32/L/S: "A - show as panel
as (t), update Dim. on gg.8; "C'revise placement, update
rendering, add enclosure box color;
"E'- update to single door; "D'-add
"Door to remain..." text;"F'- update
levation; "G'- add enclosure box
color; IS.03 - rivse to w/O HC
will be added to the color of the color of the color
will location; Update restroom floor
plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY

All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Patison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Patis

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Patison ID immediately if further details are required.

Pattison



1.866.635.1110 pattisonid.com

Page 25 of 30



IS.03

ALL GENDER RESTROOM - NA 9" x 7" NON-GLARE ACRYLIC **TACTILE W/ BRAILLE** ADHESIVE TAPE MOUNT



QUANTITY



IS.04

BABY CHANGING 2" x 2" NON-GLARE ACRYLIC **SCREENED GRAPHIC** ADHESIVE TAPE MOUNT

2

QUANTITY



IS.05

ACCESSIBLE PLAQUE 2" x 2" NON-GLARE ACRYLIC SCREENED GRAPHIC ADHESIVE TAPE MOUNT

2

QUANTITY



IS.06

NO SMOKING/ WASH 3" x 5" **NON-GLARE ACRYLIC** SCREENED GRAPHIC **ADHESIVE TAPE MOUNT**

2

QUANTITY



IS.08

WHOA THERE 3" x 5" NON-GLARE ACRYLIC SCREENED GRAPHIC ADHESIVE TAPE MOUNT

2

QUANTITY



Don't make it awkward. Please lock the door behind you when using the restroom. Thank You!

IS.09

LOCK IT UP 5" x 7" NON-GLARE ACRYLIC **SCREENED GRAPHIC** ADHESIVE TAPE MOUNT

QUANTITY



IS.12

NO SMOKING 4" x 4" NON-GLARE ACRYLIC SCREENED GRAPHIC **ADHESIVE TAPE MOUNT**

1

QUANTITY



IS.13

EMPLOYEES ONLY 5" x 7" NON-GLARE ACRYLIC **SCREENED GRAPHIC** ADHESIVE TAPE MOUNT

1

QUANTITY



IS.14

EXIT 4" x 4" **NON-GLARE ACRYLIC TACTILE W/ BRAILLE ADHESIVE TAPE MOUNT**

2

QUANTITY



621 King St. Alexandria, VA 22314-3156

Project ID

Date: 12/10/2024

Contact: M. WILSON/ JA Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 fco color call out: Revised IS 15 & 18 placements; Updated Sign E elevations; Updated Sign G Arch Drawings.

r2 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate; D: update to single door; F Center above klosk, G Update drawing to include enclosure box; I: review elections. revise placement, IS.03 revise to Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

r3:IH:3/21/25: 'A' - show as nanel ri3.IH.3/11/25: 'A' - show as panel as (t), update Dim on pg. 8: 'C' - revise placement, update rendering, add enclosure box color; 'E' - update to single door; 'D'-add to Door to remain... 'text,'F' - update elevation; 'G' - add enclosure box color; 'S.03. 'rivse to w/o HC symbol; 'IS.18' - show counter plan w/ location; 'Update restroom floor plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY

herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 26 of 30



MAXIMUM OCCUPANCY
TO BE VERIFIED

IS.15

MAX OCCUPANCY 8" x 12" NON-GLARE ACRYLIC SCREENED GRAPHIC ADHESIVE TAPE MOUNT

1 QUANTITY



FOR INTERIOR or EXTERIOR WALL MOUNTING

IS.17A

NO ALCOHOL
7" x 5"
NON-GLARE ACRYLIC
SCREENED GRAPHIC
ADHESIVE TAPE MOUNT

1 QUANTITY



IS.18

TRIPLE FILTERED
5" x 7"
NON-GLARE ACRYLIC
SCREENED GRAPHIC
ADHESIVE TAPE MOUNT

1 QUANTITY Ask Staff to Enable VoiceOver

IS.20

VOICE OVER
1.75" x 4.5" ACRYLIC
SCREENED GRAPHICS
BRAILLE
ADHESIVE TAPE MOUNT

3

QUANTITY

Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA

Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

REVISION IN OLE

RI-LDB-01/08/25: Reduce Sign A
letter size; Increase Sign B burger
logs stroke with, increase Sign B burger
logs stroke with size of the size of

Urawings.

72 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location, add electical policy location place in clude endough electical policy location place in clude endough electical policy location place in clude endough electical place in clude electical endough electical place in clude electical endough electical endough electical endough electical endough electical endough electical endough electical electical electical endough electical elect

in front of water dispenser

(3:HH3/21/25: "A' - show as panel
as (4). update Dim. on gg.8; "C'
revise placement, update
rendering, add enclosure box color;
"E' - update to single door; "D' add
"Door to remain..." text;"F' - update
levation; "G' - add enclosure box
color; "Is.03: -rivse to w/O HC
volor; "Is.03: -rivse to w/O HC
volor; "Update restroom floor
plan & elevations."

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.


It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.




1.866.635.1110 pattisonid.com

Page 27 of 30





INTERIOR ELEVATION - A210 #10 SCALE: 1/4" = 1' - 0"
UPDATED 12/10/2024



Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024 Contact: M. WILSON/ JA

Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R1-LDB-01/08/25: Reduce Sign A letter size; Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 foo color call out; Revised IS15 & 13 placements; Updated Sign E elevations; Updated Sign E

Drawings.

72 GO 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate: D: update to single door; F: Center above kiosk, G: Update drawing to include enclosure box; I: revise placement, IS.03 even of Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

r3.IH:3/21/25: A' - show as panel as (£), update Dim. on g.8; C' - revise placement, update rendering, add enclosure tox color; rendering, add enclosure; D'ond d'Dort to remain, "text?"; update elevation; G' - add enclosure bocolor; '1S.03' - rivse to w/o HC symbol; '1S.18' - show counter plan w/location; Update restroom floor plan & elevations.

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.


It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.




1.866.635.1110 pattisonid.com

Page 28 of 30







TYPICAL KIOSK PLAN

QUANTITY = 3

SCALE: 1½" = 1' - 0"

Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA

Designer: JH

Sign Item
AS NOTED

AS NOTED

Scale: AS NOTED

Revision Note

R-1-DB-01/08/25: Reduce Sign A letter site: Increase Sign B burger logo stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 for color call out; Revised H1/H2 for color call out; Revised H1/H2 for Color call out; Revised H1/H2 for Color Elevations; Updated Sign E elevations; Updated Sign G Arch Drawings.

Drawings.

2 GD 2.27.25: A: increase bkgn panel, add electical notes; B: move location, C: show curved mounting plate; D: update to single door; F. Center above kiosk, G: Update drawing to include enclosure box; I: revise placement, IS.03 evok installed in front of water dispenser

in front of water dispenser

(3:IH:32/1J25: "A' - show as panel
as (4), update Dim. on gg.8; "C'
revise placement, update
rendering, add enclosure box color;
"C' - update to single door; "O'-add
"Door to remain..." text; "F' - update
levation; "G' - add enclosure box
color; "IS:03" - rivse to w/O HC
will be add to the color of t

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY


All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 29 of 30



14

A530


TA.10


-CENTERED

∾ COVER SINK

TA.04 TA.05

TA.09





Project ID 0424483Ar4

SHAKE SHACK

621 King St. Alexandria, VA 22314-3156

Date: 12/10/2024

Contact: M. WILSON/ JA

Designer: JH

Sign Item

AS NOTED

Scale: AS NOTED

Revision Note

R1.LDB.01/08/25: Reduce Sign A letter size; Increase Sign B burger (ago stroke width; Revise placement of Sign C and finish color; Added Sign D property identifier; Revised H1/H2 fc color call out; Revised H1/H2 fc Color leventons; Updated Sign G Arch Drawings.

Drawings.

72 GO 2.27.25: A: increase bkgn panel, add electical notes; B: move location; C: show curved mounting plate: D: update to single door; F: Center above kiosk, G: Update drawing to include enclosure box; I: revise placement, IS.03 even of Accessible, IS.06 Update detail and sign location, IS.18: show installed in front of water dispenser

in front of water dispenser

(3:HH3/21/25: "A' - show as panel
as (4). update Dim. on gg.8; "C'
revise placement, update
rendering, add enclosure box color;
"E' - update to single door; "D' add
"Door to remain..." text;"F' - update
levation; "G' - add enclosure box
color; "Is.03: -rivse to w/O HC
volor; "Is.03: -rivse to w/O HC
volor; "Update restroom floor
plan & elevations."

R4 SDM 4/8/25-rev.F&I loc. Removed clutter from pg 25

Information Required for Production

Customer Approval

Signature

MM/DD/YYYY

All rights reserved. The artwork depicted herein are copyrighted and are the exclusive property of Pattison ID and as such cannot be reporduced and/or distributed, in whole or in part, without written permission of Pattison ID.

It is the Customer's responsibility to ensure that the sign installation location is suitable to accept and support the installation of the signs being ordered. Notify Pattison ID immediately if further details are required.



1.866.635.1110 pattisonid.com

Page 30 of 30