June 2015

Joint Alexandria City Public Schools/City of Alexandria

Long Range Educational Facilities Plan





PREPARED BY: CITY OF ALEXANDRIA, DEPARTMENT OF PLANNING AND ZONING ALEXANDRIA CITY PUBLIC SCHOOLS, EDUCATIONAL FACILITIES IN COORDINATION WITH: CITY OF ALEXANDRIA, OFFICE OF MANAGEMENT AND BUDGET

SPECIAL THANKS TO: NOREEN O'BRIEN

ACKNOWLEDGEMENTS

CITY COUNCIL

William D. Euille, *Mayor*Allison Silberberg, *Vice Mayor*John T. Chapman
Timothy B. Lovain
Redella S. 'Del' Pepper
Paul C. Smedberg
Justin Wilson

ACPS SCHOOL BOARD

Karen A. Graf, *Chair*Christopher J. Lewis, *Vice Chair*Kelly C. Booz
William E. Campbell
Ronnie Campbell
Patricia Ann Hennig
Stephanie A. Kapsis
Justin P. Keating
Marc Williams

LREFP WORK GROUP MEMBERS

School Board

Ronnie Campbell Karen A. Graf Justin P. Keating

City Council

Mayor William D. Euille Councilman Justin Wilson

Campagna Center

Dr. Tammy L. Mann

PTA Council

Yvonne Folkerts Julie Rocchio Melynda Wilcox

Community Members

Herb Berg Ken Billingsley Mark Eisenhour Chris Hartman Judy Noritake

ACPS/City Staff

Debra Collins, *Deputy City Manager, Alexandria* Dr. Alvin Crawley, *Superintendent* Tammy Ignacio, *Chief of Staff, ACPS* Dr. Morton Sherman, *Superintendent (2008-2013)*

PROJECT STAFF

ACPS

Elijah Gross, *Director, Planning, Design & Construction*Laurel Hammig, *Facilities Planner/GIS Specialist*Clarence Stukes, *Chief Operations Officer*Andrea Feniak, *Director, Planning Design & Construction (2013-2014)*William Finn, *Director, Facilities (2012-2014)*Dr. William Holley, *Director, Facilities (2014)*

City of Alexandria

Mark Jinks, City Manager
Karl Moritz, Director, Planning and Zoning
Susan Eddy, Deputy Director, Planning and Zoning
Chris Bever, Assistant Director, Office of Management & Budget
Steve Chozick, Division Chief, Information Technology Services
Ron Kagawa, Division Chief, Recreation, Parks & Cultural Activities
James Bryant, GIS Analyst, Information Technology Services
Katherine Carraway, Planner, Planning and Zoning
Nathan Imm, Planner, Planning and Zoning
Pat Mann, Planner, Planning and Zoning
Ryan Price, Planner, Planning and Zoning
Dana Wedeles, Planner, Recreation, Parks & Cultural Activities
Amber Wheeler, Planner, Planning and Zoning (2012-2014)

CONSULTANTS

Brailsford & Dunlavey Studio Twenty Seven Architecture

TABLE OF CONTENTS

| ES |
|------|
| ES1 |
| ES1 |
| ES2 |
| ES2 |
| 1.1 |
| 1.1 |
| 1.3 |
| 1.4 |
| 1.5 |
| 2.1 |
| 2.1 |
| 2.2 |
| 2.4 |
| 2.7 |
| 3.1 |
| 3.1 |
| 3.3 |
| 3.6 |
| 3.11 |
| 3.12 |
| 3.15 |
| 3.16 |
| 4.1 |
| 4.1 |
| 4.4 |
| 4.5 |
| 4.10 |
| 4.15 |
| 4.19 |
| 4.25 |
| 4.30 |
| 4.31 |
| 4.36 |
| 4.40 |
| 4.45 |
| 4.51 |
| 4.52 |
| 4.56 |
| 4.62 |
| 4.67 |
| 4.72 |
| 4.73 |
| 5.1 |
| 6.1 |
| |

Table of Contents *Continued*

| APPENDIC | CES | |
|---------------------------|---|--------------|
| $\mathbf{A}_{\mathbf{l}}$ | ppendix A—LREFP Background Information | \mathbf{A} |
| | LREFP Plan Process Overview | |
| | Work Group Members | |
| | Joint COA/ACPS Work Program | |
| | LREFP Work Program Supplement | |
| | LREFP Update - October 15, 2012 | |
| | LREFP Work Program Schedule | |
| $\mathbf{A}_{\mathbf{l}}$ | ppendix B—Educational Specifications | В |
| • | Educational Specifications Development Workflow | |
| | ACPS Elementary School Educational Specifications | |
| | ACPS Middle School Educational Specifications | |
| $\mathbf{A}_{\mathbf{J}}$ | ppendix C—Educational Adequacy Assessments | C |
| $\mathbf{A}_{\mathbf{l}}$ | ppendix D—Enrollment and Forecasting Background Information | D |
| • | Draft Long Term Enrollment Forecast Description | |
| | ACPS Enrollment History Graph | |
| | Historic Regional Public School Enrollment Charts | |
| | Alexandria Birth Rate Trends | |
| $\mathbf{A}_{\mathbf{J}}$ | ppendix E—Debt Service Ratios | E |
| $\mathbf{A}_{\mathbf{l}}$ | ppendix F—Reference Maps | \mathbf{F} |
| • | Zoning maps for all existing schools | |

EXECUTIVE SUMMARY

The Long Range Educational Facilities Plan (LREFP) outlines options for providing educational facilities to meet its new educational specifications. The plan was developed in a joint effort between Alexandria City Public Schools (ACPS) and the City of Alexandria to forecast changes in student enrollment, to identify the types of facilities that can best meet educational needs over the next 25 years, and to identify options to make those facilities available when they are needed as enrollment changes over time.

RAPID ENROLLMENT GROWTH

Since 2007, ACPS has faced rapid increases in enrollment, averaging nearly 4% per year from 2007 through 2014. This is a 35% growth in K-12 enrollment from a low of 10,246 in 2006 to the 2014 fall enrollment of 13,847, a level not previously exceeded since 1975. (Figure 1.1)




Figure 1.1

The engine of this enrollment growth was not new development. Nearly all recent growth in enrollment came from an increase in the number of students living in housing that had been built prior to the enrollment spurt. While much of this enrollment growth seems to have resulted from temporary economic conditions, many of the families whose children now attend Alexandria public schools because of those conditions are expected to keep them there through graduation.

Over the longer term, the increase in senior citizens as a share of population, and a nationwide trend to lower birth rates among those ethnic and racial groups that currently have the highest birth rates, are expected to bring the city's enrollment growth rate down to 1% per year or less by 2030, and ultimately to a slow decline in enrollment

each year. While the first wave of this growth was absorbed by growing into space that had been underutilized during the enrollment decline from 2000 to 2006, the increase has required construction of additional classrooms at some schools. Class size targets were also increased by two students per classroom, which added to the nominal capacity of the system for students.



INADEQUATE EXISTING SCHOOL FACILITIES

Most of the City's public schools were constructed prior to 1960 and currently require a relatively high level of maintenance and repair expenses just to keep basic systems operating and structures safe and sound.

In order to identify the scale of the problem, an analysis of the ability of existing school facilities to meet newly defined educational specifications was conducted. Based on the anticipated 2020 enrollment forecast for each school, the analysis determined that meeting those standards would require substantial additional investment at many of these schools even without increases in enrollment beyond 2020. Mini-Master Plans were prepared for each school to illustrate a means of meeting these standards and accommodating the mid-range increase in enrollment anticipated on the current school sites.

ACPS is pursuing a modernization plan in order to address capacity and building conditions. In some cases, replacement may be a better long-term option than expanding or reconstructing existing buildings. Because space is tight in a nearly fully built-out city such as Alexandria, reconstruction on some school sites is likely to require temporarily housing students at other locations while buildings are rebuilt.

While some schools can be enlarged to provide more capacity, some of the City's schools have already grown well beyond the size considered optimal for the grade levels they serve, and more are expected to have

enrollment above that number by 2020. New sites, or construction of additional schools on existing or expanded school sites, will be needed if recommended school size is to be maintained.

SITES FOR NEW FACILITIES

Other than two small sites set aside in North Potomac Yard and near Simpson Stadium Park, there are no designated sites for new schools in Alexandria. A combination of new school sites, enlargement of existing schools, and construction of additional schools on some existing school sites is likely to be required. The plan includes recommendations for the best locations to pursue each of these options and provides guidelines for adapting schools to the smaller sites likely to be available for urban schools.



RECOMMENDATIONS

This plan provides a range of options for providing educational facilities that meet the needs of future enrollment in 21st century learning environments. While the recommendations are fiscally unconstrained, the fiscal challenges are clearly documented in Chapter 5. The Plan is intended to be used for both long range planning and for making short term decisions as part of the annual Capital Improvement Program process. It is also intended that the plan be updated with new enrollment data and revised enrollment forecasts on a yearly basis.

ACPS and the City of Alexandria have determined the following eleven items as overall recommendations:

1. Set maximum school size

- a. Elementary schools 850 students for new schools with School Board flexibility for expanding an existing facility beyond 850 students
- b. Middle Schools 1200 students for new schools with School Board flexibility for expanding an existing facility beyond 1200 students

- 2. Locate a new elementary school on the west side of the city as four of the elementary schools on the west side are expected to exceed 850 by 2020. A second new elementary school should be considered if growth continues to increase and in absence of pursuing other options to address capacity.
- 3. Locate a new middle school in the city as Francis C. Hammond is expected to exceed 1,500 students in 2020 and George Washington will be over 1,400 students in 2020.

4. Consider options for new school sites:

- a. On the east side of city
 - Retain two existing elementary sites for future determination – one near Simpson Stadium Park and one in North Potomac Yard.

This plan does not call for a school on either site in the near-term. This Plan supports the continued use of the Simpson Stadium Park site as open space utilized for active recreation purposes.

- b. On the west side of city
 - Reserve a site in the Eisenhower West Small Area Plan
 - Consider the Lower Hammond site
- c. Consider retrofitting an existing commercial building and continue to consider a K-8 model as a facility solution when the programmatic instruction is appropriate
- d. New schools should consider an urban school model
- 5. Renovate and/or replace Douglas MacArthur Elementary School to alleviate failing infrastructure and capacity issues, allowing the new building to house up to 850 students as the zoning, site and educational program allows. Additional information can be found in Chapter 4.
- 6. Renovate interior East side schools to meet the Educational Specifications (Ed Specs) and allow Cora Kelly and Jefferson-Houston Schools to absorb overages from Matthew Maury and Mount Vernon schools. Short and mid-term recommendations are shown, by site, in Chapter 4.

- 7. Continue to renovate all schools to meet the Ed Specs through the Capital Improvement Plan. Short and mid-term recommendations are shown, by site, in Chapter 4.
- 8. Recalculate enrollment projections and capacity utilization annually. Schools that are projected to be at or above 120% utilization within three years should be considered for portable classrooms, a capacity project and/or a boundary study or other policy considerations.
- 9. Consider schools in future small area planning efforts as outlined in Chapter 1.
- **10.** Consider schools in the development review **process** as outlined in Chapter 1.
- 11. Implement a joint City/Schools Transportation Demand Management Program to encourage use of alternative modes of transportation as outlined in Chapter 1.
- **12. Explore options to address high school capacity challenges and fiscal impact** given projected student enrollment data that indicated the need for instructional spaces to accommodate 4,558 students by 2024. This number represents an increase of 1,035 students from 2014.

NEXT STEPS

Discussions between the City and ACPS should continue regarding the delivery of Pre-K instruction. Programs housed in neighborhood schools and centralized locations impact future educational facilities and capacity.

PLANNING AND IMPLEMENTATION POLICIES

CITY OF ALEXANDRIA MASTER PLAN

The City of Alexandria's comprehensive Master Plan is comprised of individual Small Area Plans developed for neighborhoods throughout the City and contains chapters on topics of citywide relevancy including Transportation and Open Space (See Figure 1.1).

The Alexandria Master Plan was first adopted by the City Council on June 13, 1992. Chapters within the document are updated on a regular basis with new chapters added as needed through Master Plan amendments. Many Small Area Plans, such as Taylor Run/Duke Street, Seminary Hill/Strawberry Hill and North Ridge/Rosemont are still based largely on the 1992 Plan with few amendments (*Figure 1.1*). Since 1992, a few areas have been divided with new plans prepared, including Beauregard and Eisenhower East. In addition, many overlay plans, which are supplemental plans and amendments to existing Small Area Plans, have been adopted over the years. Examples of overlay plans include the Landmark/Van Dorn Corridor Plan, the Arlandria Neighborhood Plan, and the Hunting Creek Area Plan.

While the 1992 Small Area Plans clearly documented locations of both public and private schools, they

contained little guidance on the subject of future school needs and facilities. Recently prepared Small Area Plans have more carefully evaluated educational needs and facilities:

- The Beauregard Small Area Plan includes an analysis of existing schools in that area and projections of future students based on redevelopment. Redevelopment within the Beauregard area is expected to reduce the number of public school students. Housing units that are newer with higher density, and/ or are more expensive, generate fewer students than older housing units that are less dense and/or are more affordable. While it did not propose a new school in the area, the Beauregard Plan did propose active recreation improvements at William Ramsay Elementary School and recommended open space improvements to the adjoining schools and parks. Additionally, the Plan recommended that the open space within the Adams neighborhood be designed to potentially accommodate school use.
- The Landmark/Van Dorn Corridor Plan estimated that total development potential over the 20 year Plan build -out could generate the need for elementary school space by eight to twelve classrooms—about four




Figure 1.1

elementary school students for every 100 units. The Plan did not identify a school site, but recommended that as the City reviews development applications for major parcels in the area, the Alexandria City Public Schools (ACPS) be involved in evaluating the potential for that project to include a school site or contribute to school facilities. While projects in the catalyst phase of the Plan implementation will have limited ability to contribute to school facilities, for later phases the City will request a pro-rata share of capacity costs to mitigate the impact of new development on school facilities and will allocate those funds for school facilities.

The North Potomac Yard Small Area Plan includes a thorough analysis of potential future students and educational needs in North Potomac Yard. The Plan reserves Block 4 for a possible school site in an urban form (Figure 1.2). An update of the North Potomac Yard Small Area Plan is scheduled to begin in 2016. As part of that Small Area Plan update, Block 4 as well as other sites in North Potomac Yard will be carefully evaluated for a future school location. The North Potomac Yard Small Area Plan also contemplates construction, expansion or reconstruction of a new school at an off-site location. For example, Cora Kelly STEM School could be expanded to accommodate additional students

NORTH POTOMAC YARD SMALL AREA PLAN Block Plan



Figure 1.2

For new Small Area Plans, the City of Alexandria's Department of Planning and Zoning is committed to including information and guidance on existing and future schools. The Long Range Educational Facilities Plan will form the basis for this analysis. The public will be actively

engaged in all aspects of the planning process including the exploration of new and expanded school sites. Planning and Zoning staff will work closely with ACPS staff on planning for schools in Small Area Plans. New Small Area Plans will analyze the overall city-wide demand for schools, the existing demand for schools in the area, and the demand for schools as a result of new development proposed in the plan. Potential sites for a school in the Small Area will be evaluated and the Small Area Plans will include a strategy for funding school acquisitions and construction, potentially through developer contributions as described below.

In order to determine the demand for school seats as a result of new development, City staff will use the number of students generated from each type of new housing unit as summarized in *Figure 1.3* and further detailed on *Figures 2.4* and *2.11*.

ACPS K-12 STUDENT GENERATION BY HOUSING TYPE

| Type of Unit | Students per Unit |
|--|-------------------|
| Single-Family Detached (market rate) | 0.2 |
| Townhouse/Duplex (market rate) | 0.1 |
| Low-Rise Apt./Condo (market rate) | 0.03 |
| Midrise Apt./Condo (market rate) | 0.03 |
| Highrise Apt./Condo (market rate) | 0.03 |
| Public Housing* | 1.0 |
| Other Income-Restricted Housing* (verify) | 0.6 |

^{*}Excludes senior housing

Figure 1.3

(These student generation factors will be regularly updated [see the timeline in *Figure 1.5*] so that they reflect current enrollment patterns.)

As part of their implementation measures, recent Small Area Plans have acknowledged that when the new development proposed in the Small Area Plan takes place, public improvements will likely need to be provided to mitigate the impacts of the new development. These public improvements typically include street and pedestrian improvements, enhanced landscaping, parks, and affordable housing. Developers, who cause the need for new facilities and improvements through their

developments, are asked to mitigate the impacts by making contributions towards these public improvements. Developer contributions can be financial contributions or contributions of land.

One successful example of this approach was the establishment of the Braddock Metro Neighborhood Plan Open Space Fund and the Community Amenities Fund. Developer contributions in the Braddock area are used to fund the acquisition and construction of a new park, and for streetscape improvements on plan-identified walking streets.

In the Beauregard Plan, developer contributions are targeted toward a variety of public improvements including construction of a new Fire and EMS Station at North Beauregard and Sanger and construction of the Ellipse to replace the Seminary and North Beauregard Intersection.

New Small Area Plans will include schools among the public facilities to be evaluated. Each plan will identify the public infrastructure needs in the plan area due to increased development and prioritize them through the planning process. Identified needs and projects will then become the focus of developer contributions. In future Small Area Plans, where, due to increased development, there is an identified need for a new school, a school addition, or a school improvement, the plan could direct developer contributions toward funding for these school facilities.

At this time, the City of Alexandria is actively preparing a plan for the Eisenhower West Area. This will be a new plan for a portion of the Landmark/Van Dorn Small Area Plan (Figure 1.4).

EISENHOWER WEST SMALL AREA PLAN



Figure 1.4

The west end of Alexandria already has a great need for elementary school seats (See Executive Summary) and the enhanced development currently being promoted in this small area plan will likely create a greater need for school seats. This Small Area Plan process represents a unique opportunity for the City to secure a school site where it is most needed. As described above, City staff will work closely with ACPS staff to analyze current school needs in the area and future needs due to development proposed in the plan. The Plan will provide criteria for identifying potential school sites in Eisenhower West and will include the school as a public improvement to be funded by developer contributions.

CITY OF ALEXANDRIA DEVELOPMENT REVIEW PROCESS

All major development projects in the City of Alexandria go through a rigorous review process led by the Department of Planning and Zoning. This process incorporates a high degree of public outreach with active participation from residents and civic groups. Planning and Zoning staff ensure that development proposals are consistent with the Master Plan and Zoning Ordinance, consist of the highest quality building design, urban design and site planning, and provide an overall public benefit.

Developments requiring a Rezoning or a Development Special Use Permit with Site Plan (DSUP), receive the highest level of scrutiny, which includes discretionary review standards. The Planning Commission hears requests for Rezoning and DSUPs during public hearings before forwarding its recommendation to the City Council. The City Council holds an additional public hearing on these applications prior to taking final action.

Much of the new development proposed in the City is supported by Small Area Plans (Figure 1.1). The more recent Small Area Plan include an evaluation of educational needs. When a relevant Small Area Plan directly addresses educational needs, it becomes part of the evaluation of future development application. For example, for the Landmark/Van Dorn Corridor Plan, and more specifically, projects in later phases, the City will be requesting a pro-rata share of school capacity costs as developer contributions to mitigate the impacts of the new development, and allocating these funds for school facilities.

In cases where major development project are proposed in areas where the Small Area Plan does not include a review of educational needs, Planning and Zoning staff will first quantify the effects of any proposed residential development on school facilities, examining the number of students generated (see Figure 1.3) and the capital costs per student for school facilities. City Staff will work with

ACPS staff to review the recommendations of the Long Range Educational Facilities Plan, specifically any improvements proposed in the area of the proposed development. The City may seek a proportional share of the costs to mitigate the impacts of the new development, balancing these against other community improvements needed in the area.

In limited situations, development applications have directly provided educational facilities, as in the case of the Coordinated Development District (CDD) for Potomac Yards/Greens CDD #10. In this CDD, a portion of the Potomac Yard Park, not to exceed three acres, was reserved and made available for the construction of a new public school. Depending on future needs, up to two acres of adjacent land will be made available for this new school. Although this Long Range Educational Facilities Plan does not call for a school on this site (Simpson Stadium Park) at present, it may be needed in the future. This Plan supports the continued use of the site as open space utilized for active recreation purposes. CDD #10 also provided improvements to Braddock Fields, which includes land that is part of George Washington Middle School.

ZONING

The City of Alexandria Zoning Ordinance divides the City into zoning districts and regulates the use, density, height, setbacks, floor area ratio (FAR) and other building and site characteristics of all properties in the City. As part of the process of creating the Mini-Master Plans, the ACPS school sites were analyzed for conformance with the Zoning Ordinance. A number of zoning issues were revealed and these are highlighted below:

- The following schools exceed their allowable FAR per their existing zoning district and site. Any additions or significant renovations will require either an exception to the requirements of the Zoning Ordinance or a rezoning to a different zoning district:
 - Mount Vernon
 - John Adams
 - Samuel Tucker
- The following schools would likely exceed their allowable FAR should an expansion or addition be considered:
 - Douglas MacArthur the size of the proposed new/renovated school shown in the Mini-Master Plan would significantly exceed the allowable FAR.
 - William Ramsay

- Matthew Maury exceeding the allowable FAR may be offset by consolidating lots owned by ACPS. Further study would be required.
- The following school building currently overlaps an adjacent property that is in the Public Open Space (POS) zone:
 - Cora Kelly
- George Washington a portion of the existing eastern recreational field is within the Coordinated Development District (CDD) #10 for Potomac Yard an upcoming dedication and rezoning action may be required.

The individual school solutions in the Mini-Master Plans have been provided at a very conceptual level. As planning and design work continues, addition or renovation projects may exceed the allowable FAR at a later stage in the process. Evaluating the projects for compliance with the zoning requirements will be necessary.

Options for addressing these zoning issues include: individual zoning district map amendments for each school site to be considered at the same time as the Development Special Use Permit (DSUP) for that school improvement, one or more zoning ordinance text amendments to make existing zones more accommodating to school expansions, or the creation of a new zone in the zoning ordinance specifically for public schools. A new zone specifically for public schools would provide for appropriate attention to neighborhood issues while also providing flexibility not available in the various zoning districts in which the schools are currently located.

TRANSPORTATION DEMAND MANAGEMENT

Transportation Demand Management (TDM) is a set of low cost policies, strategies, or programs that promote the more efficient use of existing transportation systems (i.e. roadways, bridges) and have an ultimate goal of reducing drive alone travel. Alexandria has a long-range city-wide TDM Plan with a broad set of strategies to reduce the number of cars on the City's roads.

ESTABLISHING TDM PLANS WITHIN ALEXANDRIA CITY PUBLIC SCHOOLS

ACPS and the City share the same vision of creating a transportation system that encourage use of alternative modes of transportation, thus reducing dependence on the private automobile. This system will lead to the

establishment of transit-oriented, pedestrian-friendly village centers, focused on neighborhood preservation and increased community cohesion, forming a more urban, vibrant and sustainable Alexandria.

The City promotes a balance between travel efficiency and quality of life, providing Alexandrians with transportation choice, continued economic growth and a healthy environment. TDM programs are an important tool for implementing this vision, and ACPS facilities would benefit greatly from reducing single occupancy vehicle (SOV) travel in terms of parking capacity and congestion. As such, TDM initiatives are an integral component of this long range facility planning effort, and ACPS seeks to collaborate with the City's *Local Motion* initiative to advance these programs in Alexandria's schools. This partnership between ACPS and *Local Motion* aims to promote existing TDM programs offered in the City and the Region, and expand their presence throughout the school system.



The establishment of TDM programs in Alexandria school facilities will occur on a rolling basis, and ACPS will create a process to identify which schools are in need of these programs. Items that may warrant the creation of a TDM program include, but are not limited to:

- An increase in staff or student enrollment
- Identified parking or circulation issues
- Changes in parking capacity

Once a school has been identified as needing a TDM program, ACPS will work with the City's Transportation & Environmental Services Department (T&ES) to tailor program options specific to that particular school. A widerange of TDM program options exist. Some examples that could be implemented at Alexandria schools include, but are not limited to:

- Safe Routes to School initiatives
- Incentives and prizes for walking, biking, or using transit
- Marketing local or regional commuting programs

LREFP ANNUAL IMPLEMENTATION PROCESS

The timeline in *Figure 1.5* summarizes the proposed annual implementation process for the Long Range Educational Facilities Plan.

| September — January | City creates long-term, population and housing forecasts which input into new development projections. Demographic data also informs long range forecast. |
|------------------------|--|
| October | ACPS enrollment numbers received. |
| October—January | ACPS develops short— and mid-term projections (informed by City data on development). City/ACPS staff works on long-term enrollment forecast based on city's population changes and new develop- |
| | ment data. |
| December | New birth data received. |
| December— January | City/ACPS staff meet to review/analyze data as it relates to enrollment. |
| February | Work group (and/or City/ACPS Subcommittee) meets with staff to determine any adjustments, at which time ACPS can report on other issues with facilities that relate to the LREFP. City updates student generation factors for future development projects and small area plans based on September enrollment and updated building data if needed. |
| | Recommendations can inform ACPS and City CIP processes. |
| March | ACPS March enrollment figures are released. Staff and work groups can monitor as they may be a precursor to upcoming fall enrollment. |

Figure 1.5

- Transit fare subsidies
- Walk/bike to work subsidy program
- Information dissemination
- TDM/Environmental integration into curriculum

A TDM program coordinator will be assigned to each school by ACPS. The coordinator will be responsible for administration and execution of the TDM programs at the school, and will serve as the point of contact for students, employees, and parents on questions related to those programs. The coordinator will produce annual reports and transportation surveys in collaboration with T&ES to track progress and collect information on which programs are in demand.

The transportation surveys are an important tool that can provide valuable information relating to the commuting behaviors of employees, parents, and students. These surveys will help inform the TDM program selection and also facilitate ride-matching and car-pooling opportunities. T&ES will provide the survey questions, access to the platform (software), and analyze the results. ACPS will be responsible for distribution of the surveys within the schools.

ENROLLMENT TRENDS AND FORECASTING

BACKGROUND

CURRENT RAPID GROWTH IN ENROLLMENT

Enrollment in Alexandria City Public Schools (ACPS) is currently in a period of rapid growth of approximately 4% per year that began in 2006 and has produced a 35% increase in enrollment over eight years. This growth was preceded by a period of slowly declining enrollment at all grade levels from 2000 to 2006. Growth began when the crisis in housing finance in 2006 abruptly reduced the ability of growing families to move to new housing with more space in the outer suburbs. Although this bump in births and enrollment will gradually work its way through to graduation, a share of this growth is expected to be supported and sustained by more families choosing to live in smaller housing units at higher densities in inner suburbs

and central cities. Anecdotal evidence supports the idea that families are choosing urban living for its convenience, cultural richness and lower transportation cost compared to more distant suburbs.

LONG-TERM ENROLLMENT FORECAST

Three potential long-term enrollment scenarios, together with the 2014 ACPS mid-term enrollment projection are shown in Figure 2.1 below. The scenario recommended for use in long-range planning is termed the Recommended Planning Forecast. All three scenarios are based on the city's and the region's current population growth assumptions of the regional cooperative forecasting program through 2040. The birth rate and other assumptions of the recommended planning forecast result in a decline from the recent rapid enrollment




Figure 2.1. Three long-term enrollment scenarios are shown with the 2014 ACPS mid-term enrollment projection. The recommended forecast for use in long-range planning is shown in red.




Figure 2.2. Alexandria population and public school enrollment since 1960. School enrollment peaked at over 17,000 students in 1970 as the last of the baby boomers enrolled in first grade.

growth rate over the next 10 to 15 years to a rate that approximates the 1% per year growth of the city's population as a whole. Enrollment is then expected to fall below the city's growth rate, and potentially to decline in absolute numbers slightly each year. In spite of the expected slowing rate of enrollment growth, enrollment is expected to continue to rise to peak at between 18,000 and 19,000 ACPS students in the next 15 to 20 years before declining.

The remainder of this chapter provides background on the history of enrollment in ACPS, the key contributing factors that determine ACPS enrollment each year, and how ACPS short-term projections and the long-term forecasts used to estimate future facilities needs were developed.

ACPS ENROLLMENT HISTORY

Figure 2.2 above shows ACPS enrollment since 1960 together with city population. School enrollment peaked in 1970 as the last of the baby boomers reached school age and the earliest baby boomers had recently graduated from college. In spite of a 15% increase in the number of households from 1970 to 1980, the city's population fell that decade by 7%, and enrollment in city schools dropped by nearly 37% as Alexandria's households sent their children off into the world. Some came back to fill a rapidly

growing inventory of new apartments in the city, convenient to serve the offices and industries of the region. The city's average household size declined from 2.57 in 1970 to 2.07 in 1980, 2.04 in 1990, and 2.03 people per household in 2000 and 2010, among the lowest of all cities in the U.S.

FORECASTING FUTURE ENROLLMENT

ENROLLMENT DYNAMICS

The basic mechanism by which births in Alexandria become students in school, and how those students




Figure 2.3. Enrollment factors. Because of substantial and variable migration by young families in and out of Alexandria, kindergarten capture is difficult to predict reliably. Once children are in ACPS schools, migration effects are generally lower than between birth and age 5.

progress through the grades is illustrated in Figure 2.3. Enrollment forecasting involves modeling this process mathematically, beginning with the recorded number of births each year. Information on in-migration and out-migration is poor in Alexandria, so these numbers are not modeled directly. Instead, the kindergarten capture rate (the number of kindergarten students each year per birth five years before) is used, with that figure averaged to smooth out random variations from year to year to estimate the future capture rate. Since 1975, that rate has averaged 56% per year, indicating a net loss to out-migration of about 7% to 8% of children born in Alexandria each year before they reach kindergarten. While census data indicates that about 15% to 18% of Alexandria's school-age children attend private school or are home schooled, compared to 9% to 12% in other Northern Virginia jurisdictions, net out-migration plays a much larger role in the low rate of kindergarten capture.

Similarly, the ratio of the number of students enrolled in each grade to the number enrolled the prior year in the earlier grade, termed the cohort survival rate, is used to estimate the enrollment in each grade in the future. Net loss grade-to-grade currently varies significantly by grade, but averages 2% to 3% per grade over all grades. Ninth and 10th grades gain students shifting from private school to ACPS, and show a cohort survival rate of greater than 100%.

Outside factors such as the recent housing market crisis, job prospects, transportation costs, and changes in public perception of the quality of local schools can all change people's decisions on where to live, public vs. private school, and whether or not to have children from year to year. Modeling based on past trends in kindergarten capture and cohort survival does not anticipate such changes. Such modeling also does not reflect changes in the rate or type of new development. In Alexandria's enrollment forecasts, a separate calculation is made of where changes in enrollment are expected based on expected new units to be constructed and existing units to be demolished.

The year 2014-15 enrollment statistics indicate that the total ACPS student enrollment has increased

4.4% compared to school year 2013-14. The average annual growth between September 2006 (FY 2007) and September 2014 (FY 2015) for the division is 4.13%. The highest percentage increase is seen in middle school at 6%, followed by high school at 5.8% and elementary school at 3.2%. The lower rate of increase in elementary enrollment is a change from the initial years of the recent enrollment increase, and is seen as a confirmation that the recent growth in enrollment is likely to slow over the next few years, first presaged by a 6.5% drop in kindergarten enrollment in 2013.

UNCERTAINTY IN ENROLLMENT FORECASTING

Alexandria's close-in urban location, demographics and housing stock combine to make future changes in enrollment difficult to anticipate. Of the current population of the city, more than 15% has moved into the city in the past year, and about 15% of those who lived here a year ago have moved out. This high rate of geographic mobility each year is more than double the national average of 6.1%. When high mobility is combined with the city's small share of the regional population (less than 3%), small changes in regional or national economic factors can be magnified into big swings in Alexandria's school enrollment.

The drop in enrollment from 2000 to 2006 was not anticipated by school planners, and while the effects of the housing finance crisis and recession on delaying families' moving plans could have been expected, the depth and duration of the economic disruptions resulted in a more significant and longer term effect than was initially foreseen.

In addition, there is at least anecdotal evidence that more families are choosing an urban environment in which to bring up their children, and walkable places like Alexandria with good public



transportation and a wide range of local cultural activities and nearby jobs are the kinds of places many of them seek. Sorting this effect out from recession effects will take more time.

School enrollment statistics are very accurate data, and a leading indicator often used to estimate how population is changing. There are no comparably complete, reliable predictive data that can be used to anticipate changes in direction of school enrollment trends with the precision needed to identify school needs 3 to 4 years in advance, the minimum notice needed to design and build new permanent school facilities.

While the number of births five years ago is used to predict kindergarten enrollment each year, the share of births that become kindergarten students varies widely from year to year in Alexandria because of the high mobility of couples and families throughout the region and the dependence of this mobility on economic conditions. Data on geographic mobility that would be useful in anticipating enrollment is available from the Census Bureau as a 1% sample survey with a large margin of error; however, even that data is not available until approximately one year after the families surveyed have already enrolled their children in school.

LONG-TERM ENROLLMENT FORECAST SCENARIOS

While we can have some confidence that this growth spurt will not last forever, estimating precisely when the turnaround will take place remains difficult. For this reason, multiple scenarios with different birth rate, cohort survival and kindergarten capture assumptions over time were used to help guide the long-range plan. All the scenarios assume the same background of sustained economic growth in the city and the region over the long term. Scenarios assuming different economic conditions could result in a wider range of enrollment outcomes.

RECOMMENDED PLANNING FORECAST SCENARIO

In the recommended planning forecast scenario we assume that the birth rate in the city will remain at its 2012 level for five years and then begin to decline at 0.3 percentage points per year to the sustained rate that was experienced over the 10

years before the recent rapid increase. Once the birth rate reaches that previous rate, it is assumed to decline more slowly, at the same rate the national birth rate is projected to decline. The kindergarten capture rate and cohort survival rate are assumed to fall slightly each year from their current 2-year or 3 -year average rates. The birth rate per 1,000 residents fell in 2013 for the first time since 2006, so the initial year of data is a first indication that the birth rate may have peaked.

HIGH ENROLLMENT GROWTH SCENARIO

The high enrollment growth scenario assumes that the birth rate will continue to rise to peak in 2017, then begin to decline at 0.3 percentage points per year until it reaches the previous sustained rate, followed by slower decline at the rate the national rate declines. Kindergarten capture and cohort survival are assumed to continue at relatively high rates, but lower than the rates experienced from 2006 to 2010.

MODERATE ENROLLMENT GROWTH SCENARIO

The moderate enrollment growth scenario assumes the birth rate scenario of the recommended forecast, with a constant birth rate for five years, but assumes the kindergarten capture rate and cohort survival rate will fall faster than in the recommended planning forecast scenario.



From Kindergarten to Senior Year in ACPS

Each birth rate assumption in the three principal scenarios is combined with slightly different kindergarten capture and cohort survival assumptions that increase the differences between the scenarios that would result from the birth rate




Figure 2.4. Student generation by unit type and age of unit for market-rate housing units Older units generate more students per unit regardless of the type of housing. New single-family detached homes have the most students per dwelling unit, but very few additional single-family detached homes are likely to be built in Alexandria. For older units, single-family homes generated only slightly more students per unit than the city's many low-rise or garden apartments. New apartments and condominiums generate fewer than one student per 30 units until they reach 30

assumptions alone. The kindergarten capture rate in the two lower enrollment cases is assumed to fall to the historic average rate of 56% and not below. The cohort survival rate is assumed to remain relatively high, on the assumption that students who enter the Alexandria schools will tend to stay in them at a higher rate than they did during the decline in enrollment from 2000 to 2006, but at a lower rate than that experienced from 2006 to 2010.

LONG-TERM ENROLLMENT FORECAST ASSUMPTIONS

The forces expected to turn around the recent spurt in enrollment growth include local limitations on the ability of Alexandria's housing stock to meet family needs given other choices in the region, and expected national demographic changes.

Alexandria's housing stock is dominated by multifamily units with fewer rooms than housing in

most surrounding areas, and this stock is not expected to continue to turn over to growing families without running into limits in competition with singles and childless couples. Some growth can be expected to continue through turnover to more families in neighborhoods that fed the baby boom in the 1960s.

The first and most important national demographic factor driving this long-term decline is an expected continued decline in birth rates among all population groups, particularly among those groups with high current birth rates, including recent immigrants and the Hispanic population (Methodology and Assumptions for the 2012 National Projections, U.S. Census Bureau, undated). The strength of this effect will depend to some extent on the rate of growth in the Hispanic population in the city. The growth in the Hispanic




Figure 2.5. Alexandria Births and Birth Rate. After a 10-year period of relatively constant birth rate averaging 16.3 per 1000 people from 1996 to 2006, Alexandria's birth rate began to rise substantially in 2007, reaching 19.1 per 1,000 people in 2012. In 2013 the number of births fell slightly from 2012, resulting in a 1.6% decline in the birth rate. It will take at least a year or two of additional observations to determine whether this is a fundamental change in direction or a temporary variation.

population could outweigh a drop in birth rate in generating ACPS students.

The second factor is the approximate doubling of seniors as a proportion of the total population that will take place between 2015 and 2040 as all those in the baby boom generation pass age 75, and the oldest of them replace those in the low birth years of 1925 to 1940 as the oldest members of the population.

ENROLLMENT FROM NEW DEVELOPMENT AND REDEVELOPMENT

In the current COG Round 8.4 long-term development forecast, the city estimates that the number of housing units in the city will increase by about 25% between 2015 and 2040. While most of this increase is in apartments and condominiums, a significant growth in the number of townhouses is also expected. New townhouses generate approximately three times as many students per unit as new apartments or condominiums in the same age range.

The enrollment forecast includes an estimate of student enrollment from new development as well as reductions in enrollment that may result from demolition of existing housing units. Because new development each year is typically on the order of 1% of the number of existing housing units, and

because most new units result in a smaller number of students per unit than older housing, new development has a relatively small impact on enrollment each year. However, new development can have a disproportionate effect on specific schools as major projects such as Potomac Yard and the Beauregard Small Area Plan areas develop over a number of years, so new development is an important consideration in developing the long-term forecast by geographic area of the city. Including new or rehabilitated income-restricted or subsidized affordable family housing in new development can result in substantially more students per unit than market-rate housing.

The current average number of students per unit by type of housing and age of unit for market-rate housing is shown in Figure 2.4 above. New single-family detached housing units currently average about one student for every five units. For townhouses, it's one student for every 10 units. For apartments and condominiums, the number is one student for every 30 units or more for new units, while older units have three to 10 times as many students per unit depending on the type of housing.

Some of the current housing stock that currently produces students at these low rates will age past the 30-year mark during the forecast period, and is assumed in the forecast to produce ACPS students

at the rate of these older buildings. The age effect observed in the current housing stock is closely linked to affordability of older units. As the current housing stock ages, it will be important to track whether this aging effect on student generation remains the same for the current generation of housing.

BACKGROUND FOR FORECASTING

This section briefly summarizes data reviewed by staff and the Demographics and Forecasting Subcommittee in developing assumptions for the long-term enrollment forecast.

BIRTHS AND BIRTH RATES

Births recorded to Alexandria mothers each year are the first data element needed to anticipate future enrollment. Birth data is one of very few statistics available well in advance of the time students appear at fall registration. Changes in the number of births, and the ratio of births to population, can provide early warning of possible future changes in enrollment. Alexandria's birth rate increased significantly from 2006 to 2009 when the housing market placed substantial constraints on people's ability to move, and grew much more slowly from 2009 to 2012. In 2013, the number of births grew only slightly from 2012, and the birth rate fell for the fist time since 2006.

Analysis of birth rates included comparing Alexandria's birth rate trend to that of neighboring jurisdictions and the nation as a whole. Potential factors possibly impacting the number of births and the size of the school-aged population were considered including changes in the:

- Crude birth rate (births per 1,000 population);
- Total fertility rate (average number of births a woman has in her lifetime);
- Age composition affecting the relative size of the female population 15 to 44 years of age; and
- Racial and ethnic composition of the population of women of child-bearing age in the city.

BIRTH RATE FINDINGS

While the crude birth rate for the U.S. as a whole is declining and is expected to continue to do so for the next 30-40 years, Alexandria's birth rate has recently been increasing until a moderate drop in 2013. From 2006 to 2012, the City of Alexandria's number of births increased 26%, substantially faster than its population as a whole, which grew by an estimated 4.1% over the same period.

Alexandria's birth rate is higher than that of Northern Virginia and the nation as a whole.

On a national scale, the aging of the population will result in a reduction in the percentage of childbearing-aged women, consequently, reducing the crude birth rate. Alexandria, however, has an unusually large proportion of residents aged 20-35 years (prime family-forming and childbearing years), and a somewhat smaller proportion of seniors. As a result, the effect of the aging population in reducing the crude birth rate is expected to be less in the city than in the nation.

Birth rates vary widely in the U.S. among racial and ethnic groups because of differences in age distribution and cultural factors. Nationally, birth rates of racial and ethnic groups currently above the average rate are decreasing. Alexandria's population is comprised of many racial and ethnic groups. The Hispanic population in the U.S. has a relatively high birth rate, and Alexandria has a growing Hispanic population with many young families.

Virginia Department of Education data shows that the Hispanic share of ACPS students has increased from 26.8% in 2002 to 34.6% in 2014, making Hispanic students the largest single racial or ethnic group of students in the division. Over the same






Figure 2.6. Births and kindergarten enrollment. This graph illustrates the concept of kindergarten capture rate showing the kindergarten enrollment since 1980 in Alexandria plotted against the number of births 5 years earlier that would be eligible to enroll in kindergarten that year. Alexandria has an unusually low kindergarten capture rate, based primarily on the age structure of its population, which includes only about 60% as many 5-year-olds as those less than one year old according to 2000 and 2010 Census data.

period, the non-Hispanic White share of students rose from 22.9% to 26.8% of all students, and the Black or African American share fell from 43.6% to 31.0%. Asians and other or mixed-race students make up the remainder of the student body with shares less than 5% each.

The increasing share of the population in Alexandria that is Hispanic, and the declining birth rate among Hispanics, work in opposite directions to change long-term enrollment, so tracking this factor over time will be important in updating the long-range enrollment forecast.

BIRTH RATE SUMMARY

Based on the findings, the long-term assumption is that declining national birth rate trends could be somewhat offset in Alexandria by its unique urban profile with a smaller share of seniors, an unusually large proportion of residents of prime childbearingage (20-35 years), and an increasing Hispanic population. The current assumption in all scenarios is that the city's birth rate will ultimately stop increasing and then drop below its current level, resulting in a declining rate of growth in kindergarten enrollment in the long term.

KINDERGARTEN CAPTURE RATE

Kindergarten capture rate refers to the share of births that become Alexandria City Public Schools (ACPS) kindergarten students five years later. As part of its work to forecast the future enrollment of ACPS, the subcommittee analyzed Alexandria's kindergarten capture rate and evaluated how this rate could inform the both ACPS short-term projections and the long-term enrollment forecast.

KINDERGARTEN CAPTURE BACKGROUND

In Alexandria, the capture rate for ACPS kindergarten students since 2008 has ranged between 54.3% in 2009 and 66.2% in 2012. As we move away from the years affected by the housing finance crisis which substantially altered people's ability to move, the rate has started to fall, and long -term kindergarten capture rate on the order of 55% to 60% seems likely based on historic data. A large increase in kindergarten capture for one year has a big effect on kindergarten enrollment for that year and on that class over the following years, but the effect of such a one-year event on total enrollment is small. If the increase in kindergarten capture is sustained over time, total enrollment will ultimately increase by the percentage increase in kindergarten capture by the time that class reaches 12th grade in 13 years.




Figure 2.7. Kindergarten capture rate for Alexandria compared to that of other northern Virginia public school systems. Alexandria's capture rate is lower than the others in

A long-term trend of families choosing urban living could increase this rate. The rate is carefully monitored by ACPS, and the expected future rate is adjusted each year based on the immediate prior years in making school enrollment projections.

METHODOLOGY

Analysis included comparing kindergarten capture rate over time within Alexandria and neighboring districts using data from the Virginia Department of Health-Division of Health Statistics and data obtained directly from other school districts.

Alexandria has traditionally had a lower kindergarten capture rate than neighboring jurisdictions. In an effort to understand why families may or may not chose to stay in Alexandria – and if they do, enroll their 5-year old children in ACPS – the subcommittee explored potential factors that could influence parents' enrollment decisions including ACPS facility condition and reputation; availability of preferred alternatives; economic factors impacting migration

patterns; the city's available housing stock; and household demographics.

FINDINGS

From 2005 to 2012, the ACPS kindergarten capture rate rose substantially, indicating that more families were remaining in Alexandria until their children reached kindergarten age and chose to enroll in their kindergarten-aged children in ACPS. From 2012 to 2014, the rate fell substantially, and in 2014 fell to the estimated 30-year average of 56%.

While it is difficult to analyze and quantify why families move in and out of Alexandria, it appears that ACPS reputation, economic factors, and Alexandria's housing stock (smaller percentage attractive to families as compared to surrounding jurisdictions) have each played a role, the effects of which can be seen in the capture rate and its changes over time.

SUMMARY

While the data cannot prove a cause-and-effect relationship, it is reasonable to connect the housing bubble that collapsed in 2006 with an outmigration of families with children from Alexandria that resulted in a reduction in student enrollment in ACPS from 2000 to 2006. During this period, many families chose, enabled and encouraged by rapidly rising prices and equity in their homes, to find larger units in the suburbs before they were priced out of the market. Easy access to loans further facilitated such moves. Conversely, the housing finance crisis of 2006-2009 meant that many families were unable to move to larger units as they had expected to as their children grew older and they had more children, pushing enrollments up




Figure 2.8. Cohort survival diagram. This figure shows the concept of cohort survival. In the illustration, 116 first-grade students in 2011 are compared to 118 kindergarten students in 2010, a cohort survival rate of 98.3%.




Figure 2.9. ACPS Enrollment by Grade, 1999 through 2014. Kindergarten enrollment grew by nearly 50% from 2006 to its peak in 2012, This increase in kindergarten enrollment has passed to each succeeding grade in turn, and reached 8th grade September, 2014.

from 2007 through 2014 at a rate much higher than the rate of increase in housing stock in the city. Once children enter into ACPS for kindergarten, they are more likely to stay within the system.

COHORT SURVIVAL RATE

BACKGROUND

The cohort survival rate, as the term is used in enrollment forecasting, is the share of students moving from one grade to the next in each grade. In the example in Figure 2.8 below, a school has 118 kindergarten students in 2010. In 2011, 116 students enter first grade, a cohort survival rate of 98% of the previous year's kindergarten class. A rate less than 100% means that more students are leaving Alexandria City Public Schools (ACPS) than coming to ACPS to transition to that next grade. A percent greater than 100% means more are joining APCS than are leaving. During the years of enrollment decline from 2000 to 2006, the average cohort survival rate in primary grades fell from about 96% in 2000 to just over 90% in 2006. If a 90% rate is sustained from second through eighth grade, it means that eighth-grade enrollment will be about 48% of first-grade enrollment. After 2006, the cohort survival rate for primary grades

increased to over 100% in 2008, but has since stabilized at about 96% to 97% for lower grades. If sustained at 96.5%, this rate would result in an eighth-grade enrollment about 78% of first-grade enrollment, and about 42% higher overall enrollment in the division as a whole (assuming similar cohort survival ratios for high school) than a 90% cohort survival rate. ACPS typically has a cohort survival rate of greater than 100% into 9th and 10th grades, since many private schools do not continue to high school, and parents move their children to public school at this level. The lowest cohort survival rate of all grades is going into 12th grade. Averaging about 85% historically, this rate has moved closer to 90% in the last three years, and includes factors such as seniors graduating earlier than planned.

A one-percentage-point increase in average cohort survival in all grades from 95% to 96% each year means a little more than a 1% increase in overall enrollment in the first year, but translates to 13% more 12th-graders, and nearly 6% greater total K-12 enrollment if sustained for 12 years until all grades graduate.




Figure 2.10. Cohort Survival by Grade. This graph shows the changes in the 3-year average of cohort survival from grade to grade from 2003 to 2014. Grades 9, 10 and 12 have unusual cohort survival rates as many students enter ACPS from private schools in 9th grade, and 12th grade enrollment is historically low compared to 11th grade. Most grades are clustered near the center of the graph, with rates between 90 and 95% before 2007 and between 95% and 98% from 2011 to 2014.



The cohort survival rates derived from enrollment statistics include all sources of new students. These rates ignore whether changes in enrollment are due to new development, demolitions of existing housing, change in occupancy of existing housing, or choices between public and private school. Separate analysis of new development, including the type of unit, is conducted in order to anticipate changes in the rate of student generation as rates of new development change, and to anticipate which schools are likely to see enrollment changes from new development.

The graph above shows ACPS enrollment by grade during the years of declining enrollment from 2000 to 2006, and the recent rapid increases in enrollment since 2007. Enrollment in first grade began a rapid rise in 2007, followed by second grade in 2008, third grade in 2009 and so

on. This pattern shows the effect of cohort survival from increases in the early grades pushing up enrollment throughout the system over time.

METHODOLOGY

ACPS and the City of Alexandria determined the historic cohort survival rate at which students move from one grade to the next, by grade level, by year, by attending school, by neighborhood school and by individual student. In addition, staff analyzed contributing factors to this variable including established trends, new programmatic initiatives, and neighborhood schools. Unlike the dropout rate, which is based on records of individual students, cohort survival tracks aggregate numbers of students.

FINDINGS

Alexandria's cohort survival rate for elementary and middle school grades is almost always less than 100%, reflecting smaller populations in each age cohort in the city through high school age. In high school, cohort survival rates for 9th and 10th grades are typically higher than 100%, reflecting students entering public school from private schools. The decline in student population by grade is generally considered to be a result of the market demand for Alexandria's housing stock, which is further




Figure 2.11. Student Generation by Housing Type. Single-family detached, townhouse and low-rise apartment and condo units have the highest student generation rates among market-rate housing units. While public housing and other subsidized or income-limited units have high student generation rates per unit, students from these units make up a small share of total

described in the kindergarten capture and student generation rate summaries.

The graph above shows the 3-year moving average of cohort survival rates for all grades since 2003, reflecting the average of rates since 2001. The cohort survival rate for most grades reached a recent minimum in 2005 or 2006, reached historic

highs in most grades from 2007 to 2009, and has stabilized at levels somewhat lower than these peaks from 2010 through 2014. The low cohort survival rate reached in 2006 of approximately 92% for elementary grades means a loss of 8% of students at each grade level, resulting in a 9th grade enrollment about half that of a kindergarten enrollment. The recent cohort survival rates of closer to 97% mean in the long term a 9th grade closer to three-quarters the size of the entering kindergarten class each year.

These recent changes can be attributed to the same factors that resulted in similar changes in the kindergarten capture rate over the same period. The combination of the increase in the cohort survival rate, city birth rates, and the kindergarten capture rate has resulted in enrollment growth that is substantially outpacing overall growth in population and housing units in the city.

SUMMARY

After analyzing both the historical student cohort survival rate and the other influencing variables, a 3-year average cohort survival rate was used for the short term enrollment projection. Expectations for




Figure 2.12. Student Generation and ACPS Enrollment by Average Project Rent. This analysis, conducted for the 2012-13 academic year, shows differences in student generation and total enrollment as a function of monthly rent. The graphs are based on rents reported in the Alexandria Office of Housing's annual apartment survey. The survey is limited to apartments of more than 8 units, and participation is voluntary, so not all apartment buildings are included in the survey. Some of the apartments, particularly in the lower rental ranges, are limited to low or moderate-income households. Public housing units are not included in the graphs.

cohort survival will also inform the long range forecast model.

STUDENT GENERATION RATES

BACKGROUND

The Alexandria City Public Schools (ACPS) student generation rate is the ratio of the number of students enrolled in ACPS to the total number of dwelling units in the city. The City has identified specific generation rates for various types and affordability classes of housing, and the effect on generation rates for a variety of housing characteristics including building type (single vs. multi-family, low-rise vs.mid-rise and high-rise), tenure (owner or rental), building age, value and rent, whether rent-subsidized or income-restricted. and whether units are restricted to seniors. The generation rate patterns for various types of housing units and unit characteristics assist in predicting future enrollment for the short- and longterm planning horizon as forecasts of demolition and new construction change the expected mix of types of housing in the city over time.

METHODOLOGY

Using the address of every ACPS student, staff was able to map nearly all students from Alexandria to a

housing type for the 2012 and 2013 school years and analyze generation rates for various types of housing by type, age and affordability class. (Approximately 2% to 3% of students each year cannot be assigned to a specific city residence address and housing type because of insufficient address information or an address that is clearly outside the city.)

In conjunction with this data, staff analyzed multiple factors that might affect student generation based on characteristics including: housing type, housing affordability programs, market affordability, age of housing stock, and home sales.

FINDINGS

The 2013-14 student generation by housing type (Figure 2.11) indicates that detached single family dwelling units, garden apartments, garden cooperatives, and townhomes are the largest student generators by type. Today's snapshot of the mix of housing types in relation to student generation assists in projecting future student enrollment.

Affordability was found to be a key determinant of student generation for most housing types. For market-rate housing, student generation is highest




Figure 2.13. School Ratings In and Near Alexandria. These graphs show the number of public schools with various greatschools.org ratings in Alexandria and within 10 miles of Alexandria in Arlington County and Fairfax County. 1 is the lowest rating and 10 is the highest on this scale.

for housing with the lowest values and rents as reflected in the ACPS Student Generation by Average Project Rent column graph at the top of the following page. This applies to both programmed affordable housing (subsidized and income-restricted) and market-rate dwellings. The findings from this analysis indicate that future student generation may depend in part on changes in the affordability of the city's housing stock over time. To the extent that less expensive housing is eliminated through redevelopment, rehabilitation, or price or rent increases, households with school-age students are likely to choose housing in other areas. As the existing housing stock and newly developed housing becomes more affordable as it ages, the city will continue to provide housing that families find affordable and will see student growth parallel population growth. To the extent that the city continues to support income-limited and subsidized housing and encourages such housing to be provided in new developments or through voluntary affordable housing contributions, the share of students from such units will remain similar to that today with the growth in housing units and population.

The ACPS Enrollment by Average Project Rent graph at right above shows the total ACPS enrollment from rental units with various average rents listed in the Office of Housing's annual apartment survey. (Average rent in the analysis was based on a single number for each project and not based on individual unit rents. Average project rent was based on the weighted average of the midpoints of the range of rents for efficiencies, 1-bedroom, 2-bedroom and 3-ormore-bedroom units in each project.)

Rental units with rents averaging \$1,750 per month or more generated less than 0.05 students per dwelling unit. At rents up to \$1,500 per month, rental units generated an average of 0.2 students per dwelling unit or more.

Condominiums, even at low assessed value, generate substantially fewer students per unit than single-family attached (townhouses), detached or duplex units. At valuations greater than \$200,000 per unit, condominiums generated

less than 0.05 students per unit (1 student per 20 dwelling units). All other ownership units combined generated more than 0.15 students per dwelling unit up to a valuation of \$1.5 million. All condominium units are classified as ownership units in the analysis, whether or not the individual condominium unit is rented.

Townhouses with values above \$450,000 generate 0.1 students per unit or less except for a very few high-value townhomes. This is substantially fewer students per unit than single-family detached housing units, which generate more than 0.2 students per unit up to an assessed value of \$1.5 million.

Income-limited and subsidized housing units, public housing units, and cooperative apartments generate the highest number of students per dwelling unit in the city, in part because such limits and subsidies are often focused on housing affordability problems of families with children. Public housing family units were found to generate nearly one student per dwelling unit, while subsidized and income-limited apartments were found to generate approximately 0.65 students per dwelling unit.

Based on analysis conducted by ACPS and the City of Alexandria, comparing new students and real estate data on home sales, whether a home had been recently purchased did not directly influence student generation.

Student generation varies depending on the area of the city because of the variation in housing type and rent. Redevelopment planned in the West End is



expected to result in a reduction of students because the housing to be demolished has a relatively high student generation. The new units are expected to generate at a much lower rate for many years. New development in Potomac Yard will generate new students to the division since no units will be demolished. The net effect across the city was determined to be approximately neutral in the 2012 short-term enrollment projection. However, since reductions were expected in some parts of the city balanced by increases in other areas, it is important for projections of school enrollment to use individual school enrollment areas as the level of analysis.

SUMMARY

As the mix of housing types evolves within the City, such as through the conversion of garden apartments to mid-rise or high-rise units, and the overall increase of multifamily units, ACPS and the City of Alexandria can utilize updated generation rate calculations to track and forecast division-wide and site-specific changes in the student population.

Changes in kindergarten capture and cohort survival affect the generation rates of all units over time, but may change generation rates in some types of units more than others.

SCHOOL REPUTATION INFLUENCE ON STUDENT ENROLLMENT

SCHOOL REPUTATION BACKGROUND

This research element provides a qualitative snapshot of the perception of school quality in Alexandria. It's important to note that the information presented does not in any way assess the actual quality of the school system, but rather is provided to highlight some of the perceptions that residents and potential residents have about Alexandria City Public Schools (ACPS), and how those perceptions could impact school enrollment in the future.

METHODOLOGY

The City of Alexandria's planning staff conducted two focus group sessions, in early 2014, with Alexandria-based real estate professionals from McEnearney & Associates, and Long & Foster. The

topics of discussion ranged from housing choice trends of families buying and selling in Alexandria, to the role and weight of school reputation in the residential real estate market. The discussions were limited to the home ownership market, so the findings do not reflect trends in the rental market. In addition to the focus groups, planning staff researched school ratings from greatschools.org to gauge public perception of all Virginia public schools within a 10-mile radius of Alexandria.

FINDINGS

There were four key takeaways from the focus group discussions and online research:

Growing urban preference

There is a growing interest in urban lifestyle for families with children. Alexandria's urban profile and amenities are a major draw for this demographic. Many areas within the city are in a position to capture some of this demand along with other inner-suburban and inner-core neighborhoods in the region.

Importance of school reputation

Despite this urban preference, school reputation often plays a larger role in real estate decisions of families, and currently, this is working against Alexandria. In general, families perceive schools to be better in neighboring jurisdictions, and many are choosing not to buy a home in Alexandria, or are selling their existing home in Alexandria, to move to other jurisdictions based on these perceptions. There are a few exceptions within ACPS, particularly among the elementary schools. The real estate group noted that families are willing to pay a premium, as much as \$100,000 to \$150,000 more, to live in the more desirable school attendance areas within Alexandria.

Perceptions

The real estate professionals noted that most of their clients with children rely on various websites that rate individual schools. The website greatschools.org was one in particular that is widely used (their ratings are displayed on zillow.com). Interestingly, the rating system used by greatschools.org puts a heavy emphasis on



individual student test scores. Communities like Alexandria, which have a diverse population, and high level of mobility, are at a disadvantage under this rating system because many students who are just starting to learn English do not perform as well on the standardized tests. In addition, the real estate professionals felt that there are many positive aspects of ACPS that are not widely known, and that the school system could improve promoting this message to the community.

Comparisons with other jurisdictions

An examination of greatschool.org ratings supports real estate professionals' observations about the perception of Alexandria schools. Recently, ACPS has jumped from having no schools with ranking of 6 or better, (two years ago) on a scale of 1 to 10, to now reflecting 5 with rankings of 6 or better on greatschools.org. Figure 2.13 illustrates how Alexandria schools are perceived relative to schools in neighboring Arlington County and Fairfax County. The fact that there are so many options for highly regarded schools proximate to Alexandria but outside of its borders will likely have a dampening effect on school enrollment. An improvement to the reputation could shift this trend and put upward pressure on enrollment. However, even with a better school reputation, there is a limit to the number of families Alexandria could capture because the proportion of single-family homes is much lower than in neighboring jurisdictions, and is not likely to increase.

GUIDELINES FOR 21ST CENTURY EDUCATIONAL FACILITIES

INTRODUCTION

Three components guide ACPS and the City of Alexandria toward 21st century educational facilities —

- 1. Educational Specifications (Ed Specs). Elementary and Middle School Ed Specs were developed under the guidance of the Long Range Educational Facilities Plan Work Group and adopted by the School Board on January 29, 2015. Prek-8 Ed Specs were developed prior to the planning of the Jefferson-Houston School and were adopted by the School Board on January 5, 2012.
- 2. Guidelines surrounding the consideration of open space (see page 3.12).
- 3. **Urban School Model**. It is recommended that the planning of all new schools consider the urban school model.

EDUCATIONAL SPECFICATIONS PURPOSE

Ed Specs were developed to serve as the benchmark for future school renovations and new construction projects. The purpose of the Ed Spec is to define the programmatic, functional, spatial, and environmental requirements for educational facilities, whether new or remodeled.

In essence, an Ed Spec tells the story of the school facility and how the built environment will support the academic program and vision of school leadership. These generic Elementary and Middle School Ed Specs are primarily intended for use as planning guides by architects and project planners, but are also intended to serve as a communication and benchmarking tool for all project stakeholders.

The general concept embodied in the specifications is to provide adequate details for proposed spaces while leaving ample flexibility for creativity and options in design by the architects. Each Ed Spec is meant to be a living document—developed and amended over time.

During the planning phase of a specific project, the Ed Spec is utilized to understand and develop project scopes of work and budgets, while clearly communicating the intent of a project to vendors and thus providing well informed responses to meet actual project needs. Unique site locations of new schools may necessitate floor plan

modifications and the program and space requirements should be modified within the parameters of this document

A detailed discussion of Urban School Models, used as a tool within the planning phase, is provided on page 3.11.

During the implementation phase, the Ed Spec will be reviewed for quality control allowing Alexandria City Public Schools (ACPS) to measure project deliverables against the stated benchmarks and standards within the Ed Specs. Design deliverables will also be examined for compliance within the standards with a goal of meeting those benchmarks within 15 percent. Additionally, the Ed Spec will help provide foundational support for project decisions.

The Ed Spec serves as a valuable aid for facility and staff. These are user-friendly documents that allow those outside of design and construction professions to understand the building and intent of its spaces.

Planning a state-of-the-art school requires consideration of several influencing factors including historical and community context, the current and future learning pedagogy and curricular goals, technical expertise of faculty and administrators, national and regional trends and benchmarks, as well as strategic goals and objectives.

For school planning, Ed Specs guide the cooperative efforts of facility specialists, administrators, faculty, and instructional consultants, in addition to the careful involvement of outside partners and community stakeholders. In order to create the best possible learning environment for children, efforts have been made to incorporate the best ideas from existing plans and facilities, as well as to anticipate future needs for educating Alexandria's children.

PROCESS

The overall workflow for the development of the Ed Specs is shown in Appendix B. The process began with a series of discussions devoted to aligning the Ed Spec with the strategic objectives and vision for future schools, followed by several weeks of interviews with technical experts, building users, and other stakeholders.

The Project Planning Team was comprised of ACPS and City staff, Studio 27 Architecture and Brailsford and Dunlavey. The Team solicited community and student input at key intervals to ensure the document considers all perspectives related to facility needs, adjacencies, and space prioritizations. Input from specialists in technology, facility planning, other school divisions, and elementary school pedagogy has been added to the basic plan to ensure quality facilities well into the twenty-first century.

STRATEGIC VISION

ACPS staff was guided through a series of visioning sessions with educators, administrators, and community members that challenged them to clarify their expectations related to facility operations, sustainability, architectural quality, space priorities, and the community context. The visioning sessions focused on identifying gaps between ACPS' future goals and their current realities. The following narrative summarizes the areas of greatest need and formulates the concept for the construction and operation of a school of the future in Alexandria.

Building Concept and Priorities of Spaces. The desire to teach whenever and wherever drives the need for future facilities to implement a spatial organization that provides both formal and informal learning spaces and maximizes collaboration and interaction between students and faculty.



School designs should focus on creating collaborative and adaptable learning spaces supported by a robust and seamless integration of technology and flexible and ergonomic furniture. Incorporating an overall organization of small learning communities with breakout spaces in hallways, collaborative spaces in classrooms, and spaces that facilitate chance interactions throughout the school will allow teachers to collaborate across disciplines and tailor learning objectives and lessons to students' individual needs.

Providing multifunctional spaces for third party partner and community programs that extend educational and extra-curricular services to students, families and the community is a priority. The facility should operate as one organism that can be segmented into different functions and zones depending on the time of day and use.

Community Context. ACPS school facilities should serve as neighborhood assets and centers for parent, family and community interaction and engagement. Parental and family support plays a critical role in the success of students. ACPS students and families come from diverse backgrounds and schools should be welcoming and inviting places that include dedicated space for parent and family engagement as well as spaces available for community and partnership use.

Each school community is unique and designers should consider what spaces best support the community's needs; however, all schools and their sites should be planned and designed to support community use during non-school hours. Implementing a secure separation between the academic core and the shared use spaces along with the careful application of active and passive design strategies will create safe and secure learning environments. The site also adds opportunities for extended outdoor learning and becomes a neighborhood asset outside of school hours

Organizational and Operational Paradigm. ACPS believes an integrated, interdisciplinary team approach increases student achievement and faculty collaboration by enhancing the overall learning experience. A collaborative team approach is best facilitated with small learning communities, extended learning environments, and a departmental organization of spaces. Media Centers should be seen as the —learning commons" and be utilized regularly as an extension of teacher's classrooms and workspaces.

ACPS desires to increase inter-student collaboration and group learning and activities. To support this, flexible and adaptable informal and formal teaching spaces are required. Emphasis will be on spaces and configurations that support critical thinking and project-based learning ideally within groups of four students with the ability to break out of formal learning environments. Utilizing a push-in and team teaching approach, special education students will learn in the same collaborative learning environment as their peers.

Architectural and Construction Quality. ACPS has a strong belief that high-quality architecture has a positive influence on student success and faculty retention and is committed to delivering high-quality, state-of-the-art, and sustainable facilities to students, faculty, and the community. This belief applies to both external and internal qualities of the facility. The school facility and grounds are considered a learning tool and creativity in design and architecture is a priority.

Quality of design and engineering should focus attention on areas that most impact the learning environment with a particular emphasis on incorporating researchedbased facility elements, such as enhanced natural



lighting, acoustics, air quality, climate control and technology, that directly impact student achievement and educator effectiveness. Externally, the architecture must be respectful of the historical and cultural context of the community while simultaneously inspiring students and the public.

Materials and system selections should consider extended life cycles. Building systems, materials, and finishes must be resilient, easy to maintain, and create a positive, aesthetically pleasing learning environment. Life cycle of materials should balance quality and potential for future costs in an effort to ensure appropriate use of public funds is achieved.

The complete Elementary and Middle School Educational Specifications, including further information on planning concepts, design principles, and spaces can be found in Appendix B of this document.

NATIONAL TRENDS IN EDUCATIONAL FACILITY PLANNING

21ST CENTURY LEARNERS

Learning environments should be planned and designed with all types of learners in mind including auditory, tactual, kinesthetic, and visual.

Individual learning styles impact the way in which individual students:

- Concentrate in one's immediate surroundings
- Process information
- Make decisions and solve problems
- Complete tasks and assignments
- Interact with others
- Retain new information

Today's learners are technologically savvy and are accustomed to having information at their disposal. Today, learning occurs any time, any place, any path, and

at any pace. Classrooms are transitioning from environments focused on teacher-directed whole-group instruction to learner-centered workplaces that support a collaborative culture of students at work.

While schools and homes continue to be important places for learning and with the knowledge and understanding that students also learn in ways not bounded by classroom walls nor the schedule of the school day, these —other" areas of learning become a critical component in planning and designing innovative, inspirational, and thriving educational environments.

STUDENT FOCUS GROUP

The Planning Team held a focus group with students from George Washington Middle School to discuss current and future learning environments and help inform the plan. The prevailing theme centered on students wanting the opportunity to have choices for how and when they learn throughout each class period, as well as throughout the day.

They generally understood that each student has a unique style of learning and recognized the importance of providing appropriate environments and opportunities for each learning style.

Additional student discussion points captured generally accepted evidence based design elements as well as other trends in modern educational environments including:

- Exciting, engaging and varying learning spaces
- Access to natural daylight and climate control
- Ability to control acoustics and ambient noise
- Furniture options, adaptability, convertibility, and ergonomics
- Ability to work alone and/or in groups
- Space to move around and work within classrooms
- Informal break-out spaces within corridors
- Healthy eating options and improved dining facilities
- Use of the media center for multiple activities (quiet and noisy)
- Access to deliberate outdoor learning spaces
- After-school access to spaces such as the Media Center and fitness spaces

CLASSROOMS & TECHNOLOGY

The —kassroom of the future" should be more personalized, student-directed, collaborative, interdisciplinary, and hands-on than those of even 10

years ago. As the focus of education moves away from the transmitting of information to developing creative problem solving and communication skills, the classroom setting is morphing into a beehive of activity – a learning studio.

At different times, students work alone, in pairs, or in groups:

- Working alone reading, writing, interacting with the computer, or just thinking.
- Working together in pairs or groups dissecting problems or reading and reacting to one another's written work, role-playing, or sharing ideas, opinions, and experiences.
- Interacting with the teacher and the whole classlistening, making presentations, asking questions or brainstorming ideas.

In addition, teaching methods address a variety of learning styles. Children with disabilities are educated alongside their non-disabled peers in their neighborhood school.

The classroom of the future should no longer be one-directional with rows of desks facing the front of the room. There should be a variety of focal points with mobile resources to support learning, flexible furniture, and robust



technology. Rooms should range in size and purpose from small incubator and assessment spaces to large seminar and presentation areas. Corridors and informal learning spaces should create a seamless and extended learning environment. Technology is infused seamlessly into the education program and physical building. Wireless connectivity allows for learning to occur at all times.

MEDIA CENTERS AND STUDENT COMMONS

The 21st Century school media centers are changing from the quiet book-lined storage spaces for research and reading to multi-media, interactive studios of social collaboration for faculty and students. They are seen as a learning commons—an extension of the classroom that serve as the social and technological heart of the school.

New media centers are more than 50 percent digital and offer learning and gathering spaces as well as production areas. The ideal media center may move from noisy to

quiet - through a café and mobile computing environment, to small, AV-enhanced, group study conference areas, to individual study carrels or a media production room that allows students to communicate and learn via various aspects of today's multi-media technology.

Multi-media technology is what this generation of students understands and uses. They communicate and learn through on-line devices, but also publish and perform. The media



center may include a computer lab for research, a publications room for the school newspaper and yearbook, a video production and editing lab for film, a distance learning lab, and a variety of display venues.

National standards for media centers call for 4-6 square feet per student. Even at this size, most learning commons cannot offer a full range of media options. Multimedia satellites instead are infused throughout the school, complementing core curricular activities. Many learning commons also offer virtual space with internet, bringing together a generation that grew up on social media.

BUILDING & SITE

The school building itself is considered a learning tool and community asset. There is a sense of identity and the quality of architecture instills a sense of place and pride. The architecture considers learning opportunities over the entire campus, including school grounds and landscaping.

Transparency of spaces also helps foster an internal sense of community and excitement about the learning activities that are occurring within. Use of glass allows for visual connections externally and internally. Front entrances are inviting and welcoming for all community members — parents, families, and neighbors. The school is a hub of activity before and after school. Health services and other non-educational support are often provided.

In addition, ACPS decisions regarding buildings and grounds should consider recommendations from the City with regard to open space on school sites — including a goal of no net loss of usable open space. A more detailed discussion of open space guidelines is presented later in this chapter.

EVIDENCE-BASED ENVIRONMENTAL ELEMENTS

Evidenced-based design is the consideration of credible research findings in the planning and design process with a goal of achieving positive outcomes. Researchers have presented findings that link measurable outcomes such as student attendance, academic performance, faculty retention, and disciplinary actions. More specifically, the following four design elements have been connected to these outcomes: lighting quality, indoor air quality, acoustics, and furniture design.

Lighting Quality. The Heschong Mahone Group found statistical correlations between the amount of daylight in an elementary school classroom and the performance of students on standardized math and reading tests in 1999. Goal: Improve natural and artificial lighting in classrooms.

Environmental / Air Quality. According to the U.S. Centers for Disease Control and Prevention, American children miss approximately fourteen million school days each year due to asthma. Controlling environmental factors such as dust, pollen, and carbon dioxide could help prevent more than 65 percent of asthma cases of elementary school-age students according to the American Journal of Respiratory and Critical Care Medicine. Goal: To ensure comfortable rooms, address temperature control, ventilation, air filtration, carbon dioxide levels, and HVAC background noise.

Acoustics. Research links the importance of maintaining appropriate acoustic conditions for student learning. This relates to noise from external sources and reverberation in the classroom and is linked to academic achievement, behavior, attention, and academic concentration. Acoustics are also important for teacher wellness and avoiding straining vocal cords while attempting to speak over noise.

Goal: Limiting reverberation and background noise and improving sound isolation.

Ergonomics. A 2007 study compared adjustable furniture in schools to traditional fixed furniture. Students using adjustable furniture were found to have higher grades than those in the control group using traditional school furniture. Characteristics of furniture that promote good posture should be considered as well as adjustable desks and chairs to allow students of varying sizes and body types to improve their comfort levels when sitting for long periods of time. Research studies continue to explore this issue.

Goal: Continue research exploring adjustable furniture to ensure comfortable experiences for students that enhance their learning.

In summary, these national trends provide an important context for many of the ideas that ACPS is working to implement and how those concepts are articulated within this document.

ACPS LEARNING AND TEACHING MODEL

Learning and teaching in ACPS is a well-executed balance between a rigorous curriculum, proven instructional strategies (pedagogy) and relationships with students that communicate high expectations and commitment to student success.



ACPS developed and uses a 21st century curriculum focused on helping students become critical thinkers and problem solvers. In addition to helping students acquire declarative and procedural knowledge, each unit has a focus on higher-order thinking skills to ensure students are developing critical thinking skills needed for post-secondary success: reading complex text, writing at a post-secondary level, analyzing and interpreting data and participating in discourse across the disciplines.

INSTRUCTIONAL METHODS

Instructional methods vary with grade level, but maintain continuity from early childhood through the primary, intermediate, and middle grades. Predominant elements include:

- Integrated learning, where content areas cross disciplines
- Flexible groupings (In primary grades, regrouping stays within the classroom.)
- Mentoring of older to younger students
- Extended day learning opportunities
- Parent involvement and volunteer activities

ACPS offers _What to Expect' brochures for every grade level available on its web site, and the full program of studies is available for middle and high school. These documents should be referenced by architects to better understand program offerings and curriculum goals.

PLANNING CONCEPTS

The following section provides executive summary level descriptions of the capacity analysis and planning concepts of each program space within an ACPS school facility.

Every school project begins with establishing the number of students that will be served when the project is complete or the -eapacity." Capacity is the primary driver in determining the number, type, and size of the spaces in the new or modernized building.



While there is no ideal school size, schools in ACPS range from ~350 students to ~900 students at the elementary level and typically between ~1100 and ~1300 at the middle level. Additionally, the middle school's Ed Spec is based on a capacity of 1200 students due to the current and projected sizes of the middle schools. Ideally, elementary capacities would range between 450 students and 800 students, and this prototype is based on 700 students for illustration only. Nationally, the average elementary school size is 600 (540 in Virginia) with smaller schools in urban cores.

The Division has been provided with an active, editable spreadsheet that allows planners and architects to develop facilities lists for a range of schools based on the capacity and unique program needs in real time.

Simply defined, school capacity is a product of the number of classrooms at a school and the number of student stations assigned to each room type. Only classrooms that are 600 square feet or more with a teacher and students regularly assigned to the space are counted toward full time capacity. For elementary schools, small instructional spaces and specialized labs including art, music, or resource are not part of the capacity calculation. It is possible for a school's capacity to change from year to year based on average class sizes (determined by the budget) or changes in the number and type of programs.

By applying actual school staffing to enrollment, it can be determined that for most ACPS elementary schools, class sizes will range from 20 to 24 in grades kindergarten

through 5th grade, while middle school ranges fall between 20 students for core classes and 25 students in the encore (art, vocal music, library, and physical education) classes.

Currently, for elementary grades, ACPS budgeted class size caps range from 22 in kindergarten to 26 in 5th grade, but the average class size in ACPS is lower. The classroom size limits enunciated by the ACPS School Board are generally in line with the regional averages and in keeping with the division's long range policies and goals. It is important to size all classrooms to accommodate the maximum number of students even if the average is used for capacity planning.

At the middle school level, ACPS has become more concerned about the size of these schools. All middle school buildings function in a grade level multi-team environment. In this setting, teams of teachers (English, Social Studies, Math, and Science) together teach the same group of students (100-110). The team usually has the same planning period so they can collaborate and create and interdisciplinary curriculum customized to their students' needs. This strategy makes it difficult to —lɓat" teachers. However, since teachers usually teach 5 out of 7 periods, the overall utilization of the building in any given period is 71-80%. For this Ed Spec, maximum capacity will be factored at 80% utilization.

Once a capacity is proposed, many other areas of the building are sized to support the enrollment. The number of small group rooms, art and music labs, and support staff offices are based on staffing formulas. The size of the core areas such as media center, dining and food services, physical education facilities, and site amenities are based on local and national benchmarks related to size.

Tables 4.1 and 4.2 summarize the breakdown of the proposed capacity for both a prototype 700 student elementary school and prototype 1200 student middle school.

Per the Guidelines for School Facilities in Virginia's Public School, the goal of the optional guidelines developed by the Virginia Department of Education is

"... to provide recommendations that will help local school divisions ensure that their school sites and facilities support the principles of good teaching and learning and promote sound educational programs."

The guidelines included in the Ed Specs respond to or exceed Virginia State guidelines and recommendations.

700 Prototype Capacity Diagram

| Grade | Number of Classrooms | Capacity | Total |
|--------------|-------------------------|----------|-------|
| Pre-K/Pre-S | 5 | 18 | 90 |
| Kindergarten | 5 | 20 | 100 |
| Grade 1 | 5 | 22 | 110 |
| Grade 2 | 5 | 22 | 110 |
| Grade 3 | 4 | 25 | 100 |
| Grade 4 | 4 | 25 | 100 |
| Grade 5 | 4 | 25 | 100 |
| Total | 32 | | 710 |

Table 4.1

1200 Prototype Capacity Diagram

| Grade | Number of Classrooms | Capacity | Total |
|------------------------------------|----------------------|----------|--------------|
| Academic Classrooms | 36 | 20 | 720 |
| (4 teams / grade) | | | |
| Science | 12 | 20 | 240 |
| Foreign Language/ Electives | 7 | 20 | 140 |
| СТЕ | 3 | 20 | 60 |
| Visual Arts | 1 | 25 | 25 |
| Performing Arts (Music/Drama) | 4 | 25 | 100 |
| Physical Ed | 7 | 25 | 175 |
| Special/Alternative (Reading, ELL) | 3 | 15 | 45 |
| Total @ 80% utilization | 73 | | 1505 1208 |

Table 4.2

PROGRAM AREA SUMMARIES

The following section provides executive level narrative summaries of the core program space areas.

Supporting figures for each of the following items can be found in the appendix of this document.

Main Office-Reception, Administration, and Student Services. As students, families and other visitors enter an ACPS building, it is important that they are greeted with an inviting and well organized front office suite.

Elementary schools should also have their main offices located at the primary entrance. The architect should consider security when designing the main spaces while office space should be organized to provide direct visual access to the entrance doors. Architects should also provide appropriately sized office spaces with an adjoining shared conference room and adjacent staff restroom

Occupational and Physical Therapy services as provided by ACPS consist of staff traveling between multiple school locations. Within the main office, provide an appropriately sized space that includes itinerant work stations and storage. Near or adjoining the main office, provide the Family and Community Engagement center.

Other administrative functions can be dispersed throughout the school via grade level suites to encourage maximum student collaboration and connection.

For middle schools, the primary administrative office, guidance services, and adult restrooms should be located in a centralized area near the main entrance to the school. A digital kiosk in the lobby may provide real-time information on school's administrative and building operations.

Visitor parking should be located by the front door. Signage and building design should clearly indicate the school entrance. Immediately upon entry, visitors should be directed to the Welcome Center/main office. For security reasons, no visitor should be able to enter the classroom areas without being checked through the reception area.

Health Services. Health Services should be located near the main entrance to the school. Health Services is responsible for providing health related amenities to all

students and staff. The space should be organized to provide appropriate space for:

- health screenings
- illness or injury treatment
- meetings and trainings
- prescription medication storage and distribution
- secure records keeping
- private consultations
- rest and recovery units
- waiting area



In addition, it is possible that a facility in the future will provide (location dependent) community partner/provider operated wellness centers. These centers will require additional spaces accommodating such amenities such as:

- full medical evaluations
- full laboratory services
- dental services
- radiology services
- pharmaceutical services

If the school division elects to provide a school based health center (SBHC), the architect should work with officials to ensure full space programming requirements are met according to federal regulatory standards. This center should be adjacent to the school clinic but implementation of a full SBHC will require significant advance coordination by ACPS.

Core Instructional Spaces. The basic organizational structure of the school should reflect a cluster concept and should consist of general purpose classrooms, commons space for informal instruction, a small group room, two and three dimensional display areas, and a teacher work center. Each cluster should also contain a resource classroom used by support educators and an extended learning area to facilitate collaborative teaching and learning. At the elementary level, student restrooms should be located within all classrooms or shared by two adjoining classrooms.

Classrooms. Elementary and middle school classrooms should utilize flexible, easy to arrange and store furniture. Student arrangements should reflect small collaborative groupings over individual desk arrangements. Many elementary classrooms are designed around discovery-based learning centers. Provide teaching and learning surfaces on two walls to include touch screen interactive boards, magnetic white boards and tackable surfaces at student height. The provision of an itinerant or hoteling space for drop-in or special needs instructors is a unique feature that should be included in each classroom. Restrooms should adjoin classrooms at every grade level to increase flexibility for conversion to younger grades if necessary. Each classroom should include a sink and a water bubbler.

Extended learning areas (ELA) should be incorporated into designs as additional teaching spaces learning areas that occur adjacent to each academic cluster. ELAs are open spaces off the corridor that are meant to facilitate break out instruction, small group and project-based work in addition to multi-class collaboration and joint teaching

initiatives. ELAs vary in size based upon the individual needs of the school and the academic cluster and should be designed and equipped to accommodate a variety of furniture arrangements to optimize flexibility.



Science. Each elementary-level classroom should be designed to support science activities and simple lab components. Schools should supplement the inclassroom sinks by providing a portable science demonstration cart for each academic cluster. Additionally the provision of an outdoor classroom, a garden area, and/or a food lab should also be considered in order to support elementary level science instruction. If a food lab is provided, it should be located off the main dining area and equipped as a dual purpose warming and cooking studio for both teaching and extracurricular activity support.

Middle school science classroom should be designed to

support combined science lectures and hands-on lab activities. Integrate technology to support wireless one-to-one device connectivity and Bluetooth precision



measurement device connectivity. Science classrooms should be integrated into the grade-level academic clusters. Additionally, the provision of an outdoor classroom, a garden area, bio-retention pond, greenhouse, water collection observatory, and/or a food lab should also be considered in order to support science instruction.

Career Technical Education.

At middle school, space should be provided for: (1) Business, (2) Family & Consumer Sciences (FACS), and (3) Technology programs. FACS courses require access to kitchen



studios while business courses require a standard flexible classroom. Technology course space requires a dedicated multipurpose technology lab that allows for flexibility to shift from between various course topics supported with portable furniture and equipment. Programs taught at the middle school level build foundations for more specialized high school program offerings.

Special Education. Special education facilities should be integrated throughout the school to support the concepts of inclusion and the specialized requirements for the students. Currently, more than 70 percent of all students with disabilities are included in standard learning environments for 80 percent of each day. In all schools, provide at least one resource space for every two grades or at least three spaces per school to support individualized learning needs and/or speech therapy. Typical occupancy of a pullout space is approximately four to five people.

A dedicated, programmatically-sized classroom may be necessary on a location-by-location basis to support City-wide programs and would be identified at the time of individual site planning. Special education facilities should be integrated throughout the school to support the concepts of inclusion. Special attention should be given to accessibility of all facilities and an integrated learning program.

English Language Learning (ELL). ELL instruction occurs at every elementary school in the division but enrollment can vary from as little as 5% of the school's total student population to over 50%. The majority of ELL instruction is pushed-in to the general education classrooms with an itinerant instructor floating into classes as needed. Elementary schools also provide an English Language Development (ELD) break out class which can typically be accommodated in one of the resource classrooms; however, in schools with a large ELL population, such as Ramsey ES, it is possible that a

dedicated classroom will be required.

Middle schools also provide English for Academic Purposes (EAP) break out classes to help students with specific needs. These break-out classes can typically be accommodated in the larger resource classrooms. It should be noted that beginning in the 2015 school year a new *International Academy* program, modeled after that

which exists at T.C. Williams, will be implemented at Hammond MS. Designers should be careful to inquire about the site-specific requirements.



Talented and Gifted (TAG). A TAG program exists at every school in the division, although enrollment varies widely from school to school. At the elementary level. staffing levels are based upon enrollment but at most schools there is one full time TAG teacher. For grades K - 3, TAG curriculum is _pushed in to the standard classrooms and is managed by the elementary teachers. At the 4th and 5th grade levels the same strategy is utilized for social studies and science curriculum; however, mathematics and language arts TAG course work is _pulled out' into a separate classroom. Typical class size for these TAG classes is about 15-20 students, warranting the provision of an assigned, standard classroom. Additionally, TAG curriculum emphasizes project-based learning which may occasionally require use of ELA space or resource rooms along with the provision of storage for student projects.

At the middle school level, honors (TAG) classes are taught by the subject area teachers as part of their normal

daily schedule and student enrollment varies from 10 to 20 percent of the total student population. Therefore, separate, individual TAG classrooms are not necessary. The TAG program does, however, include a TAG resource teacher who provides curriculum guidance and instructional support to the individual subject area teachers. The TAG resource teacher may float' from class to class



occasionally requiring the use of itinerant desk space in the classroom and, because of the emphasis on projectbased learning, the TAG resource teacher may occasionally work with a small group of students in an ELA space or a resource room.

URBAN SCHOOL MODELS

As Alexandria becomes more urban, there are fewer vacant sites or sites developed at a low intensity that could potentially be used for school sites. In this changing environment, the City and ACPS are exploring urban school models. For purposes of this plan, urban school means a smaller school site than is the norm in Alexandria with a school building that is taller (3+ stories) than the norm in Alexandria. While an urban school can often serve as the center of a community through the co-location of other uses, such as a library, recreation facilities or senior center, such co-locations can occur on traditional school sites as well; co-location is examined in further detail in applicable sections of this document.

An urban school can also include completely separate uses within the same building. A school might occupy the first few floors of a building with offices or residences above, or a school might occupy a separate wing of a mixed use building. A school which included preschool or elementary grades would need to be on the lowest occupy-able floors, with consideration given to having the youngest students on the ground floor. In a mixed-use building, the portion devoted to the school would need its own entrances, and would likely require separate elevators and stairwells for security purposes. Separate alarms and HVAC systems would also be required.

The Educational Specifications that are part of this plan were developed with a traditional school in mind. With an urban school model, most of the specifications would remain the same. Given the limited size of an urban school site, however, some of the Educational Specifications might need to be provided in a non-traditional manner. Nearby community and private facilities could in certain circumstances be used to meet the specifications. Providing play space in an adjacent park is one case in point.

Table 4.3 lists Elementary and Middle School Educational Specifi-

| | SPECIFICATION | POTENTIAL ALTERNATE PROVISION |
|---|---|--|
| | Gymnasium | Less than full sizeUse of nearby public or private gym |
| | Auditorium | Use of nearby theater/ performance space |
| 1 | Cafeteria | Distributed eating throughout school Lunch in classrooms Use of private catering company Use of nearby restaurant/cafeteria |
| | Media Center | Use of nearby libraryMobile library |
| | Art | Mobile art lab |
| | Administrative Offices | Distributed throughout school |
| | Health Services | Use of nearby public health clinic Partnership with a nearby private clinic (ex. Minute Clinic) Mobile health unit |
| | Early childhood (Pre-K) | Located in a nearby facility |
| | Aftercare | Located in a nearby facility |
| | Outdoor playspace (hard and soft sur- face) | RooftopUse of nearby facility (must be fenced) |
| l | Bus | Bus drop-off location required Use of Bus Rapid Transit lanes for school buses |
| | Kiss and Ride | Dedicated on-street parking spaces |
| | Parking | Less parking if near Metrorail or Metroway (Bus Rapid Transit)Use of shared parking |
| | | Talla 4 3 |

Table 4.3

cations that might be accommodated in a non-traditional manner in an urban school. In all cases, any nearby spaces or facilities would need to be within ¼ mile walking distance and the walk would need to be on a safe, continuous sidewalk or trail, through open space or along a roadway categorized as a primary collector, residential collector or local street. Students would not be allowed to cross or walk along Controlled Access Facilities/Expressways¹ such as I-395 or Arterials such as Duke Street, King Street or Route 1.

Considerable public input would be required at the early planning stages of an urban school to determine which of the educational specifications could be provided in an alternative manner or in an alternative location.

Note: (1) Street classifications may change as a result of the update to the Pedestrian and Bicycle Master Plan and the development of the Complete Streets Design Guidelines. The intent would still be to keep children away from high capacity roads.

Early Childhood. ACPS does not currently provide universal pre-kindergarten programs and, at some schools, early childhood education is provided either through a state funded grant (Virginia Preschool Initiative) or federally funded

ovide garten de bood leither d grant

grant such as Head Start (provided by a community partner, The Campagna Center). In accordance with

national trends toward earlier schooling, ACPS desires to implement universal prekindergarten at every school. For planning purposes, this document allocates classrooms for early childhood at every school at 80 to 90 percent of the planned kindergarten classrooms. At schools that house Head Start, classes can be held in standard PreK/K classrooms described in this document

Advancement Via Individual Determination (AVID).

AVID is an elective course that targets students in the academic middle who have a desire to attend college.

CASE STUDY — Bailey's Upper Elementary School for the Arts & Sciences, Falls Church, VA

This school for grades 3-5 is the first mid-rise elementary school in Fairfax County. Fairfax County Public Schools purchased the vacant, five story office building in December 2013 and



retrofitted it to a school in time for a September 2014 opening. Approximately 600 students attended the school in 2014.

The school is located in the Seven Corners Area, 1.6 miles from Bailey's Lower Elementary School for the Arts & Sciences, which houses grades Pre K-2.

The center of the L-shaped building is the —min circulation spine" and includes a large stairwell. The common rooms are located close to the center with the classrooms on the far ends of the building. Some uses such as small auditorium spaces and the media center span two floors and provide their own separate connections between floors. There are three or four classrooms per floor, organized into learning communities and



connected by new stairways to classrooms above or below. All of the classrooms have exterior windows. About half of the classrooms have bathrooms, while the other bathrooms are near the elevators. Students do not use the elevators on a regular basis; the elevators are primarily used by students and staff with disabilities.



The school also has a black box theater, a story pit in the library, a cafeteria with small tables giving it a café feel, science labs, a TV studio room and art rooms. Three wood-floored rooms with

padded walls provide indoor space for physical-education class. The school does not have a playground. A second construction phase could add a playspace in what is now an asphalt parking lot, and possibly an enclosed field house.

The entrance was moved to the back of the building to meet ADA accessibility requirements and to better accommodate a bus dropoff and kiss and ride area.

Enrollment in AVID varies year to year and from school to school, but approximately 10 to 15 percent of middle school students currently take the course, which amounts to about 25-30 students per class period throughout the school day. The AVID academic week includes two days of traditional classroom-based instruction, two days of small group tutoring, and one day of team building activities or guest speakers.



Accommodating all of these activities in one space requires a larger than average classroom that can be partitioned into two smaller rooms to minimize noise and maximize available whiteboard space during tutoring sessions. On tutoring days the class is divided into four smaller groups at a ratio of about seven students to one tutor. Several small tables should be utilized to maximize flexibility and all furniture should be on casters due to daily rearrangement. It is suggested that a small adjacent room be added to accommodate hoteling space for tutors and storage for student work files. The AVID room should be placed in a centralized location at an equitable distance to all grade levels, with a suggested adjacency to the media center.

Visual and Performing Arts. ACPS has a strong arts

focus in the elementary and middle grades. Well-designed spaces need to support a vigorous curriculum and creative presentations. Art, music, and multi-purpose classrooms should be shared by all grade levels for general class and small group instruction. The location and access to these rooms should promote orderly transitions.



Larger ACPS elementary schools often have more than one art teacher (but less than two). The main art instructor assigned to the school will own the main art classroom and ancillary spaces. Optimal location for the art room is on the ground floor with a northern day lighting orientation. Access to an outside patio or seating area should offer additional work space, display spaces, and performance spaces. The itinerant art instructor assigned to the school will function out of the Early Childhood Dining/ELA space where a separate art

storage location is provided. This location provides the opportunity for push-in art assembly or the ability to program the adjacent ELA as a full-size classroom when needed.

Additionally, larger elementary schools also often have one music teacher each for choral, band and orchestra – not all full time. Large practice and performance spaces are not provided for part-time programs and so the stage may be used part of the day for practice for orchestra or one of the other classes. If possible the music suite should be located near the stage and instrument storage shared between the band and orchestra. Chair and music stand storage can be provided on or under the stage.

For middle school, art rooms should support 2D and 3D instruction. The optimal location for the art room is on the ground floor with a northern day lighting orientation. Access to an outside patio or seating area will offer additional work space, display spaces, and performance spaces. Display areas in the corridor should allow for 2D and 3D projects.

A multi-purpose performance venue (auditorium), at the middle school level, will also act as a drama classroom (stage), a practice room, a large group gathering space, and a community meeting space.

The room should have a flat floor with flexible seating options and may have telescoping seating for some portion of the room. Appropriate acoustics, sound and lighting systems are critical to the room's flexibility and functionality. If possible, the music suite should be located near the auditorium. Locate dedicated small group practice rooms within the music suite along with storage areas.

Media Center. The media center serves a dual role – its traditional role as a gathering place for research and learning and a new role as a technological information base and learning hub. In this new role, the media center may house a wireless voice/video/data network, which runs throughout the entire building. This network enables the transmission of media services to the desktops of teachers and students without physically entering the media center. The new library will utilize digital technology to enhance voice, video, and data communications within the school, among division facilities, and with distant learning resources.

Physical Education. To support the elementary and middle school physical education program, a variety of indoor and outdoor areas are required. Outdoor physical education teaching areas should be located near the indoor gymnasium. Physical education facilities should be

OPEN SPACE GOALS & GUIDELINES

1. The City recommends establishing policies on zoning with regard to open space on school sites, including a goal of no net loss of usable open space. The 2002 Open Space Master Plan Goal #7 calls to — maximize use of public school open space areas." This is an important goal as the City is increasingly dense and school sites provide some of the largest open spaces on public land in Alexandria. The open space at school sites contributes to the performance measure the City has to maintain of 7.3 acres of open space per 1,000 residents. A loss of open space on existing school sites would reverse the efforts to maintain this ratio. In order to preserve this open space, the City recommends:

Existing schools sites renovations

- School sites shall avoid any net loss of open space on the property and seek to improve the quality of the open space on existing sites.
- If open space is zoned Public Open Space (POS) it cannot be built on. However, if the building renovation or addition is best situated on existing POS then there must be a rezoning that results in the equivalent amount of new POS elsewhere on the site for recreation or natural area purposes—ensuring that the City does not lose open space acreage (as occurred with the Jefferson Houston School redevelopment project).

New schools sites

- Given the densification and urbanization of the City, there will be a need to design and build for —rban model" facilities to accommodate enrollment projections. As with many urban schools in other jurisdictions, there may not be opportunity to incorporate the outdoor recreational and nature area spaces suggested in the educational specifications.
- However, it is developmentally important for students to recreate, have access to explore nature, and learn in an outdoor classroom, as advocated in many recent initiatives including the First Lady's Let's Move campaign, the City of Alexandria Eco-City Charter (2008), and the Partnership for Healthier Alexandria's Playspace Policy (2013).
- In order to provide recreational and outdoor spaces for new urban schools, the City recommends the following three strategies:
 - Build multi-story schools to maximize the availability of outdoor space on the site
 - Explore creative options for urban recreational space, such as rooftop courts or partnerships with private gyms
 - If no open space is available on site, ensure that the school is located within 0.25 miles (a child's walking distance) of an existing park that has safe access and connections. The Park shall be able to accommodate outdoor educational classes and be enhanced, as necessary, to manage increased use.
- 2. Meet the Guidelines for School Facilities in Virginia's Public Schools (2010) standards for school sites, including the acreage of outdoor play area space per pupil. Recent studies have shown that ensuring access to play, whether

active recreation or exploration in nature, have positive impacts on both physical and mental health. The Summary of Facility Space Requirements on page 39 in the Educational Specifications provides guidance of recreational play space, per the Guidelines for School Facilities in Virginia's Public Schools. Including these standards in any school site project ensures that students receive the benefit of recreational opportunities. The State guidelines do not include specific size per pupil standards for natural areas, however, the City encourages opportunities to connect children to nature. Moreover, the 2013 Parks and Recreation Needs Assessment showed that 67% of Alexandria residents have a need for natural areas and 81% have a need for walking trails, furthering the desire to incorporate accessible nature into school sites that are open to the public after school hours and for after school activities

- 3. Maximize community use and recreation program space and delineate clear access to public use spaces for students and community, as identified in the education specifications and the 2014 Facility & Outdoor Maintenance & Use Agreement. The 2014 Facility and Outdoor Maintenance and Use Agreement (—agement") provides a structure for the broad and cost effective use and maintenance of all ACPS and city owned and operated facilities in support of the community use of these facilities. The intent is to share spaces and provide maximum effective public benefit of all community facilities. School divisions and governmental agencies across the country are beginning to realize that they need cooperation, especially considering the ever-shrinking budgets and meeting the diverse needs of the community. Planning for future schools should include joint use considerations at the beginning of, and throughout the process.
- **4.** Maximize canopy coverage and fulfill the goals of the Urban Forestry Master Plan. The 2009 Urban Forestry Master Plan included specific recommendations for increasing tree canopy on

school sites. Alexandria City Public School properties are perhaps the city's greatest untapped public resource for planting trees and adding to the city's tree canopy cover. Public school properties are important community green spaces and should be managed for the benefit of the neighborhoods in which they are located. In order to implement the Urban Forestry Master Plan, the City recommends that ACPS and the City inventory and then develop comprehensive management plans for all trees on public schools.

5. Where a full size field can physically fit, meet the requirements of the National Federation of State High Schools Standards for athletic fields. ACPS school sites provide some of the largest recreational areas in the city and the best locations for full size fields that meet the requirements of the National Federation of State High Schools Standards. Through the RPCA and ACPS shared use agreement, ACPS gives RPCA the priority to use their facilities, including sports fields, one hour after school lets out each day. Each school community is unique and designers should consider what spaces best support the community's needs; however, APCS and the City should plan and design school sites to support community use during these non-school hours. A full size field at a school not only benefits the school time use of the field for the students, but also the citywide community of children and adults that play sports throughout the year.



designed with a focus on community use during nonschool hours, since there is a high demand for both indoor and outdoor facilities.

ACPS offers formal physical education to elementary students twice a week. For larger schools this may mean 2 -4 teachers are teaching in the gymnasium at the same time. At a safe 100 square feet per student, larger schools need a full size gymnasium to accommodate the program. Because the elementary schools do not have intramural sports, no seating is required. To further support the physical education program and provide for after school programs, larger schools should have a smaller multipurpose space.

ACPS offers formal physical education to middle school students daily on a rotating quarterly schedule. Intramural sports are offered each season and utilize both indoor and outdoor space. Fixed seating requirements should seat the entire school enrollment in bleachers. To further support the physical education program and provide for after school programs, larger schools should have a smaller multi-purpose space and a full locker room with individual showers.

Parking should be located near the gymnasium and a separate entrance should be provided for after school activities. Flexibility of space use is desired and designers should provide the ability to separate the gymnasium into two smaller gym stations during teaching periods.

Dining and Food Service. The dining space(s) should accommodate one-third of the projected student capacity each lunch period. The dining area(s) should be warm and inviting spaces with plenty of natural light, pleasant acoustics, and multiple seating choices. The furniture should be age appropriate and serving lines height sensitive which may require having two distinct areas for primary and intermediate students. It is proposed through creative design that dining area(s) should effectively house multiple functions including assemblies, community meetings, and potentially be utilized as learning areas.

For elementary schools, this educational specification recommends providing for two separate dining areas: one for the early childhood grades (PreK and K) and one for

grades one through five. The early childhood dining area should be located adjacent to the classrooms where it can also function as the ELA and an indoor play area in a fashion similar to the distributed dining concept. The dining area for grades one through five should be much larger and designed as a more traditional centralized cafeteria adjacent to the kitchen. The space should also include the school stage for performances. The key to a well-designed multi-purpose performance space is to consider the technology, acoustics, and layout very early in the design process. The architect should consider the room volume, configuration, technology requirements, acoustics, and general layout as it relates to the stage and kitchen. These key design points can then be further enhanced by the selection of materials and a welldesigned audio system.

For middle school students, this educational specification recommends a more traditional, centralized dining space adjacent to the kitchen. This space will serve multiple functions and will also include a stage to host school performances. The architect should consider the room volume, configuration, technology requirements, acoustics, and general layout as it relates to the stage and kitchen. These key design points can then be further enhanced by the selection of materials and a well-designed audio system.

Food service is responsible for food preparation and delivery of food programs division wide. Food services facilities should provide appropriate space for both _scratch' and _warming' kitchens with appropriate equipment. Provide appropriate sized storage facilities to support healthy eating program offerings which include breakfast, bag meals, meals between bells, snacks, lunch, and supper.

Architects should consider serving and dining areas that incorporate composting and recycling facilities, homelike environmental qualities, breadth of flexible seating options, and design qualities that support visual and verbal communication between students and faculty.

Site. Site circulation should be organized for safety and efficiency. This should be accomplished through careful separation of vehicular traffic, including the separation of school buses, parents, and staff. Particular consideration should be given to providing safe passage to pedestrian traffic. Sufficient stacking space should be provided to prevent congestion of busy streets.

All play areas should be protected from vehicular and pedestrian traffic, so students can be assured of a safe and secure environment on the entire school site. Shading



elements should be considered along with an outdoor learning area and garden.

The Virginia Department of Education Guidelines recommend that each school

"site have areas that can be developed to provide the minimum number of play areas require for physical education."

Alexandria school sites are urban in nature and most current and future sites cannot accommodate the recommendations outlined in the Guidelines for School Facilities in Virginia's Public School. However, every elementary school site should accommodate non-structured or natural play areas as well as at least one playground. It is recommended that architects work with ACPS and RPCA to prioritize types of outdoor space development on a site-specific basis. Architects should endeavor to design new schools or future renovations in a way that will maximize available open space. Ideally, all elementary schools will be designed to accommodate one multiuse field play area that conforms to the state guidelines.

Site Management. Recreation, Parks, and Cultural Activities (RPCA) is a partnership program that utilizes shared ACPS facilities for afterschool programming. RPCA operates the majority of playing fields, courts, parks, and playgrounds adjacent to Alexandria schools. When funds are available to enhance the campus or grounds of the school, architects should coordinate and consider RCPA's requirements towards playgrounds, courts, fields, and gymnasium spaces, per the joint ACPS/RPCA Facility & Outdoor Maintenance & Use agreement.

Parking and Transportation. ACPS recommends the minimum parking requirements based upon proposed capacity prototype. Actual parking requirements may be impacted by factors such as zoning, site constraints, absences or presence of other modes of transportation, etc. The architect must coordinate at time of design and it should be noted that ACPS offers incentives to encourage carpooling and the use of mass transit by staff.

DESIGN PRINCIPLES

The following section provides executive summaries of the guiding design principles that should be applied to each space within an ACPS school facility. Appendix B of this document includes expanded detailed guidance for some of the categories discussed here.

FURNITURE & EQUIPMENT

Classrooms vary in shape and size; therefore, the furniture should be flexible to accommodate a variety of classroom formats for both individual and group activities. Teachers and students should have



storage space for personal belongings, papers, books, supplies, and teaching materials.

To the extent possible, movable furnishings should be used, rather than fixed casework, to provide flexibility for future reconfiguration. Furniture should be selected for its ergonomic traits, with consideration for variability and adjustability to support diverse learning styles. In middle schools, architects should consider full height private lockers in hallways for every student.

TECHNOLOGY

The facility should contain the latest in technology and infrastructure should be provided to support wireless access to data and video throughout the building. It is intended that access to technology will be seamless and pervasive throughout the building with only the minimal number of hard drops needed to support voice, teaching stations, and wall-mounted devices.

Technology infrastructure should support the concept that learning can happen anywhere by enabling a one-to-one student to device ratio and the notion of —bring your own device." The specific tools and design guidance will be determined based on the best practices at the time of construction.

Every learning area should be wired for teacher audio enhancement. Research into this cutting-edge technology suggests that student learning can improve in classrooms where the teacher's voice is amplified and the classroom acoustics are designed to support voice clarity.

UNIVERSAL DESIGN

The entire facility should be accessible for students, staff, and visitors. This should be accomplished through judicious use of ramping and elevators with sufficient internal clearances for circulation, convenient bus/van loading and unloading, and nearby handicapped parking spaces. All elements of the Americans with Disabilities Act must be complied with, including way finding and signage, appropriate use of textures, and universal accessibility of all indoor and outdoor school facilities.

SAFETY & SECURITY

ACPS wants to maintain an inviting and deinstitutionalized environment, while simultaneously providing a safe environment for students, staff, and community. The organization of a building will have a major impact on student behavior and safety concerns. Architects should refer to Crime Prevention Thru Design (CPTED).

All school locations should include a double perimeter approach where every visitor is guided through a secure exterior door into a secure holding vestibule prior to gaining access to the main office. Visual access from the main office to the exterior vestibule is mandatory and every entrance to the school should have a CCTV IP camera. Consult with ACPS over the most current keying policy.

COMMUNITY USE AND PARTNERSHIPS

ACPS is pleased to have community and non-profit partners in its buildings offering valuable services and programs for students and families. Partnership programs and other regular community activities require shared, colocated and sometimes dedicated space that is internal to the school yet has the ability to operate beyond ACPS school hours. Extended hours of operation require the partnership programs and community activity area to have an entrance that can be separated from the main school. This allows partnership programs to operate independently of the school's staffing requirements and provides the necessary security to protect the main school.

This secondary building entrance for after school program use should be visible to all spaces co-located in the community use and partnership area, specifically the gym and multipurpose rooms. This space will be utilized by after school programs for record keeping, registration transactions, secure money storage, and child pickup. During general school hours, partnership programs should function under ACPS' security policies and use of secondary entrances should be restricted.

Program offerings are location dependent and include, but are not limited to:

- Tutoring
- Family and Community Education Centers
- Recreation, Parks & Cultural Activities
- Medicaid Therapy
- Campagna Center

Functions of these programs should be co-located with the ability to utilize standard classrooms, the gymnasium, multipurpose room and media center. It is also important to note that licensed programs have specific requirements that should be considered as a part of any plans to renovate or build new facilities. While the requirements are not onerous, failure to incorporate their consideration during the planning process can significantly constrain having access to such programs.

ACPS has a standing partnership with Alexandria City's Department of Recreation, Parks, and Cultural Activities (RPCA) for the maintenance and after-school programming of fields. At several schools, RPCA operates after school and community programs in the gymnasium or multipurpose room; per the joint ACPS/RPCA Facility and Outdoor Maintenance and Use Agreement.

FAMILY AND COMMUNITY ENGAGEMENT CENTERS

ACPS serves a diverse community of families who have immigrated to the DC Metropolitan area from all over the world. It is understandable that newcomers to the school may be hesitant to engage staff and need additional support. The Division wants to establish Family and Community Education Centers (FACE) at each school to welcome families and provide the additional resources to help them succeed.

A typical FACE center would ideally be located near the main office and include a reception area with comfortable seating for individual conversations, table seating for meetings and classes, private offices, and storage.



PARENT TEACHER ASSOCIATIONS

Provide flexible use space to accommodate the mission and program offerings of the PTA group. PTAs meet on a monthly schedule, typically during the evening and have 30 to 35 participants in attendance. PTA meetings include

School Board Members, parents, and, on occasion, the Superintendent. The PTAs offer volunteer after-school programs that require access to standard, flexible classrooms, the gymnasium, the media center, and the cafetorium. Consider co-locating PTA with other partnership functions like the FACE center. PTA functions require dedicated storage space and direct interaction with the school's main office suite and staff.

ENERGY & ENVIRONMENTAL PERFORMANCE

ACPS is dedicated to renovating existing or building new facilities that meet or exceed the City of Alexandria Eco-City standards and LEED environmental performance standards. ACPS desires to offer schools that teach faculty, staff, students and the community the importance of environmental stewardship. ACPS believes quality architecture and high energy performance facilities positively impact the education of students and increase retention of staff and students. At this time, city development standards require compliance with LEED Silver certification standards for major construction projects.

MATERIALS & FINISHES

ACPS believes high-quality architectural materials and finishes create an atmosphere that supports and inspires learning. All spaces should be conducive to teaching and provide a warm and welcoming feeling and meet the principles of Evidence Based Design (lighting, environmental / air quality, and acoustics). All materials must be highly durable and resilient yet support a creative learning environment. ACPS is cognizant that materials should be reasonable in cost and not exorbitant when considering budget and life-cycle costs of maintenance and upkeep. Balance is necessary to maintaining budget and achieving ACPS' facility standards.

OPERATIONS & MECHANICAL

Provide mechanical systems that are climate appropriate and responsive to the life cycle, maintenance and efficiency expectations of ACPS. Provide passive systems that pair with active systems and coordinate to achieve maximum efficiencies while coordinating with the users to determine the location of universal and dedicated systems.

ELEMENTARY AND MIDDLE SCHOOL PROTOTYPES

The careful organization of programmatic components during early design phases is critical for the success of a future school program.

THE 700 STUDENT ELEMENTARY SCHOOL PROTOTYPE

There are two academic clusters in the 700 student prototype. A single main entry is a specific determination of ACPS's security plan and that entrance is supported by administration and family and community engagement center functions. Academic clusters are located in the quiet areas of the building that can be isolated during off-hours. Noisier and shared programmatic clusters are grouped toward parking, public and play areas and allow for after-hours access. Informal —bak-out" or Extended Learning Areas happen throughout the building.

The number and size of support spaces and labs are driven by staffing formulas and national benchmarks. For new schools or the modernization/addition to an existing school, this information would inform a _site specific' educational specification

THE 1200 STUDENT MIDDLE SCHOOL PROTOTYPE

There are three academic clusters in the 1200 student prototype. Academic clusters are positioned at the corners of a diamond-shaped plan with the fourth corner taken by the main entrance. A single main entry is a specific determination of ACPS's security plan and that entrance is supported by administration and family and community engagement center functions. Academic clusters are located in the quiet areas of the building that can be isolated during off-hours. At the middle school level, each academic cluster includes a per grade administrative suite. Noisier and shared programmatic clusters are grouped toward parking, public and play areas and allow for afterhours access. Informal —teak-out" or Extended Learning Areas happen throughout the building.

The number and size of support spaces and labs are driven by staffing formulas and national benchmarks. For new schools or the modernization/addition to an existing school, this information would inform a _site specific' educational specification.

MINI MASTER PLANS

EDUCATIONAL ADEQUACY ASSESSMENT

The mini master plans were developed based on an educational adequacy assessment that measured existing ACPS facilities against the educational specifications adopted by the School Board in January 2015 and outlined in Chapter 4.

The initial step in the evaluation process was to document existing conditions of building interiors. This assessment, conducted September 2013 — March 2014 by Hughes Group Architects (HGA), electronically gathered data on each school including square footages, light and acoustic levels and presence of technology. In fall 2014, the exterior school sites were assessed and documented including natural resources, parking, circulation, recreation features and utilities. This existing conditions information served as the baseline for the educational adequacy assessments supported by the project team of Studio27 and Brailsford and Dunlavey.

The educational adequacy assessment evaluated specific components of the school campus including individual instructional and support spaces, and provided an evaluation of projected school capacity and utilization. The areas of evaluation as well as the scoring methodology were based on an approach previously developed by the Council for Educational Facility Planners International (CEFPI).

Facility condition assessments evaluate the condition of building systems such as mechanical, electrical, plumbing and structural, through a on-site inspection by technical experts. This is recommended for all the facilities. ACPS is currently in the process of evaluating all the building conditions and the results from that effort should be combined with the recommendations of this report.

SCORING

Scoring for the site, building assessment, and individual spaces was conducted based on the percentage criteria met for each factor evaluated. The **rating categories** assigned to these scores were based on the ranges of scores shown in *Table 4.1*.

| Rating | Range | | |
|-----------------|-------|------|--|
| Excellent | 89.5 | 100 | |
| Satisfactory | 69.5 | 89.4 | |
| Borderline | 49.5 | 69.4 | |
| Inadequate | 29.5 | 49.4 | |
| Very Inadequate | 0 | 29.4 | |

Table 4.1

Scoring for building utilization was conducted based on projected enrollment through school year 2020 divided by the capacity. Capacity figures were established based on the quantity and size of teaching spaces established in the educational specifications.

Rating of building utilization included an upper and lower range, because both underutilization and overutilization of facilities is problematic. *Table 4.2* indicates the rating categories established for **building utilization**:

| Rating | Range | | | |
|--------------------|-------|------|---------|-------|
| Excellent | 100 | | | |
| Satisfactory | 90 | 99.9 | 100.001 | 110.0 |
| Borderline | 80 | 89.9 | 110.001 | 115.0 |
| Inadequate | 70 | 79.9 | 115.001 | 120.0 |
| Very Inadequate | 0 | 69.9 | 120.001 | 300.0 |

Table 4.2

Prioritization of the educational adequacy factors was undertaken via a tiered approach based on five groups of evaluation factors established by the LREFP subcommittee.

The 5 tier groups of evaluation factors are:

- 1. Safety
- 2. Capacity
- 3. Support of Educational Program
- 4. Enhancements to Learning Environment
- 5. Other

Each of the educational adequacy evaluation factors was assigned to a tier group and, when combined with the rating for that factor, is used to establish the relative priority of that factor. The priorities have been utilized to focus project recommendations for each school on issues that are most pertinent to ACPS and the City of Alexandria. *Table 4.3* clarifies how the rating and the tier result in a priority score for each factor evaluated.

The goal of this assessment is to provide an overall snapshot of the health of a school and provide guidance to the issues that may need to be addressed. The results of this analysis is summarized in the *At A Glance* table for each school and provided in detail in Appendix C.

| Rating | Tier | Priority |
|-----------------|--|----------|
| | 1- Safety & Security | 1 |
| | 2- Capacity | 2 |
| Very Inadequate | 3- Support of Educational Program | 3 |
| | 4- Enhancement to Learning Environment | 4 |
| | 5- Other | 5 |
| | 1- Safety & Security | 6 |
| | 2- Capacity | 7 |
| Inadequate | 3- Support of Educational Program | 8 |
| | 4- Enhancement to Learning Environment | 9 |
| | 5- Other | 10 |
| | 1- Safety & Security | 11 |
| | 2- Capacity | 12 |
| Borderline | 3- Support of Educational Program | 13 |
| | 4- Enhancement to Learning Environment | 14 |
| | 5- Other | 15 |
| | 1- Safety & Security | 16 |
| | 2- Capacity | 17 |
| Satisfactory | 3- Support of Educational Program | 18 |
| | 4- Enhancement to Learning Environment | 19 |
| | 5- Other | 20 |
| | 1- Safety & Security | 21 |
| | 2- Capacity | 22 |
| Excellent | 3- Support of Educational Program | 23 |
| | 4- Enhancement to Learning Environment | 24 |
| | 5- Other | 25 |

Table 4.3

SUMMARY OF DATA GATHERED FROM ALL SCHOOLS IN THE EDUCATIONAL ADEQUACY ASSESSMENT

| School Site | Average Priority of Site, Building Assessment and Individual Spaces | Average Utilization Score | Electric Usage in kwh (7-1-13/6-30-14) Per SF | Number of Maintenance Calls (7-1-13/6-30-14) Per SF |
|--------------------|---|------------------------------|--|---|
| Charles Barrett | 73 | 68 | 10.6 | 0.30 |
| Cora Kelly | 70 | 19 | 9.0 | 0.35 |
| Douglas MacArthur | 68 | 68 | 9.6 | 0.24 |
| George Mason | 61 | 73 | 7.7 | 0.22 |
| James K. Polk | 77 | 68 | 9.9 | 0.19 |
| John Adams | 82 | 85 | 7.7 | 0.17 |
| Lyles-Crouch | 60 | 84 | 7.2 | 0.30 |
| Matthew Maury | 66 | 72 | 7.9 | 0.14 |
| Mount Vernon | 53 | 73 | 9.6 | 0.28 |
| Samuel Tucker | 80 | 30 | 11.8 | 0.13 |
| William Ramsay | 58 | 74 | 5.7 | 0.16 |
| Francis C. Hammond | 61 | 66 | 9.2 | 0.09 |
| George Washington | 73 | 50 | 7.4 | 0.10 |

Table 4.4

AN OVERALL SUMMARY OF THE ELEMENTARY ASSESSMENTS IS OUTLINED BELOW

- All elementary schools (including Jefferson-Houston) are currently over capacity by a total of 290 students.
- In 2020, elementary schools will be over capacity by a total of **1,271** students.
 - In the east end: 457 (CB, GM, DM, CK, JH, LC, MV, MM)
 - In the west end: **814** (JKP, ST, JA, WR, PH)
- In 2020, the elementary level will need a total of 23 core classrooms (PK-5) to accommodate expected enrollment.
 - In the east end: 1 (CB, GM, DM, CK, JH, LC, MV, MM)
 - In the west end: 22 (JKP, ST, JA, WR, PH)
- Three elementary schools are projected to be over the maximum recommended size of 850 students. If capped at 850, 77 Polk students, 330 Adams students, and 148 Ramsay students (a total of 555 students) will need to be served elsewhere.

| School Site | 2014 | Current Capacity | Current Utilization | 2020 Projections | Future Capacity | Projected Utilization | Future Net Room Surplus/ Deficit | Future Core Classroom Surplus/ Deficit |
|-------------------|-------|---------------------|------------------------|---------------------|--------------------|--------------------------|--|---|
| Charles Barrett | 458 | 428 | 107% | 512 | 524* | 98% | (4) | 2 |
| Cora Kelly | 341 | 429 | 79% | 409 | 429 | 95% | 3 | 5 |
| Douglas MacArthur | 708 | 554 | 128% | 772 | 554 | 139% | (11) | (6) |
| George Mason | 541 | 368 | 147% | 692 | 368 | 188% | (15) | (11) |
| James K. Polk | 704 | 660 | 107% | 927 | 756* | 123% | (13) | (4) |
| Jefferson-Houston | 444 | 800 | 56% | 553 | 800 | 69% | 6 | 6 |
| John Adams | 944 | 858 | 110% | 1,180 | 858 | 138% | (7) | (2) |
| Lyles-Crouch | 396 | 375 | 106% | 360 | 375 | 96% | (3) | 4 |
| Matthew Maury | 441 | 350 | 126% | 473 | 350 | 135% | (9) | (2) |
| Mount Vernon | 817 | 755 | 108% | 841 | 755 | 111% | (6) | 1 |
| Patrick Henry | 596 | 790 | 75% | 701 | 790 | 89% | - | - |
| Samuel Tucker | 750 | 620 | 121% | 780 | 620 | 126% | (3) | (7) |
| William Ramsay | 885 | 748 | 118% | 998 | 748 | 133% | (18) | (9) |
| ES Total | 8,025 | 7,735 | 104% | 9,198 | 7,927 | 138% | (80) | (23) |

^{*}Future capacity includes 2 summer 2015 capacity projects at Barrett and Polk of 4 classrooms each

Table 4.5

AN OVERALL SUMMARY OF THE MIDDLE SCHOOL ASSESSMENTS IS OUTLINED BELOW

- At middle school, **currently** over capacity by a total of **113** students.
- In 2020, middle schools will be over capacity by a total of **685** students.
- If both middle schools are capped at the maximum ideal school size of 1200 students, there are **831** sixth through eighth graders to house.

| School Year | 2014 | Current Capacity | Current Utilization | 2020 Projections | Future Capacity | Projected Utilization | Future Net Room Surplus/ Deficit | Future Core Classroom Surplus/ Deficit |
|----------------------|-------|---------------------|------------------------|---------------------|--------------------|--------------------------|---|---|
| Francis Hammond | 1,436 | 1,396 | 103% | 1,832 | 1,396 | 131% | 6 | (1) |
| George Washington | 1,223 | 1,150 | 106% | 1,399 | 1,150 | 122% | (15) | (11) |
| MS Total | 2,659 | 2,546 | 104% | 3,231 | 2,546 | 127% | (9) | (12) |

Table 4.6

MINI MASTER PLAN ORGANIZATION

Each mini-master plan has four main features:

- 1. At A Glance Table
- 2. Narrative describing the results of the analysis
- 3. Recommendations and Cost Estimates
- 4. School attendance boundary, context and proposed future conceptual design

The recommendations section is divided into required planning, first and second priorities, and long range recommendations — and is intended to be a menu of options for the School Board's consideration during the development of the Capital Improvement Program. The conceptual design shown in each plan is only one visual representation of how to potentially accommodate the future growth. This drawing is intended to be illustrative only.

The cost estimates provided are based on implementing the suggested master plan in its entirety and in certain cases, breaks out costs for renovation versus new construction (additions). These are conceptual cost estimates, based on the one option illustrated in the mini-master plans and are subject to change. Future costs will be affected by market conditions. Priorities must be balanced with fiscal resources. Further evaluation of existing conditions may recommend modifications to the plans as shown. Projects and cost estimates will be reevaluated and refined through the development of the capital improvement budget which occurs annually.

Table 4.7 defines the information contained in each plan's *At A Glance* section. Each table contains information on the existing building and site (year built, current floor area, lot size, floor area ratio), zoning (zoning, floor area permitted by zoning) and educational adequacy (school site, building assessment, instruction & support spaces, and utilization).

| Year Built | Current Floor Area | Lot Size (acres) | Floor Area Ratio |
|---|---|---|--|
| Year school was built | Current square footage of the building | The size of the lot in acres. | Gross Floor Area/Lot Size |
| Zoning | Floor Area Permitted by Zoning (SF) | Core Classroom Surplus/ Deficit (2020) | Total Program Square Feet (2020) |
| Zone or zones in which the property lies. | Floor area permitted by the zoning code | Number of core classrooms needed as determined by the assessment. | Total program square feet (includes core spaces, encore and core classrooms) needed as determined by the assessment. |
| School Site | Building Assessment | Instructional & Support Spaces | Utilization |
| Evaluated site | Organization of the | Size of classrooms, loose | Required spaces per the |
| circulation, size and | building, technology and | and fixed furnishings, | educational |
| appropriateness of play | supporting infrastructure | lighting, acoustics and air | specifications |
| areas | | quality | compared against existing |

Table 4.7

CHARLES BARRETT ELEMENTARY SCHOOL

1115 Martha Custis Drive, Alexandria, VA 22302

| AT A GLANCE | | | | |
|------------------------------|---|---|---|--|
| Year Built 1949 | 62,760 (school) 9,800 (rec center) | Lot Size (acres) | Core Classroom Surplus/Deficit (2020) +2 (includes 2015 capacity project) | |
| Zoning R-B (006.01-03-01) | Floor Area Permitted by Zoning (SF) 113,061 | Floor Area Ratio 0.75 | Total Program Surplus/Deficit (Sq.Ft.) (2020) -4,756 | |
| POS (006.01-03-01) | 0 | 0.0 | N/A | |
| School Site Satisfactory | Building Assessment Satisfactory | Instructional & Support Spaces Satisfactory | Projected Utilization (2020) 98% | |

BACKGROUND

Charles Barrett Elementary School was built in 1949. The 1997 addition of a media center is the only major renovation the school has undergone since its establishment. The building shares a gymnasium and play fields with the adjacent Charles Barrett Recreation Center.



In 2014, Charles Barrett's enrollment was 458 students with a measured capacity of 428. Enrollment projections indicate the school population will increase to a student body of 512 by the year 2020.

The academic curriculum at Charles Barrett includes reading, language arts, mathematics, social studies, and science and also offers:

- Music instruction once a week
- Art instruction once a week
- Band and orchestra beginning in 4th grade
- Two physical education classes a week
- Family life instruction at age-appropriate levels
- English as a second language classes
- Special education programs
- TAG pull out program
- Talented and Gifted program for grades K-5¹

STUDENT ENROLLMENT (# OF STUDENTS)

| | 2014 | 2020 Projection |
|------------|------|--------------------|
| Enrollment | 458 | 512 |
| Capacity | 428 | 524* |

| Color | Enrollment as % of Capacity | |
|-------|-----------------------------|-----------------------------|
| | 100% and below | Fully or underutilized |
| | 101% to 120% of capacity | Substantially over capacity |
| | Above 120% of capacity | Extremely over capacity |

^{*} includes summer 2015 capacity project

KEY FINDINGS

SUMMARY

The data collected through this assessment reveals Charles Barrett Elementary School meets 73 percent of the educational adequacy benchmarks for an ideal 21st century elementary school.

- The majority of classrooms did not meet the minimum size requirements.
- Core and specialty classrooms are not equipped with appropriate storage furnishings.

¹http://www.acps.k12.va.us/barrett

SCHOOL SITE

| SITE DATA | | |
|---------------------------|--|--|
| Steep Slopes | Steeper slopes in outfall channel and around open fields | |
| Playgrounds | 3 | |
| Recreation Features | Ball fields, open fields, recreation center | |
| Resource Protection Areas | None | |
| Parking | 42 | |
| Storm Water Management | Flow through planter boxes & bioretention | |



The school site received a satisfactory rating. The school's site circulation rated borderline due to conflicts between vehicular and pedestrian traffic patterns. The kiss-and-ride, school bus lane, and pedestrian traffic all access the school from the same point of entry. This causes significant congestion on the main street near the school's front entrance during peak times. A study is recommended to determine whether the drop-off location can be relocated or reconfigured.

INSTRUCTIONAL AND SUPPORT SPACES

The most urgent items in this section are classroom capacity and HVAC mechanical issues.

Overall, the instructional and support spaces ranked satisfactory. All spaces failed to meet appropriate size requirements. The measured average classroom size for grades one through five is 775 square feet rather than the desired 900 square feet needed to provide a flexible learning environment. The majority of resource rooms and specialty classrooms are not only too small, but also lacked the necessary equipment, furniture, fixed infrastructure, and storage. The overall size of specialty classrooms is approximately 56 percent smaller than the square foot minimums detailed in the educational specifications. A renovation is recommended to right-size core and specialty classrooms.

The school has significant deficiencies with air temperature and classrooms lack individual temperature controls. Occupants deal with major temperature fluctuations from season-to-season.

Instructional classrooms do not have individual student desks and therefore do not support diverse learning styles or flexible seating arrangements. The student and teacher program furniture, which includes shelving, cabinets, wardrobes, and cubbies, is either not adequate or non-existent in most classrooms.

BUILDING ASSESSMENT

The school's capacity is below satisfactory primarily because the core classrooms, specialty classrooms, and administrative spaces all fail to meet the required size. Most classrooms at Charles Barrett have the technology infrastructure and tools required to support a 21st century learning environment. The third, fourth, and fifth grade classrooms are not organized in grade level clusters as required by the educational specifications. There are no defined extended learning areas adjacent to the classrooms to allow for flexible and alternate teaching or break-out groups. Additionally, shared spaces, including the gym, art room, and cafeteria, are not centrally located as required. The recommended renovation will address deficiencies in classroom size as well as provide extended learning areas.

RECOMMENDATIONS

Charles Barrett must be expanded and reconfigured to meet the recommended size requirements and key organizational adjacencies. This analysis assumes the four classroom addition currently scheduled for construction summer 2015.

GROUP 1 — REQUIRED PLANNING

- Site assessment to determine whether the drop-off location for the school can be relocated/ reconfigures (based on property boundaries, setbacks, etc.). It will also help inform opportunities for additional parking.
- Assess HVAC and mechanical issues through the facility condition assessment.

GROUP 2 — FIRST PRIORITY

- **Reconfigure** the spaces within the existing school to meet the recommended size requirements for individual academic spaces as outlined in the educational specifications (\$24.5M).
- Demolish the existing north wing and build an addition to the school to meet recommended size requirements and key organizational adjacencies outlined in the educational specifications (\$4.3M).

GROUP 3 — SECOND PRIORITY

- Provide additional storage for teachers and students as well as an upgrade to the furniture, fixtures and equipment.
- Equip all classrooms with individual climate controls.

GROUP 4 — LONG RANGE RECOMMENDATIONS

- Reconfigure, based on the site assessment, the vehicular circulation to reduce potential conflicts with pedestrians.
- Upgrade the recreation fields to meet the standards


CONCEPTUAL COST ESTIMATES

- Total Renovation, Excluding the Rec Center \$24.5M (\$309/SF) includes:
 - All new mechanical, HVAC, plumbing, electrical and window systems
 - New food service and A/V equipment for auditorium, cafeteria and classrooms and sufficient classroom storage
 - New interior walls, floors and ceilings

- Addition \$4.3M (\$388/SF) includes:
 - Replacement of existing Kindergarten pod
- Complete master plan construction- \$28.8M (\$319/SF) includes:
 - 15% contingency and 17% fees, insurance, etc.

Barrett is not currently in the modernization program per the FY 2016-2025 CIP; however, a four classroom addition will be built in summer 2015. Additional renovations, additions or the complete master plan project will be evaluated based on ACPS priorities and funding constraints during the development of future CIPs.

CHARLES BARRETT ELEMENTARY SCHOOL



ШОШШШ




Neighborhood Context



School site looking north across Martha Custis Drive.

1 Addition 2 Existing School 3 Entry 4 Kiss-and-Ride 5 Bus Drop-Off 6 Playing Field 7 Parking



CORA KELLY ELEMENTARY SCHOOL

3600 Commonwealth Avenue, Alexandria, VA, 22305

| AT A GLANCE | | | | |
|------------------------------|--|---|--|--|
| Year Built 1955 | Current Floor Area 69,000 (school) 25,840 (rec center) | Lot Size (acres) 4.5 | Core Classroom Surplus/Deficit (2020) 5 | |
| Zoning R-B (015.02-09-01) | Floor Area Permitted by Zoning (SF) 148,255 | Floor Area Ratio 0.75 | Total Program Surplus/Deficit (Sq.Ft.) (2020) 10,500 | |
| POS (007.04-09-04) | 0 | 0.0 | | |
| School Site Satisfactory | Building Assessment Inadequate | Instructional & Support Spaces Satisfactory | Projected Utilization (2020) 95% | |

BACKGROUND

Cora Kelly Elementary School was built in 1955 and shares a gymnasium with the adjacent to the Cora Kelly Recreation Center. Enrollment projections indicate the school's population will increase to 409 students by year 2020.



The academic curriculum includes reading, language arts, mathematics, social studies, and science and also offers:

- Guided Math with personalize instruction meeting individual needs of students
- Core subject matter is integrated within encore classes (i.e. art, library, music and physical education)
- Science & computer labs are provided for students to help develop science and technology literacy.¹

| | | 2014 | 2020 Projection | |
|-------|-----------------------------|------|-----------------------------|--|
| | Enrollment | 341 | 409 | |
| | Capacity | 429 | 429 | |
| Color | Enrollment as % of Capacity | | | |
| | 100% and below | | Fully or underutilized | |
| | 101% to 120% of capacity | | Substantially over capacity | |
| | Above 120% of capacity | | Extremely over capacity | |

KEY FINDINGS

SUMMARY

Based on the data collected through this assessment, Cora Kelly meets 70 percent of the educational adequacy benchmarks for an ideal 21st century elementary school.

HIGH PRIORITY ITEMS

- Core classrooms are generally under-sized and lack air temperature controls.
- The building's technology and supporting infrastructure, also earning a score of inadequate, must provide basic capabilities such as wireless internet access and ample supply of electrical outlets for teaching devices.

¹http://www.acps.k12.va.us/kelly

SCHOOL SITE

| SITE DATA | | |
|---------------------------|--|--|
| Steep Slopes | Steep slopes to offsite channel around open fields | |
| Playgrounds | 3 | |
| Recreation Features | Playground, adjacent natural area | |
| Resource Protection Areas | None | |
| Parking | 85 | |
| Storm Water Management | Bio-retention, multiple storm inlets | |



Based on the assessment, the school site received a satisfactory rating. The site circulation is the main area of concern for this section. The school's kiss-and-ride and bus lane are not separated and all vehicles access the same driveway in front of the school. Additionally, some of the primary pedestrian routes are not separated from vehicular traffic, as required.

The existing school building was partially constructed in the adjacent park (POS zone). Any future projects should consider rectifying this property boundary issue.

INSTRUCTIONAL AND SUPPORT SPACES

While the instructional and support spaces ranked satisfactory. **Core classrooms fail to meet size requirements.** The measured average size for prekindergarten and kindergarten class is 810 instead of the desired 1,025 square feet. The measured average size for grades one through five is 741 instead of the desired 900 square feet. Collectively, only three of the twenty-four classrooms, or thirteen percent, meet the recommended size requirement. A renovation is recommended to right-size the core classrooms.

The core classrooms do not have individual student desks and therefore do not support flexible seating arrangements. Very few of the core classrooms have restrooms within the classroom or shared with an adjacent room, as specified. These rooms also lack individual temperature controls and

occupants deal with major temperature fluctuations from season-to-season.

The specialty classrooms and shared spaces generally have adequate square footage, but they typically lack adequate storage, fixed equipment, and infrastructure. The rooms are missing two teaching walls and sound enhancement equipment. There are very few classrooms with teacher desks and personal storage equipment. In general, the student and teacher program furniture (e.g. shelving, cabinets, wardrobes, and cubbies) is either not adequate or non-existent in most classrooms.

BUILDING ASSESSMENT

The building component of the educational adequacy assessment revealed an inadequate rating. The technology infrastructure and tools are not capable of serving a 21st century learning environment as defined in the educational specifications. Electrical outlets are not present in multiple locations along classroom and corridor walls. The clocks and PA system throughout the building are not integrated, nor are the clocks digital, as desired. Additionally, there is limited wireless connectivity in the hallways and corridors. Finally, the school does not provide wireless bandwidth at a one-to-one student-to-device ratio.

The other two sub-sections of the building assessment did not score much higher. Both building organization and accessibility earned a borderline rating. The building organization rating is due to the lack of distinct academic clusters and extended learning areas (ELAs) throughout the building. The building's configuration allows for afterhours access without compromising the school's security. Lastly, the building's accessibility is poor because the only handicapped access to the second floor is by a stair lift.

RECOMMENDATIONS

While Cora Kelly can meet the projected enrollment within the existing building, reconfiguration is required to achieve the standards in the educational specifications. Because it is under capacity, there is an opportunity to address capacity issues in adjacent districts. Additionally, there are site considerations and ADA projects that should be considered.

GROUP 1 — REQUIRED PLANNING

- Site assessment to determine whether all pedestrian circulation routes can be separated from vehicular traffic as recommended in the education specifications.
- **Explore** the feasibility of installing an elevator near the main entry to address the existing ADA accessibility issue.
- **Assess** building condition comprehensively through a facility condition assessment

GROUP 2 — FIRST PRIORITY

• **Reconfigure** the existing building to ensure the core classrooms meet the recommended size requirements outlined in the educational specifications (\$19.1M).

GROUP 3 — SECOND PRIORITY

- Equip all classrooms and support spaces with individual climate control.
- Equip all core classrooms, corridors and support spaces with additional electrical receptacles as required.
- Provide additional storage for teachers and students should be integrated into the reconfigured classrooms as well as an upgrade to furniture, fixtures and equipment.
- **Equip** all classrooms with two teaching walls.


GROUP 4 — LONG RANGE RECOMMENDATIONS

• Combine circulation routes and parking with adjacent recreation center to improve efficiency.


CONCEPTUAL COST ESTIMATES


- Complete master plan construction \$19.1M (\$275/SF) includes:
 - 15% contingency and 17% fees, insurance, etc.,
 (excludes the rec center in 2015 dollars)
 - All new mechanical, plumbing, electrical and window systems
- New food service and a/v equipment for auditorium, cafeteria and classrooms
- New interior walls, floors and ceilings

In the FY 2016-2025 School Board CIP, Cora Kelly is budgeted to receive a modernization and addition beginning in FY 2019 based on division-wide capacity needs. The construction budget for that project is currently \$20,145,000 and includes a capacity component.



CORA KELLY **ELEMENTARY SCHOOL**





Douglas MacArthur Elementary School

1101 Janneys Lane, Alexandria, VA 22302

| AT A GLANCE | | | | |
|--------------------|-------------------------------------|--------------------------------|--|--|
| Year Built | Current Floor Area | Lot Size (acres) | Core Classroom Surplus/Deficit (2020) | |
| 1942 | 56,098 | 4.4 | -6 | |
| Zoning | Floor Area Permitted by Zoning (SF) | Floor Area Ratio | Total Program Surplus/Deficit (Sq.Ft.) | |
| R12 (051.02-03-16) | 57,000 | 0.3 | (2020) | |
| , | <i>'</i> | | -19,970 | |
| School Site | Building Assessment | Instructional & Support Spaces | Projected Utilization (2020) | |
| Satisfactory | Borderline | Borderline | 139% | |

BACKGROUND

Douglas MacArthur Elementary School was built in 1942


predominantly for children of the Naval Torpedo Plant workers living in Chinquapin Village. The school has undergone a number of renovations with a minor one occurring in 2008. The existing school is adjacent to Forest Park



In 2014, Douglas MacArthur had an enrollment of 708 students with a capacity of 554 students. By 2020, enrollment is expected to increase by 9.5 percent to 772 students.

The academic curriculum at MacArthur includes reading, language arts, mathematics, social studies, and science and also offers:

- Art instruction once per week
- Two physical education classes per week
- Global Art on a Timeline
- Habits of the Mind and Character Counts
- Family life instruction at age-appropriate levels
- Band and orchestra beginning in 4th grade
- Vocal music instruction once per week
- Visiting science teacher
- Weekly library visits
- Talented & Gifted program for grades K-5
- ELL program for students learning English as a second language
- Opportunity to participate in numerous after school programs¹



KEY FINDINGS

SUMMARY

With a score of 68 percent, the site assessment completed for Douglas MacArthur rates this school as borderline on the educational adequacy benchmark.

High Priority Issues

The school will be significantly over capacity by 2020.
 The major issues in the school are the classroom sizes, need for additional storage areas and temperature controllability.

¹http://www.acps.k12.va.us/macarthur

SCHOOL SITE

| SITE DATA | | |
|---------------------------|---|--|
| Steep Slopes | Rolling slopes | |
| Playgrounds | 4 | |
| Recreation Features | Playgrounds, basketball court, synthetic turf field, open fields. | |
| Resource Protection Areas | No | |
| Parking | 59 | |
| Storm Water Management | No existing BMPs | |



The assessment of this school site resulted in a satisfactory rating. The school is lacking a student drop-off area with sufficient room for cars to stack and the pedestrian pathways are not adequately separated from vehicular traffic. There are significant drainage issues that have caused flooding and deterioration of the north wing of the school.

INSTRUCTIONAL AND SUPPORT SPACES

The instruction and support space assessment ranked borderline. Items contributing to this low score include classroom size, internal organization, loose furnishings, and air quality.

The majority of classrooms were below the minimum square footage requirement. The desired square footage for a kindergarten classroom is 1,025, however, at Douglas MacArthur; the average for this grade level was 961 square feet. First through fifth grade classrooms require 900 square feet but the average at this school is 742 square feet. The overall capacity of the instructional classrooms is only 69 percent of their ideal square foot size (per student) as detailed in the educational specifications.

The lack of controllable lighting and air temperature were borderline for both core and specialty classrooms. Although most core instructional classrooms contained appropriate equipment, infrastructure and acoustics.

However, several core classrooms lack natural daylight. The specialty classrooms were lacking in lighting and temperature controls as well as adequate storage and an interactive electronic device.

BUILDING ASSESSMENT

MacArthur received a borderline rating in the assessment of building accessibility and technology and support infrastructure. Some technology inadequacies include: lack of wireless internet for students at a 1:1 ratio, lack of electrical outlets in classrooms and hallways, and an integrated clock and public announcement system.

Building organization received a satisfactory score due to the lack of extended learning for first through third grade clusters. Public visitor restrooms were not available at MacArthur.

RECOMMENDATIONS

Because of the building condition and the interior configuration, a total school replacement is recommended to rectify the deteriorating building condition and to accommodate the projected future enrollment. A new building, sized to accommodate the 2020 projections, will likely exceed the FAR allowed under the current zoning.

GROUP 1 — REQUIRED PLANNING

- **Site** assessment to determine an appropriate drop-off location for the school with sufficient stacking room and separated from buses and pedestrians (based on property, boundaries, setbacks, etc.).
- Assess building condition comprehensively through a facility condition assessment

GROUP 2 — FIRST PRIORITY

 Consider a total school replacement. This should address additional square footage supporting projected utilization and address deficient key organizational adjacencies while maximizing open space at the existing site (\$37.0M).

GROUP 3 — SECOND PRIORITY


- **Equip** all core classrooms and support spaces with wall mounted interactive devices.
- **Provide** integrated storage for teachers and students in the reconfigured classrooms.
- **Equip** all classrooms and support spaces with individual climate and lighting controls.

GROUP 4 — LONG RANGE RECOMMENDATIONS

CONCEPTUAL COST ESTIMATES

- Complete master plan construction- \$37.0M (\$405/SF) in 2015 dollars
 - Total demolition of existing building
 - Grading for new building, parking and fields
 - Storm water management, landscaping, site lighting
- New recreation features including basketball courts, playing field and playgrounds
- All new mechanical, plumbing, electrical systems
- New interior walls, floors and ceilings
- Two new elevators
- New food service and a/v equipment for gymnasium, cafeteria and classrooms


In the FY 2016-2025 School Board CIP, Douglas MacArthur is slated to receive a modernization and capacity addition beginning in FY 2017. The construction budget for that project is currently \$28,000,000.



Douglas MacArthur Elementary School



School Replacement



GEORGE MASON ELEMENTARY SCHOOL

2601 Cameron Mills Road, Alexandria, VA 22302

| AT A GLANCE | | | | |
|--------------------|-------------------------------------|--------------------------------|--|--|
| Year Built | Current Floor Area | Lot Size (acres) | Core Classroom Surplus/Deficit (2020) | |
| 1939 | 65,291 | 9.4 | -11 | |
| Zoning | Floor Area Permitted by Zoning (SF) | Floor Area Ratio | Total Program Surplus/Deficit (Sq.Ft.) (2020) | |
| R-8 (023.04-10-20) | 142,552 | 0.35 | -21,994 | |
| School Site | Building Assessment | Instructional & Support Spaces | Projected Utilization (2020) | |
| Borderline | Borderline | Borderline | 188% | |

BACKGROUND

George Mason Elementary School was built in 1939 and has undergone two major renovations, in 1949, and 1977. Other minor renovations occurred in 1988, 1997, and 2005. In 2014, the school underwent a substantial expansion



which included enlarging the cafeteria, adding two courtyards and four new classrooms. The school has a total square footage of 65,291 over the span of two floors.

In 2014, George Mason had an enrollment of 541 students and a measured capacity of 368 students. By 2020, the enrollment is expected to increase to 692 students.

The academic curriculum at George Mason includes reading, language arts, mathematics, social studies, and science and also offers:

- Art instruction once per week
- Vocal and instrumental music lessons beginning in 4th grade
- Two physical education classes per week
- Family life instruction at age-appropriate levels
- Special education programs
- Talented and Gifted programs for grades K-5
- ELL program for those learning English as a second language
- Opportunity to participate in numerous after school programs¹

STUDENT ENROLLMENT (# OF STUDENTS) 2020 2014 **Projection** 692 Enrollment **Capacity** 368 Enrollment as % of Capacity Color 100% and below Fully or underutilized 101% to 120% of capacity Substantially over capacity Above 120% of capacity Extremely over capacity

KEY FINDINGS

SUMMARY

The data collected through this assessment revealed that George Mason Elementary School meets 61 percent of the educational adequacy benchmarks for an ideal 21st century elementary school.

- The school will be severely over capacity lacking space for nearly 324 students in 2020.
- Classrooms are undersized and lack of fixed equipment and infrastructure, and poor acoustics.

¹http://www.acps.k12.va.us/mason

SCHOOL SITE

| SITE DATA | | | |
|---------------------------|---|--|--|
| Steep Slopes | Relatively flat with steeper slopes down to natural channels | | |
| Playgrounds | 2 | | |
| Recreation Features | Playground, tennis courts, asphalt play area, baseball and open fields. | | |
| Resource Protection Areas | None | | |
| Parking | 19 | | |
| Storm Water Management | Flow-thru planter boxes, multiple riprap channels and inlets | | |



George Mason is not equipped with a dedicated vehicular traffic drop-off and pick-up area for students and visitors. The school bus lane and the kiss-and-ride are not separated. Buses and cars park on the public road in front of the school to drop-off and pick-up students. The play areas, located behind the school, are in a good location and connect to a few pedestrian foot paths. The school does not have outdoor learning areas.

George Mason is bordered on one side by a church which serves as a temporary parking lot for staff and visitors during the week. Although the size of the lot is adequate, it is not located near the school's main entrance, nor is it owned by the school.

INSTRUCTIONAL AND SUPPORT SPACES

The school is suffering from a significant shortage of classrooms which is compounded by the fact that the recommended ratio of square feet per student is not met.

The overall quality of the core classrooms is borderline. The core, specialty, and shared spaces do not meet the minimum square footage requirements and lack individual temperature and lighting controls. There is not adequate storage for the students and teachers.

The average core classroom size for pre-kindergarten and kindergarten is 877 rather than the suggested 1,025 square

feet. The measured average classroom size for grade one through five is 686 square feet rather than the desired 900 square feet needed to provide a flexible learning environment. The overall capacity of specialty classrooms and small support rooms is approximately 29 percent smaller than that square foot minimums detailed in the educational specification.

Most rooms do not have full control of the HVAC system and multiple occupants noted there are issues with humidity. Several of the specialty classrooms did not have an interactive electronic presentation device.

BUILDING ASSESSMENT

Roughly half the classrooms at George Mason do not have the technology infrastructure and tools to support a 21st century learning environment. Overall, the school does not meet the division's expectations for small learning environments and key adjacencies. The current spatial layout requires all students and staff to walk through the Media Center in order to access the music room or art room.

The shared programmatic spaces are not centrally located. This does not allow for ease of access from the core academic classrooms. The building is organized in grade level clusters, but there are no extended learning areas or collaborative learning spaces within these areas.

RECOMMENDATIONS

In order to meet the educational specifications, the school requires interior reconfiguration and an addition. Overall, it would be beneficial to demolish portions of the existing structure and reconfigure.

GROUP 1 — REQUIRED PLANNING

- **Evaluation** of the site analysis information will accurately determine whether the drop-off location for the school can be relocated/reconfigured (based on property boundaries, setbacks, etc.).
- Analyze existing building conditions to determine if partial demolition is a more cost effective option to renovation.

GROUP 2 — FIRST PRIORITY

• Improve overall operational efficiency by demolishing and reconfiguring portions of the existing structure attain the additional square footage will also be required to support the projected utilization (\$40.9M).

GROUP 3 — SECOND PRIORITY

- Equip all classrooms and support spaces with individual climate controls, variable lighting controls, and technological equipment and infrastructure.
- Provide additional storage for teachers and students in the reconfigured classrooms.
- Upgrade the furniture, fixtures and equipment as many classrooms do not have the required millwork necessary for the teaching environment.


GROUP 4 — LONG RANGE RECOMMENDATIONS

CONCEPTUAL COST ESTIMATES

- Complete master plan construction- \$40.9M (\$418/ SF) in 2015 dollars:
 - 15% contingency
 - 17% other fees, insurance, etc.
 - New 80,000 SF addition
 - New food service and a/v equipment for auditorium, cafeteria and classrooms
 - New windows
 - All new mechanical, plumbing, electrical systems
 - Two new elevators

- Renovation of 18,000SF of the existing building including (admin and cafeteria):
 - Rehabilitation of the existing façade portions to remain
 - New interior walls, floors and ceilings
 - Security, fire alarm and IT/data system
 - Exterior improvements including playgrounds, site lighting, landscaping, basketball courts, soccer field, and storm water management.

In the FY 2016-2025 School Board CIP, George Mason is slated for renovation, without capacity, beginning in FY 2021. The construction budget for that project is currently \$13,222,510, because it does not include additional capacity.



GEORGE MASON ELEMENTARY SCHOOL


1 Addition

Neighborhood context looking north






School site looking east across Cameron Mills Road. *Note: This image does not reflect construction completed in Summer 2014*.



Potential Addition

George Mason



JAMES K. POLK ELEMENTARY SCHOOL

5000 Polk Avenue, Alexandria, VA, 22304

| AT A GLANCE | | | | |
|--------------------|-------------------------------------|--------------------------------|--|--|
| Year Built | Current Floor Area | Lot Size (acres) | Core Classroom Surplus/Deficit (2020) | |
| 1965 | 83,230 | 13.5 | -4 | |
| | | | (includes 2015 capacity project) | |
| Zoning | Floor Area Permitted by Zoning (SF) | Floor Area Ratio | Total Program Surplus/Deficit (Sq.Ft.) | |
| R12 (039.01-01-01) | 128,041 | 0.30 | -16 ,929 | |
| R20 (039.01-01-01) | 40,250 | 0.25 | | |
| School Site | Building Assessment | Instructional & Support Spaces | Projected Utilization (2020) | |
| Satisfactory | Satisfactory | Satisfactory | 123% | |

BACKGROUND

James K. Polk Elementary, built in 1965, sits on a 13.5 acre site. The school expansion in 1994 included a new library, main office, music room, and secure main entrance. In February 2010, Polk received a new gymnasium that was




predominantly pre-fabricated off-site. During the summer of 2011, Polk added four new classrooms using the same modular approach and four more are planned for construction in summer 2015.

In 2014, James K. Polk had an enrollment of 704 students and a measured capacity of 660 students. By 2020, the school should increase to 927 students. The existing school capacity will not accommodate the increase of students, the school will be over-utilized, and the projected enrollment will exceed the recommended maximum school size of 850 for elementary schools.

The academic curriculum at James Polk includes reading, language arts, mathematics, social studies, and science and also offers:

- Art instruction once per week
- Two physical education classes per week
- Family life instruction at age-appropriate levels
- Band and orchestra beginning in 4th grade
- Vocal music instruction once per week
- Talented & Gifted program for grades K-5
- 3, 4, and 5th grade Keyboarding
- TAG Pullout program
- Special education programs ¹



KEY FINDINGS

SUMMARY

Based on the data collected through this assessment, James K. Polk meets 77 percent of the educational adequacy benchmarks for an ideal 21st century elementary school. The school has a satisfactory rating in all sections except for utilization.

Besides utilization, there are still other areas of concern that this report will address.

¹http://www.acps.k12.va.us/polk

HIGH PRIORITY ITEMS

- Core classrooms are under-sized and lack sufficient quantity to meet the projected enrollment.
- Shared spaces are significantly under-sized.

SCHOOL SITE

| SITE DATA | |
|---------------------------|---|
| Steep Slopes | Steeper slopes on the open spaces |
| Playgrounds | 2 |
| Recreation Features | Multiple gathering areas. Basketball courts, baseball field, play areas and open field. |
| Resource Protection Areas | No RPAs. Adjacent natural area |
| Parking | 35 |
| Storm Water Management | Multiple BMPs. Vegetated roof, planter boxes, vegetated swale. |



James K. Polk earns a satisfactory rating on its school site assessment. The school meets all the requirements for site circulation and play areas.

INSTRUCTIONAL AND SUPPORT SPACES

The instructional and support spaces at this school earn a satisfactory rating. The highest priority item for this section is the measured size of the shared spaces. None of the shared spaces meet the educational adequacy size requirements for a school of this size. The most undersized is the gymnasium.

The second highest priority item for this section is the measured size of the core and specialty classrooms. The average size of a kindergarten classroom is 823 square feet instead of the desired 1,025 square feet. The average size of a first through fifth grade classroom is 785 square feet instead of the desired 900 square feet.

Additional issues include lack of adequate natural light and proper fixed equipment in the shared spaces. Most of the shared spaces do not have the adequate marker boards, interactive presentation devices or sound enhancement

technology. Natural light is also lacking in the specialty classrooms. The temperature in most classrooms is acceptable but individual temperature controls are not present as required. The items discussed above need attention and an interior renovation and an addition are recommended to right-size existing classroom and provide more classrooms to accommodate the projected enrollment.

BUILDING ASSESSMENT

The building assessment resulted in a satisfactory rating. The school does not have all of its shared programmatic spaces appropriately clustered and located away from the academic areas. In addition, there are no extended learning areas present in the building.

The technology infrastructure earned a low score because the school lacks a judicious supply of electrical receptacles in classrooms and main corridors. Additionally, the clocks and PA system throughout the building are not integrated, nor are the clocks digital, as desired. Finally, there is limited wireless connectivity in the hallways and corridors and the school does not provide wireless bandwidth at a one-to-one student-to-device ratio.

RECOMMENDATIONS

The school will be over capacity by 2020 and will exceed the recommended size for an elementary school. In order to accommodate the projected enrollment, a significant addition and interior renovation is required. Consideration should be given to accommodating the projected increase in enrollment at another location due to the overall school size.

GROUP 1 — REQUIRED PLANNING

- **Explore** a new west end elementary school to alleviate the over enrollment.
- Assess building condition comprehensively through a facility condition assessment.

GROUP 2 — FIRST PRIORITY

 Reconfigure existing instructional, shared and support spaces to meet the recommended size requirements outlined in the educational specifications (\$22.1M).

GROUP 3 — SECOND PRIORITY

- Equip all core classrooms, corridors and support spaces with additional electrical receptacles as required, and all classrooms with two teaching walls
- Equip all classrooms and support spaces with individual climate control.
- Additional storage for teachers and students should be integrated into the reconfigured classrooms as well as an upgrade to furniture, fixtures and equipment.
- Upgrade the building technology equipment and infrastructure to meet the educational adequacy standards.


GROUP 4 — LONG RANGE RECOMMENDATIONS

- **Resize** the gymnasium to meet the standards required for the size of the student population.
- Explore the feasibility of an expansion to attain additional instructional square footage required to support the projected enrollment if a decision is made to exceed the recommended size for an elementary school or if alternatives cannot be determined.

CONCEPTUAL COST ESTIMATES

- Complete Master Plan Construction \$34.2M (in 2015 dollars)
 - 15% contingency
 - 17% other fees, insurance, etc.
- New 38,000 SF addition (\$12.1M) including:
 - Demolition of existing pod to be replaced
 - Relocation and expansion of the gymnasium
- Total renovation of existing building (\$22.1M) including:
 - All new mechanical, plumbing, electrical and window systems
 - New food service and a/v equipment for auditorium, cafeteria and classrooms
 - New interior walls, floors and ceilings

Polk is not currently in the modernization program per the FY 2016-2025 CIP; however, a four classroom addition will be built in summer 2015 and a ten classroom addition is scheduled beginning in FY 2016. The construction budget for that project is currently \$4.8M. Additional renovations, additions or the complete master plan projects will be evaluated based on ACPS priorities and funding constraints during the development of future CIPs.




JAMES K. POLK ELEMENTARY SCHOOL




Neighborhood context looking north. Patrick Henry Elementary School is at lower right.



School site looking west across Polk Avenue



Master Plan concept showing potential additions



JEFFERSON-HOUSTON SCHOOL

1501 Cameron Street, Alexandria, VA 22314

| AT A GLANCE | | |
|--------------------|--|--|
| Year Built 2014 | Current Floor Area 124,000 (school) Durant Center (15,358) Old Town Pool (5,336) | Floor Area Permitted by Zoning (SF) 241,705 |
| RB (064.03-01-01) | Lot Size (acres) 7.4 | Floor Area Ratio 0.75 |
| POS (064.03-01-01) | 2.9 | 0.0 |

Jefferson-Houston was not included in the educational adequacy analysis because it opened in September 2014.

BACKGROUND

Jefferson-Houston School was built in 2014. The building includes a full size gymnasium, a white box theater, and a distributed dining operation instead of a traditional cafeteria.



Adjacent to the school is the City of Alexandria's Durant Center, Old Town Pool and Buchanan Park.

The new building includes:

- 10 early-childhood classrooms
- 21 classrooms for first- through eighth-grade students
- Full-size gymnasium
- Synthetic turf playing field
- Play areas and structure for all grade levels
- Green features that are on target for LEED Silver designation

SCHOOL SITE

Jefferson-Houston has a full-size athletic turf field, playgrounds, and an outdoor learning garden. Adjacent City recreation features include:

- Buchanan Park, located behind the Old Town Pool, has a playground that is accessible throughout the day.
- Durant Center, home of the Alexandria Commission for the Arts, provides space for community rehearsals, performances, special events, meetings and arts focused classes.
- Old Town Pool is a 25-yard pool with a diving well and separate training pool for small children.

STUDENT ENROLLMENT (# OF STUDENTS) 2020

| | | 2014 | 2020 Projection |
|------|----------------|-----------------|-----------------------------|
| | Enrollment | 444 | 553 |
| | Capacity | 800 | 800 |
| Colo | r Enrollment a | s % of Capacity | |
| | 100% and be | elow | Fully or underutilized |
| | 101% to 120 | % of capacity | Substantially over capacity |
| | Above 120% | of capacity | Extremely over capacity |



RECOMMENDATION

Because this is the newest ACPS facility, it is recommended to reassess in 10 years.

JOHN ADAMS ELEMENTARY SCHOOL

5651 Rayburn Avenue, Alexandria, VA 22311

| AT A GLANCE | | | |
|---------------------|-------------------------------------|--------------------------------|---------------------------------------|
| Year Built | Current Floor Area | Lot Size (acres) | Core Classroom Surplus/Deficit (2020) |
| 1967 | 143,290 | 7.9 | -2 |
| Zoning | Floor Area Permitted by Zoning (SF) | Floor Area Ratio | Total Program Square Feet (2020) |
| R-12 (019.01-01-48) | 103,842 | 0.3 | -13,843 |
| School Site | Building Assessment | Instructional & Support Spaces | Projected Utilization (2020) |
| Excellent | Satisfactory | Satisfactory | 138% |

BACKGROUND

John Adams was built in 1967 to serve the community as a middle school. It became an elementary school in 1980. The school's mission is to create a community of high achieving students through




their involvement in arts-integrated learning environments.

In 2014, John Adams had an enrollment of 944 students with a measured capacity of 858 students. By 2020, enrollment is expected to increase to 1,180 students lacking space for approximately 322 students. Both the current and projected enrollment exceeds the recommended size for an elementary school.

The academic curriculum at John Adams includes reading, language arts, mathematics, social studies, and science and also offers:

- Vocal and Instrumental music instruction once a week
- Art instruction once a week
- Band and orchestra beginning in 4th grade
- Two physical education classes a week
- Family life instruction at age-appropriate levels
- English as a second language classes
- Special education programs
- TAG pull out program
- Talented and Gifted program for grades K-5¹



KEY FINDINGS

SUMMARY

Based on the data collected through this assessment, John Adams meets 82 percent of the educational adequacy benchmarks for an ideal 21st century elementary school.


HIGH PRIORITY ITEMS

- Core classrooms are under-sized.
- School exceeds the recommended size for an elementary school.

¹http://www.acps.k12.va.us/adams

SCHOOL SITE

| SITE DATA | |
|---------------------------|--|
| Steep Slopes | Steep slope changes around the edges of the school |
| Playgrounds | 4 |
| Recreation Features | Playgrounds, asphalt play area. Adjacent Chambliss Park includes baseball field, tennis courts and open field. Dense forest north of school. |
| Resource Protection Areas | |
| Parking | 124 |
| Storm Water Management | Severe ponding around site. No known SWM facilities. |



John Adams earned an excellent rating on their school site assessment. While it met the minimum requirements of separated vehicular, bus and kiss and ride circulation, the one vehicular access off of Rayburn Avenue causes traffic problems during arrival and dismissal. Additionally, there is not enough staff and visitor parking so currently overflow parking is located adjacent to Chambliss Park (zoned POS). A parking lot expansion is underway and expected to be completed prior to the 2014-2015 school year. The portion of the park currently used for parking will be restored as open space once the school lost is expanded. Site access is constrained, even with planned improvements.

The existing square feet of the school exceeds the allowed square feet per the zoning.

INSTRUCTIONAL AND SUPPORT SPACES

The highest priority item at John Adams is the measured size of core classrooms. Collectively, only five out of 52 core classrooms, or ten percent, meet the educational adequacy size requirements. The average size for a pre-kindergarten or kindergarten class is 749 square feet instead of the desired 1,025 square feet. The average size

for grades one through five is 705 instead of the desired 900 square feet.

The second highest priority item in this section is the fixed equipment and infrastructure in the specialty classrooms. All of these rooms lack sound enhancement systems and half of them are not equipped with wall mounted interactive devices. These classrooms are not equipped with the required infrastructure to function as a 21st century learning space.

Additional issues with the instructional spaces are the lack of storage, plumbing fixtures, and fixed equipment. The classrooms lack adequate student and teacher built-in storage and shelving. Over 90 percent of the classrooms have an interactive electronic device as needed but are missing a secondary teaching wall.

The educational standards require an internal or adjoining bathroom for all core classrooms, but these are absent from over 50 percent of John Adams' classrooms. In addition, 70 percent of classrooms are not equipped with sinks and bubblers.

BUILDING ASSESSMENT

The building assessment of John Adams is rated satisfactory. The portion most lacking is sufficient electrical receptacles being present in multiple locations along classroom and corridor walls. The clocks and PA system throughout the building are not integrated, nor are the clocks digital, as desired. Finally, there is limited wireless connectivity in the hallways and corridors and the school does not provide wireless bandwidth at a one-to-one student-to-device ratio.

John Adams also lacks extended learning areas.

RECOMMENDATIONS

The student enrollment currently exceeds the optimal school size for an elementary school. To serve the projected enrollment, an addition is required and should only be considered in conjunction with major circulation /transportation improvements. Considerations should be given to accommodating the projected increase in enrollment at another location due to the overall school size. Also, the current building exceeds the FAR allowed under the current zoning.

GROUP 1 — REQUIRED PLANNING

- Assess building condition comprehensively through a facility condition assessment.
- **Explore** a new west end elementary school to alleviate the over enrollment.

GROUP 2 — FIRST PRIORITY

 Reconfiguration of the school to achieve size and layout requirements in the instructional classrooms and provide extended learning areas, per the educational specifications (\$43.9M).

GROUP 3 — SECOND PRIORITY

- Additional electrical receptacles added to the classrooms and corridors.
- Provide additional storage for teachers and students.
- **Equip** all classrooms with two teaching walls
- Upgrade the building technology in specialty classrooms to meet the educational adequacy standards.

GROUP 4 — LONG RANGE RECOMMENDATIONS


- Implementation of the future Beauregard Small Area Plan (SAP) road network may provide opportunities for alternate and cohesive site strategies including relocating playgrounds to build a parking lot adjacent to the new parallel road, which includes a pull-off for student kissand-ride.
- In conjunction with the implementation of the Beauregard SAP road network, an addition could be considered to accommodate an increase in enrollment if a decision is made to exceed the recommended size for an elementary school. This addition should only be considered in conjunction with major circulation/transportation improvements and would exceed the FAR under the current zoning.

CONCEPTUAL COST ESTIMATES

- Complete Master Plan Construction \$49.4 (2015 dollars)
 - □ 15% contingency
 - □ 17% other fees, insurance, etc.
- New 9,000 SF addition (\$5.2M) including:
 - New parking and playing field
 - New playgrounds and storm water management
- Total renovation of existing building (\$43.9M) including:
 - All new mechanical, plumbing, electrical and window systems
 - New food service and a/v equipment for auditorium, cafeteria and classrooms
 - New interior walls, floors and ceilings

John Adams is not currently in the modernization program per the FY 2016-2025 CIP. This project will be evaluated based on ACPS priorities and funding constraints during the development of future CIPs.

JOHN ADAMS ELEMENTARY SCHOOL





Neighborhood Context




School site looking north across Rayburn Avenue



Master Plan concept showing potential addition and potential future access road alignment.

John Adams



Lyles-Crouch Traditional Academy

530 South St. Asaph Street, Alexandria, VA, 22314

| AT A GLANCE | | | |
|-----------------------------|--|---|--|
| Year Built | Current Floor Area | Lot Size (acres) | Core Classroom Surplus/Deficit (2020) |
| 1958 | 65,645 | 2.0 | +4 |
| Zoning RM (080.02-03-01) | Floor Area Permitted by Zoning (SF) 86,838 | Floor Area Ratio 1.5 | Total Program Surplus/Deficit (Sq.Ft.) (2020) -3,243 |
| School Site Inadequate | Building Assessment Borderline | Instructional & Support Spaces Satisfactory | Projected Utilization (2020) 96% |

BACKGROUND

Lyles-Crouch is a traditional academy educating children from kindergarten through fifth grade.

In 2014, Lyles-Crouch's enrollment was 396 students with a measured capacity of 375. By 2020, enrollment is



expected to decrease nine percent to 360 students. Therefore, based on the school's existing capacity it will be able to accommodate the future enrollment size, as currently projected.

The academic curriculum at Lyles-Crouch includes reading, language arts, mathematics, social studies, and science and also offers:

- Art instruction with a certified art teacher once a week
- Vocal music instruction with a certified music teacher once a week
- Instrument music lessons beginning in fourth grade
- Fourth and Fifth graders can join band or orchestra
- Two physical education classes a week with a certified P.E. teacher
- Family life instruction at age-appropriate levels
- English as a second language classes
- Special education programs
- Talented and Gifted program for grades K-5¹

STUDENT ENROLLMENT (# OF STUDENTS) 2020 Projection Enrollment 396 360 Capacity 375 375 Color Enrollment as % of Capacity 100% and below Fully or underutilized

Substantially over capacity

Extremely over capacity

KEY FINDINGS

SUMMARY

Based on the data collected through this assessment, Lyles -Crouch meets 60 percent of the educational adequacy requirements. A score of 66 earns this school a borderline rating.

While there is an adequate number of core classrooms to accommodate future enrollment, the existing rooms are not large enough. An interior reconfiguration would expand the classrooms to meet the square footage requirements of the educational specifications.

HIGH PRIORITY ITEM

• Core classrooms are all under-sized.

101% to 120% of capacity

Above 120% of capacity

¹http://www.acps.k12.va.us/crouch/

SCHOOL SITE

| SITE DATA | |
|---------------------------|---|
| Steep Slopes | No steep slopes |
| Playgrounds | 1 |
| Recreation Features | Picnic and bench areas. Asphalt play areas, open field & baseball field. Garden beds. |
| Resource Protection Areas | No RPAs or natural areas. |
| Parking | 43 |
| Storm Water Management | Sand filter |



Lyles-Crouch earns an inadequate rating on the school site assessment. The school's site circulation lacks proper separation of the kiss-and-ride and school bus lane. There is no stacking area for the student kiss-and-ride. The onsite parking is not adequate to accommodate the needs of the school, although there is street parking on the adjacent streets that accommodate school visitors and staff.

The school's play field size is inadequate and the outdoor play equipment appear undersized. Additionally, the site design does not incorporate outdoor learning spaces.

INSTRUCTIONAL AND SUPPORT SPACES

The instructional and support spaces at this school earn a satisfactory rating. The highest priority item at Lyles-Crouch is the measured size of the core classrooms.

Collectively, none of the core classrooms meet the educational adequacy size requirements. The average size for a kindergarten class is 750 square feet instead of the desired 1,025. The average size of grades one through five is 727 square feet instead of the desired 900 square feet. An interior reconfiguration is recommended to right-size the core classrooms.

The second priority item, in this section, is the measured size of the specialty classrooms and shared spaces. Both these sections earn an inadequate rating and an addition is recommended to address this inadequacy.

Additional issues with the specialty and shared spaces are the lack of temperature controllability, the lack of storage, and the lack of fixed equipment. Only half of these spaces possess an interactive electronic device as needed. In addition, 70 percent of spaces are missing a secondary teaching wall. Lastly, the educational standards require an internal or adjoining bathroom for all core classrooms; these are only present in 10 percent of the core academic classrooms.

BUILDING ASSESSMENT

The building assessment of Lyles-Crouch reveals a borderline rating. The building organization is inadequate because there are no distinct academic clusters, the shared programmatic spaces are not appropriately located and clustered, and the building lacks extended learning areas.

The technology infrastructure is inadequate because the school lacks the adequate wireless access for students and lacks a sufficient amount of electrical receptacles in corridors and classrooms. In addition, the clock and PA system are not integrated, nor are the clocks digital as required.

RECOMMENDATIONS

The school has the adequate number of core classrooms but they are not the adequate size. A small addition is recommended to provide sufficient size of the specialty classrooms and shared spaces.

GROUP 1 — REQUIRED PLANNING

- Assess the site to determine whether the separation of the kiss-and-ride and school bus lane is feasible (based on property boundaries, setbacks, etc.). It will also help inform opportunities for additional parking
- **Assess** building condition comprehensively through a facility condition assessment.

GROUP 2 — FIRST PRIORITY

• **Reconfigure** existing instructional classroom spaces to meet the recommended size requirements and provide extended learning areas as outlined in the educational specifications (\$12.7M).

GROUP 3 — SECOND PRIORITY

- Equip all core classrooms, corridors and support spaces with additional electrical receptacles as required and all classrooms with two teaching walls.
- Upgrade the building technology equipment and infrastructure to meet the educational adequacy standards in the specialty classrooms.
- **Upgrade** the playing fields and play equipment.
- Equip all classrooms and support spaces with individual climate control.


GROUP 4 — LONG RANGE RECOMMENDATIONS

 Expand the building to allow for right-sized specialty classrooms such as art and music (\$2.0M).

CONCEPTUAL COST ESTIMATES

- Complete Master Plan Construction \$14.7 (in 2015 dollars)
 - 15% contingency
 - 17% other fees, insurance, etc.
- New one-story 5,500 SF addition (\$2.0M) including:
 - Concrete columns on the ground floor level
- Total renovation of existing building (\$12.7M) including:
 - All new mechanical, plumbing, electrical and window systems
 - New a/v equipment for classrooms
 - New interior walls, floors and ceilings

Lyles-Crouch is not currently in the modernization program per the FY 2016-2025 CIP. Renovations, additions or the complete master plan projects will be evaluated based on ACPS priorities and funding constraints during the development of future CIPs.




Lyles-Crouch
Traditional Academy
School



Neighborhood context looking north with Washington Street on the left and Royal Street on the right.




School site looking south across Wilkes Street with St. Asaph Street on the right of the image



Master Plan concept with potential addition over parking

Lyles-Crouch



MATTHEW MAURY ELEMENTARY SCHOOL

600 Russell Road, Alexandria, VA, 22301

| AT A GLANCE | | | |
|------------------------------|--|---|---|
| Year Built | Current Floor Area | Lot Size (acres) | Core Classroom Surplus/Deficit (2020) |
| 1929 | 51,800 | 3.9 | -2 |
| Zoning R-5 (053.03-02-02) | Floor Area Permitted by Zoning (SF) 76,840 | Floor Area Ratio 0.45 | Total Program Surplus/Deficit (Sq.Ft.) (2020) -10,308 |
| School Site Borderline | Building Assessment Satisfactory | Instructional & Support Spaces Satisfactory | Projected Utilization (2020) 135% |

BACKGROUND

Matthew Maury Elementary School was built on seven acres of farm land purchased in 1929. Classroom additions occurred in 1941, 1949, and 1961. In 1971, a gymnasium was added while the library underwent a major



renovation. In 2005, a new media center, additional classrooms, teacher work area, new offices, and security upgrades were added.

In 2014, Matthew Maury's enrollment was 441 students with a measured capacity of 350. By 2020, enrollment is expected to increase to 473 students.

The academic curriculum at Maury includes reading, language arts, mathematics, social studies, and science and also offers:

- Music instruction once a week
- Art instruction once a week
- Band and orchestra beginning in 4th grade
- Two physical education classes a week
- Family life instruction at age-appropriate levels
- Dedicated science exploration lab
- Talented and Gifted program for grades K-5¹

| <u>S</u> | TUDENT ENRO | LLMENT (| # OF STUDENT | <u>(S)</u> |
|----------|--------------------|------------|-----------------------|------------|
| | | 2014 | 2020 Projection | |
| | Enrollment | 441 | 473 | |
| | Capacity | 350 | 350 | |
| | | | | |
| Color | Enrollment as % of | f Capacity | | |
| | 100% and below | | Fully or underutilize | ed |
| | 101% to 120% of c | apacity | Substantially over | capacity |
| | Above 120% of car | pacity | Extremely over car | acity |

KEY FINDINGS

SUMMARY

The data collected through this assessment reveals that Matthew Maury Elementary School meets 66 percent of the educational adequacy benchmarks for an ideal 21st century elementary school.

HIGH PRIORITY ITEMS

 Based on the 2020 enrollment projections, as it exists now, the school will be significantly over capacity and lacking space for over 120 students.

¹http://www.acps.k12.va.us/maury

SCHOOL SITE

| SITE DATA | |
|---------------------------|---|
| Steep Slopes | Flat with steep slope around play- ground |
| Playgrounds | 1 |
| Recreation Features | Playground, asphalt play areas, basketball goals, baseball and open fields; Natural area adjacent to main building |
| Resource Protection Areas | |
| Parking | 7 |
| Storm Water Management | Nyloplast inlets-underground deten- tion system, but many SWM issues on site. |



The Matthew Maury site is poorly organized for both pedestrian and vehicular traffic. Site circulation does not separate these types of traffic creating potential conflicts. The bus lane and parent kiss-and-ride drop off occur in the same location; on the street in front of the school. There is a small parking lot behind the school with room for about 7 vehicles and due to the urban nature of the site, a majority of parking occurs in the street. Furthermore, the small school site does not allow for full-size athletic fields as recommended by the Virginia Guidelines. The equipment provided is weathered and dated. The playground is not accessible for students with disabilities; play courts are deteriorating and drainage is poor.

INSTRUCTIONAL AND SUPPORT SPACES

The instructional and support spaces of the building earned a satisfactory rating. While the overall assessment resulted in a positive rating, it should be noted that most of the instructional spaces do not meet the division's size requirements. Common deficiencies throughout the spaces include dated furniture that is not flexible, inadequate space to accommodate flexible furniture arrangements, lack of electrical outlets, and poor internal adjacencies for required restrooms or collaborative learning spaces. The most urgent items in this section are classroom capacity. The average classroom size for kindergarten is

680 rather than the suggested 1,025 square feet. This is the smallest in the division. The measured average classroom size for grade one through five is 715 square feet rather than the desired 900 square feet. The overall capacity of specialty classrooms and small support rooms is approximately 29 percent smaller than the square foot minimums detailed in the educational specification.

BUILDING ASSESSMENT

Most classrooms in Matthew Maury have the technology infrastructure and tools required to support a 21st century learning environment. However, overall space arrangements do not meet the division's expectations for providing small learning environments and key classroom adjacencies. Classrooms are loosely organized by grade grouping with few adjacent restrooms and no collaborative learning spaces. Additionally, the school is not ADA equitable with the main entrance not providing ADA access.

RECOMMENDATIONS The shortage of classroom numbers and space must be addressed in order to bring Matthew

Maury up to levels designated in the Ed Specs for ACPS, and to address the level of student population currently projected. The Site and Building Plan improvements should be considered and incorporated into the comprehensive site and building plan listed below. Site and building recommendations (Groups 2-4) are generally grouped according to priority; however, due to the limited size of the school site, each decision may impact the others.

GROUP 1 — REQUIRED PLANNING

- Develop a vision, goals and strategies with a comprehensive Site and Building Plan for the school.
- Develop priority phasing with associated Return-on-Investment to determine whether existing building renovations, demolition, and new construction should be combined or phased separately. Funding sources, level of service, and schedule disruption should be identified. Funding should consider coordinated impacts of future construction in an effort to prevent double-work or demolition of new facilities.
- Consolidate the two adjacent properties of the main school site—600 Russell Road and 701 Johnston Place to create one single lot. Analyze the newly combined FAR to determine whether further rezoning is necessary to accommodate projected additional spaces.
- Seek abandonment and dedication to the school of the Rucker Place spur east of Johnston Place.
- Develop a long-range management plan for the school and site facilities to coordinate capital improvement and operations projects. Management plan should incorporate decisions which may be allowed to evolve in response to future needs and opportunities.
- Assess building condition comprehensively through a facility condition assessment.

GROUP 2 — FIRST PRIORITY

- **Reconfigure** the space within the existing school to meet recommended size requirements outlined in the Educational Specifications.
- Construct a new, two-story wing in the general location of the existing northern wing and gymnasium to provide the missing classroom and support space needed to meet the projected utilization. Redistribute the core classroom types accordingly.

GROUP 3 — SECOND PRIORITY

- Provide outdoor learning areas with sufficient infrastructure, allowing flexible programming.
- Address physical and/or operational changes for the drop -off location, configuration for busses, and kiss-and-ride.
- Reorganize overall layout of classrooms—may allow opportunity to create a PreK/Kindergarten "wing" at the school.
- Explore the utilization of Johnston Place for greater connection to Beach Park. Various approaches may include temporary closures (times barricades) to connect the school with Beach Park, narrowing the street for greater space or converse utilization for parking. Coordinate with the Neighborhood Park planning process and the City's Recreation Parks and Cultural Activities to enhance Beach park facilities for greater utilization by the school and Community.
- Provide all classroom and support spaces with the appropriate loose furnishings and fixed equipment to address noted deficiencies for a 21st century learning environment
- **Consider** the improved utilization of the southwestern on -property alley (from Elm Street) for additional parking opportunities in that area of the school site.
- Upgrade the existing play areas and field to meet ACPS and ADA guidelines.

GROUP 4 — LONG RANGE RECOMMENDATIONS


 Consider the purchase of adjacent property as it may provide more area for the school thus creating a more efficient site.

CONCEPTUAL COST ESTIMATES

- Complete Master Plan Construction \$23.7 (in 2015 dollars)
 - 15% contingency
 - 17% other fees, insurance, etc.
- Total renovation of existing building (\$10M) including:
 - All new mechanical, plumbing, electrical and window systems
 - New food service and a/v equipment for auditorium, cafeteria and classrooms
 - New interior walls, floors and ceilings

- New 31,000 SF addition (\$13.6M) including:
 - Demolition of portions of the existing building
 - New elevator
 - New gymnasium and relocated cafeteria


In the FY 2016-2025 School Board CIP, Maury is currently slated to receive a modernization and capacity addition beginning in FY 2023. The construction budget for that project is currently \$16,500,000.



MATTHEW MAURY ELEMENTARY SCHOOL



Master Plan concept showing potential second-level addition



Mount Vernon Community School

2601 Commonwealth Avenue, Alexandria, VA 22301

| AT A GLANCE | | | |
|----------------------|---|--------------------------------|--|
| Year Built | Current Floor Area | Lot Size (acres) | Core Classroom Surplus/Deficit (2020) |
| 1923 | 112,730 (school) 18,000 (rec center) (library*) | 6.5 | +1 |
| Zoning | Floor Area Permitted by Zoning (SF) | Floor Area Ratio | Total Program Surplus/Deficit (Sq.Ft.) (2020) |
| R-2-5 (024.04-02-03) | 90,272 | 0.45 | -1,064 |
| POS (024.04-02-03) | 0 | 0.0 | |
| School Site | Building Assessment | Instructional & Support Spaces | Projected Utilization (2020) |
| Borderline | Inadequate | Borderline | 111% |

BACKGROUND

The current Mount Vernon Community School structure was built in 1923.

Classroom additions were built in 1941 and 1950 with major building additions in 1967 and 1991. The adjacent Mount Vernon Recreation



Center, built in 1997, shares the gym and outdoor fields with the school.

In 2014, Mount Vernon had an enrollment of 817 students with a capacity of 755 students. By 2020, enrollment is expected to increase to 841 students. Mount Vernon is a community school encouraging partnerships between school and community in an effort to improve academics, health, and development of the community and its students. This relationship fosters a personalized curriculum teaching real-world problem solving skills. Mount Vernon offers an English-Spanish Dual Language program aiming to make students bilingual, bi-literate, and culturally aware. The school also offers:

- Art instruction once per week
- Two physical education classes per week
- Family life instruction at age-appropriate levels
- Band and orchestra beginning in 4th grade
- Vocal music instruction once per week
- Talented & Gifted program for grades K-5
- 3, 4, and 5th grade Keyboarding
- TAG Pullout program
- Special education programs¹

http://www.acps.k12.va.us/mtvernon

| <u>S</u> | TUDENT | ENROLLMENT (| (# OF STUDENTS) |
|----------|------------------------|------------------|-----------------------------|
| | | 2014 | 2020 Projection |
| En | rollment | 817 | 841 |
| • | Capacity | 755 | 755 |
| Color | Enrollment | as % of Capacity | |
| | 100% and below | | Fully or underutilized |
| | 101% to 12 | 20% of capacity | Substantially over capacity |
| | Above 120% of capacity | | Extremely over capacity |

KEY FINDINGSSUMMARY

The data collected through this assessment reveal that Mount Vernon Community School meets only 53 percent of the educational adequacy benchmarks for an ideal 21st century elementary school.

HIGH PRIORITY ITEMS

Based on the 2020 projections, as it exists now, the school will be substantially over capacity, lacking space for nearly 86 students. The school is suffering from a shortage of classrooms which is compounded by the fact that the recommended ratio of square feet per student is not met.

^{*} Because the school, recreation center and library are located on the same site, all contribute to the floor area ratio calculation.

 The classroom conditions are also below satisfactory levels for reasons such as, inadequate classroom size, lack of storage space, poor acoustics and the absence of individual controllability of the HVAC and lighting systems.

SCHOOL SITE

| SITE DATA | |
|---------------------------|--|
| Steep Slopes | Isolated steep area |
| Playgrounds | 3 |
| Recreation Features | Open field, playground, baseball field and basketball court. |
| Resource Protection Areas | No |
| Parking | 27 |
| Storm Water Management | Multiple inlets, two underground detersion systems. |



Organization of vehicular and pedestrian traffic patterns are not efficiently organized about the site. Site circulation does not separate vehicular and pedestrian traffic creating potential life safety hazards for all users. Pedestrian paths cross vehicular thoroughfares during after-school pickup times. Additionally, the bus lane is also used as the kiss and ride drop off area which could create a dangerous situation for students. It was also observed, while appropriately located near the main entrance, on-site parking for staff and visitors is inadequate based on the number of spaces provided.

While the apparent rating of the fields is borderline, the two play fields, located adjacent to the gym, do not meet Virginia Guidelines but are adequate for the school's use. Finally, the field condition is deteriorating with observable divots and dry patches noted that could pose a hazard to students.

INSTRUCTIONAL AND SUPPORT SPACES

The most urgent items in this section are classroom capacity and HVAC mechanical issues.

The instructional and support spaces of the building earned a borderline rating. Some factors that contributed to this rating include: the rooms do not meet the size requirements; the lack of lighting and HVAC controllability, and noise interference from inside and outside the rooms was not mitigated. Numerous teachers reported humidity and moisture issues in their classroom which they indicate increases during the warmer months.

The average core classroom size for prekindergarten and kindergarten is 885 rather than the suggested 1,025 square feet. The measured average classroom size for grade one through five is 757 square feet rather than the desired 900 square feet needed to provide a flexible learning environment

The overall capacity of specialty classrooms and small support rooms is approximately 28 percent smaller than the square foot minimums detailed in the educational specification. The facility had significant deficiencies with air temperature, humidity and acoustical elements. The lighting, in most classrooms, was adequate but not adjustable. Finally, several classrooms had no natural light or windows with a view outdoors.

Among the core classrooms, the item of greatest concern is the **acoustics**. Many of the classrooms are divided by a thin, operable partition which does not provide an adequate sound barrier between the two classrooms. The student and teacher program furniture, which includes shelving, cabinets, wardrobes and cubbies, is either not adequate or non-existent in most classrooms. Classrooms are not equipped with the required number of teaching walls and electrical outlets are not readily available on all walls. The shared spaces, including the gym, art room, and cafeteria are not centrally located.

BUILDING ASSESSMENT

Most classrooms in Mount Vernon have the technology infrastructure and tools required to support a 21st century learning environment. However, overall space arrangements do not meet the standards for providing small learning environments and key classroom adjacencies. While classrooms are mainly organized by grade level groupings, there were no defined extended learning areas observed and not all shared programmatic spaces were centrally located.

The building organization also contributed to the school's low rating because the shared spaces such as: the gym, cafeteria and art room are not centrally located and did not meet their intended size or space requirements.

RECOMMENDATIONS

Mount Vernon currently lacks sufficient space to accommodate future enrollment. An addition and interior renovation is recommended after a building conditions assessment. Because of the age of the building, a partial demolition may be a more cost effective option to renovation. Currently the school building exceeds the allowed FAR for the building, which has implications on a future significant renovation and the feasibility of a future addition.

GROUP 1 — REQUIRED PLANNING

- Site assessment to determine whether the drop-off location for the school can be relocated/reconfigures (based on property boundaries, setbacks, etc.). It will also help inform opportunities for additional parking.
- **Explore** existing building conditions to determine if partial demolition is a more cost effective option to renovation due to the building's age.
- **Rezone** to rectify the existing FAR issue and allow room for an addition or major reconfiguration.

GROUP 3 — SECOND PRIORITY

- Equip all classrooms and support spaces with individual climate controls, and technology equipment and infrastructure.
- Provide additional storage for teachers and students as well as an upgrade to the furniture, fixtures and equipment.
- Upgrade existing playing areas.

GROUP 2 — FIRST PRIORITY

- **Reconfigure** the spaces within the existing school to meet the recommended size requirements for individual academic spaces as outlined in the educational specifications incorporation of collaborative learning spaces (\$35.9M).
- **Construct** an addition to the school which may be necessary to attain the additional square footage required but will be more accurately determined once the building reorganization and redistribution has been studied (\$3.2M).

GROUP 4 — LONG RANGE RECOMMENDATIONS


Relocate tennis courts to allow for upgraded playing fields.

CONCEPTUAL COST ESTIMATES

- Complete Master Plan Construction \$39.1 (in 2015 dollars)
 - 15% contingency
 - 17% other fees, insurance, etc.
- New 10,000 SF addition (\$3.2M)

- Total renovation of existing building (\$35.9M) including:
 - All new mechanical, plumbing, electrical and window systems
 - New food service and a/v equipment for auditorium, cafeteria and classrooms
 - New interior walls, floors and ceilings

Mt. Vernon is not currently in the modernization program per the FY 2016-2025 CIP. Renovations, additions or the complete master plan projects will be evaluated based on ACPS priorities and funding constraints during the development of future CIPs.



MOUNT VERNON COMMUNITY SCHOOL



Master Plan concept showing two-level addition on southeastern part of school site.

Library is at the lower left.


Mount Vernon

Conceptual Master Plan

New Construction/Addition

Existing

Renovation



PATRICK HENRY ELEMENTARY SCHOOL

4643 Taney Avenue, Alexandria, VA 22304

| AT A GLANCE | | |
|--------------------|--------------------|-------------------------------------|
| Year Built | Current Floor Area | Floor Area Permitted by Zoning (SF) |
| 1953 | 62,400 (school) | 176,418 |
| | 8,850 (rec center) | |
| Zoning | Lot Size (acres) | Floor Area Ratio |
| R-12(039.03-05-14) | 15.0 | 0.30 |

Patrick Henry was not included in the educational adequacy analysis because there is a feasibility study under a separate effort.

BACKGROUND

Patrick Henry Elementary School was originally constructed in 1953, classroom additions in 1995 and 2011. The City of Alexandria constructed a gymnasium addition in 1973



that included a full-time recreation center. In 1996, a media center was constructed. This site is shared with a full-time City recreation center and tennis courts.

ACPS currently has a Patrick Henry Capacity Project in the CIP. This project will create Pre K-8 program with additional capacity for ACPS on the west side of the city. Planning is underway to analyze the current school and recreation center conditions and site to review options for construction versus renovation. A recommendation will be made to the School Board in Spring 2015.

SCHOOL SITE

The Patrick Henry site includes two open fields, tennis courts and a playground. Student drop-off occurs along Taney Avenue which conflicts with local traffic during peak times. Buses use the parking lot which often conflicts with staff, visitor and Rec Center patrons. Analysis of these circulation issues is a part of the study currently underway.



RECOMMENDATION

Patrick Henry was not included in the educational adequacy analysis due to the fact that a study was currently underway. Results of the study should be incorporated into the next update of the Long Range Plan.

SAMUEL W. TUCKER ELEMENTARY SCHOOL

435 Ferdinand Day Drive, Alexandria, VA, 22304

| AT A GLANCE | | | |
|----------------------|-------------------------------------|--------------------------------|---------------------------------------|
| Year Built | Current Floor Area | Lot Size (acres) | Core Classroom Surplus/Deficit (2020) |
| 2000 | 80,180 | 2.4 | -7 |
| Zoning | Floor Area Permitted by Zoning (SF) | Floor Area Ratio | Total Program Square Feet (2020) |
| CDD 9 (068.01-02-01) | 80,000 | 0.35 | -6,398 |
| School Site | Building Assessment | Instructional & Support Spaces | Projected Utilization (2020) |
| Satisfactory | Satisfactory | Satisfactory | 126% |

BACKGROUND

Samuel W. Tucker Elementary opened in 2000, making it the City's first new school in 30 years. The school is situated at the west end of the Cameron Station development and serves kindergarten through fifth grade students.



In 2014, Samuel Tucker had an enrollment of 750 students and a measured capacity of 620 students. By 2020, the school should increase to 780 students. Therefore, the existing school capacity will not accommodate the increase of students and the school will be over-utilized. The academic curriculum includes reading, language arts, mathematics, social studies, and science and also offers:

- Music instruction once a week
- Art instruction once a week
- Band and Orchestra beginning in 4th grade
- Two physical education classes a week
- Family life instruction at age-appropriate levels
- English as a second language classes
- Special education programs
- TAG pull out program
- Talented and Gifted program for grades K-5¹

KEY FINDINGS

SUMMARY

Based on the data collected through this assessment, Samuel Tucker meets 80 percent of the educational adequacy benchmarks for an ideal 21st century elementary school.

HIGH PRIORITY ITEMS

- The inadequate measured size of the specialty classrooms
- Inadequate size and number of core classrooms to accommodate the projected enrollment

STUDENT ENROLLMENT (# OF STUDENTS) 2020 2014 Projection **780 750** Enrollment 620 620 **Capacity** Color Enrollment as % of Capacity Fully or underutilized 100% and below 101% to 120% of capacity Substantially over capacity Above 120% of capacity Extremely over capacity

¹http://www.acps.k12.va.us/tucker

SCHOOL SITE

| SITE DATA | | |
|---------------------------|---|--|
| Steep Slopes | No steep slopes | |
| Playgrounds | 2 (one in the adjacent Boothe | |
| Recreation Features | Adjacent Boothe Park contains playgrounds, a shelter, a baseball field, basketball court and tennis court | |
| Resource Protection Areas | No natural areas | |
| Parking | 106 | |
| Storm Water Management | No known facilities onsite | |



Samuel W. Tucker earns a satisfactory rating on the site assessment. The school meets all the requirements for site circulation and play areas except inadequate parking and lack of outdoor learning areas. Within the CDD zoning, the school site and park site are separately platted properties. The recreational features used by the school are on adjacent property. Because of this distinction, it may be difficult add parking and outdoor learning areas to the school site.

It should be noted that the potential multi-modal bridge that may occur adjacent to Boothe Park could impact the size and number of recreational fields in close proximity to the school.

INSTRUCTIONAL AND SUPPORT SPACES

The instructional and support spaces at this school earn a satisfactory rating. The highest priority item for this section is the measured size of the core classrooms. Comprehensively, only 39 percent of the core classrooms meet the educational adequacy size requirements of 900 square feet. The average size of a specialty classroom is 437 square feet which is significantly higher than the desired 250 square feet. While the existing specialty classrooms are larger than the required size in the educational specifications, there is a deficit of three in

the total quantity. Multiple teachers typically share these spaces to accommodate the student capacity needs. The classes often run concurrently in these spaces indicating a lack of quantity. Only 17 percent of the classrooms have temperature controls.

The second highest priority item, in this section, is the natural lighting in the shared spaces. Only one third of these spaces have adequate natural lighting. The gymnasium, for example, only has a few windows even though it is not an interior space and could potentially accommodate more.

Additional issues the specialty classrooms are the lack of storage, bubblers and fixed equipment. The specialty classrooms lack adequate student and teacher built-in storage and shelving. Many rooms do not have adequate teacher furnishings, such as a desk or wardrobe. The rooms are not equipped with interactive learning devices and secondary teaching walls, as required. In spite of the satisfactory rating for this section, the items discussed above need attention to ensure this school continues to be an excellent teaching and learning environment for its students.

BUILDING ASSESSMENT

The building assessment of Samuel W. Tucker reveals a satisfactory rating. The only category that does not meet the educational adequacy standards is technology and supporting infrastructure. The inadequate rating for this section is due to electrical receptacles not being present in multiple locations along classroom and corridor walls. Additionally, the clocks and PA system throughout the building are not integrated, nor are the clocks digital, as desired. Finally, there is limited wireless connectivity in the hallways and corridors and the school does not provide wireless bandwidth at a one-to-one student-to-device ratio.

The other two categories: building organization and accessibility; both meet the standards. However, the school's noisier programmatic spaces are not adequately separated from the instructional classrooms, as required.

RECOMMENDATIONS

The school will continue to be over capacity by 2020. In order to accommodate the projected enrollment, an addition to the building would likely exceed the FAR allowed by the zoning. Considerations should be given to accommodating the projected increase in enrollment at another location due to the overall school size and site constraints.

GROUP 1 — REQUIRED PLANNING

- Assess opportunities to reconfigure existing instructional classroom spaces to meet the recommended size requirements outlined in the educational specifications.
- Assess building condition comprehensively through a facility condition assessment.

GROUP 2 — FIRST PRIORITY

- **Reconfigure** the existing interior to provide sufficient sized classrooms (\$14.5M).
- **Renovate** the shared spaces to provide sufficient natural light.

GROUP 3 — SECOND PRIORITY

- Assess the possibility of equipping all classrooms and support spaces with individual climate control.
- Provide additional storage for teachers and students in the reconfigured classrooms.
- Equip all classrooms with two teaching walls and technology


GROUP 4 — LONG RANGE RECOMMENDATIONS

CONCEPTUAL COST ESTIMATES


- Complete Master Plan Construction \$14.5M (in 2015 dollars)
 - 15% contingency
 - 17% other fees, insurance, etc.

- Limited renovation of existing building including:
 - New floor and ceiling finishes
 - New walls and MEP systems as necessary for new classroom configuration
 - Renovation of cafeteria and gymnasium
 - New plumbing and light fixtures

Tucker is not currently in the modernization program per the FY 2016-2025 CIP. This project will be evaluated based on ACPS priorities and funding constraints during the development of future CIPs.



SAMUEL W. TUCKER ELEMENTARY SCHOOL




Long Range Educational Facilities Plan

School site looking north, showing adjacent park and ball

field. Cameron Run runs along the lower part of this photo.

school footprint only.

Master Plan concept showing renovations within the existing



William Ramsay Elementary School

5700 Sanger Avenue, Alexandria, VA 22311

| AT A GLANCE | | | |
|---------------------|---|--------------------------------|--|
| Year Built | Current Floor Area | Lot Size (acres) | Core Classroom Surplus/Deficit (2020) |
| 1958 | 87,650 (school) 18,150 (rec center) 5,700 (nature center) | 20 | -18 |
| Zoning | Floor Area Permitted by Zoning (SF) | Floor Area Ratio | Total Program Surplus/Deficit (Sq. Ft.) (2020) |
| R-12 (028.02-03-34) | 99,989 | 0.30 | -23,857 |
| RA (028.02-03-34) | 58,432 | 0.75 | |
| POS (028.02-03-34) | 0 | 0.0 | |
| School Site | Building Assessment | Instructional & Support Spaces | Projected Utilization (2020) |
| Borderline | Inadequate | Satisfactory | 133% |

BACKGROUND

William Ramsay Elementary was built in 1958 and received building additions in 1963, 1977, 1990 and 2001. The school is bordered by an adjoining nature and recreation center. The school supports the community through Campagna Extended




Day Care Programs, nature center programs, PTA reflections programs, and recreation center activities. The nature center and recreation center have an independent entrance; therefore, the community can access them without going through the school. Additionally, the projected enrollment will exceed the recommended maximum school size for elementary schools.

In 2014, Ramsay's enrollment was 885 students with a measured capacity of 748. The 2020 enrollment projection indicates the school's population will increase to 998 students

The academic curriculum at Ramsay includes reading, language arts, mathematics, social studies, and science and also offers:

- Art instruction with a certified art teacher
- Vocal music
- Band, Orchestra and Instrument music lessons beginning in fourth grade
- Two physical education classes per week
- Family life



- English as a second language
- Special education programs
- TAG pull out program
- Talented and Gifted program for grades K-5¹

¹http://www.acps.k12.va.us/ramsay

KEY FINDINGS

SUMMARY

William Ramsay meets 58 percent of the educational adequacy benchmarks for an ideal 21st century elementary school.

HIGH PRIORITY ITEMS

- Accessibility sub-section which received a very inadequate rating.
- Inadequate measured size of the core and specialty classrooms.

SCHOOL SITE

| SITE DATA | |
|---------------------------|--|
| Steep Slopes | Steep Slopes |
| Playgrounds | 2 |
| Recreation Features | Baseball field, tennis court, as- phalt play area, and open field |
| Resource Protection Areas | Adjacent to Dora Kelly Natural Park & dense trees |
| Parking | 135 |
| Storm Water Management | Storm filter & storm captor at western end of parking lot |



Based on the assessment, the school site received a borderline rating. The site circulation received a borderline rating because the school's kiss-and-ride driveway and the bus lane share the same vehicular entrance. The shared driveway also provides the school with limited stacking area which can cause congestion on adjacent streets. Finally, the on-site parking is not adequate based on the size of the school

The play fields and play areas are in safe locations, but not adequate in size, nor do they possess the required equipment per the educational specifications. Included in the Beauregard Small Area plan is a multi-purpose field

that will provide adequate field space for the school. This will be located in the area of the existing tennis courts at the corner of Sanger Avenue and North Beauregard Street. The school is located between the William Ramsay Recreation Center and the Dora Kelly Nature Center.

INSTRUCTIONAL AND SUPPORT SPACES

While the instructional and support spaces rank satisfactory, there are a few areas of concern in this section. The most important issue to note is the lack of sufficient square footage in the core and specialty classrooms. The measured average size for pre-kindergarten and kindergarten class is 924 square feet instead of the desired 1,025. The measured average size for first through fifth grade class is 816 square feet instead of the desired 900.

Instructional rooms lack temperature controls with more than 60 percent of the occupants reporting humidity issues. In specialty classrooms, there is minimal student and teacher program furniture includes shelving, cabinets, wardrobes, and cubbies. These items are either not adequate or non-existent in most instructional spaces. The majority of these specialty spaces are also missing an interactive electronic device. Lastly, the shared spaces would benefit with additional windows increasing natural light levels.

BUILDING ASSESSMENT

The comprehensive building assessment of William Ramsay reveals an inadequate rating. The school lacks extend learning areas and public restrooms for visitors. Additionally, the shared programmatic spaces are not appropriately clustered nor located away from academic classrooms.

Electrical outlets are not present in multiple locations along classroom and corridor walls. The clocks and PA system throughout the building are not integrated, nor are the clocks digital, as desired. Additionally, there is limited wireless connectivity in the hallways and corridors. Finally, the school does not provide wireless bandwidth at a one-to-one student-to-device ratio.

This school lacks judicious use of ramps, elevators, and signage to allow a handicapped student, teacher, or visitor access to the entire school. The school has two separate floors and multiple split levels. There is an elevator at the school, but poorly located at one corner of the school, and only provides access to four resource classrooms on the second floor addition. The second floor addition is a separate building from the first and second floor of the main school.

RECOMMENDATIONS

The school will be over capacity by 2020. In order to accommodate the projected enrollment, an addition to the building would likely exceed the FAR allowed by the zoning. Considerations should be given to accommodating the projected increase in enrollment at another location due to the overall school size and site constraints.

GROUP 1 — REQUIRED PLANNING

- **Site** assessment to determine whether the drop-off and bus entrance for the school can be separated (based on property boundaries, setbacks, etc.) in coordination with the Recreation and Nature Centers.
- **Assess** building condition comprehensively through a facility condition assessment.

GROUP 2 — FIRST PRIORITY

- Install an elevator near the main entry to address existing ADA accessibility issue. Assess possible solutions to address existing ADA accessibility issues within the corridors.
- Reconfigure the existing school to meet the recommended size requirements and key organizational adjacencies outlined in the educational specifications (\$18.3M).

GROUP 3 — SECOND PRIORITY

- **Equip** all rooms with individual climate control.
- Equip all core classrooms and support spaces with additional electrical receptacles to meet educational adequacy standards.
- **Upgrade** the building technology to meet the educational adequacy standards.
- Provide additional storage for teachers and students as well as an upgrade to the furniture, fixtures and equipment.


GROUP 4 — LONG RANGE RECOMMENDATIONS

- Reconfigure parking to improve efficiency.
- Included in the Beauregard Small Area plan is a multi-purpose field that will provide adequate field space for the school.
- The implementation of the Beauregard Small Area Plan will reconfigure the area's road network and the surrounding neighborhoods. An addition could be considered to accommodate the projected enrollment increase, if expansion beyond the recommended school size is warranted. This addition would likely exceed the FAR and require a rezoning (\$18.1M).

CONCEPTUAL COST ESTIMATES

- Complete Master Plan Construction \$36.4 (in 2015 dollars)
 - 15% contingency
 - 17% other fees, insurance, etc.
- New 53,000 SF addition (\$18.1M)
 - Demolition of the portion of the existing building to be replaced
- Total renovation of 68,000 SF of the existing building (\$18.3M), including:
 - All new mechanical, plumbing, electrical and window systems
 - New food service and a/v equipment for gymnasium, cafeteria and classrooms
 - New interior walls, floors and ceilings
 - New elevator

Ramsay is not currently in the modernization program per the FY 2016-2025 CIP. This project will be evaluated based on ACPS priorities and funding constraints during the development of future CIPs.




WILLIAM RAMSAY ELEMENTARY SCHOOL



Master Plan concept showing potential enlargement of south wing and media center addition.

William Ramsay



FRANCIS C. HAMMOND MIDDLE SCHOOL

4646 Seminary Road, Alexandria, VA 22304

| AT A GLANCE | | | |
|---------------------|-------------------------------------|--------------------------------|---|
| Year Built | Current Floor Area | Lot Size (acres) | Core Classroom Surplus/Deficit (2020) |
| 1956 | 236,125 | 25 | -11 |
| Zoning | Floor Area Permitted by Zoning (SF) | Floor Area Ratio | Total Program Surplus/Deficit (Sq.Ft.) (2020) |
| R-8 (030.01-01-03) | 364,659 | 0.45 | -29,368 |
| R-20 (030.01-01-03) | 69,811 | 0.25 | |
| School Site | Building Assessment | Instructional & Support Spaces | Projected Utilization (2020) |
| Satisfactory | Inadequate | Borderline | 131% |

BACKGROUND

Francis C. Hammond was originally built in 1956. The building operated as a high school from 1956 through 1971. In fall 1979, Hammond Junior High School opened and served




grades seven through nine. In fall 1993, the junior high was reorganized into a middle school for grades six through eight.

In 2014, Hammond had an enrollment of 1,436 students and a capacity of 1,396 students. By 2020, enrollment is expected to increase to 1,832 students. Therefore, the existing school capacity will not accommodate the increase of students and will be over utilized and it will exceed the recommended size for a middle school.

The academic curriculum at Francis Hammond includes reading, language arts, mathematics, social studies, and science and also offers:

- Art, Band, Orchestra, Choir
- Health/Physical Education
- Family life instruction at age-appropriate levels
- Computer Applications
- Foreign Languages (Chinese, German, French, Spanish and Latin)
- Technology
- ELL programs for students learning English as a second language
- Opportunity to participate in numerous after school programs¹

¹http://www.acps.k12.va.us/fch



KEY FINDINGS

SUMMARY

The data collected through this assessment revealed that Hammond meets only 61 percent of the educational adequacy benchmarks for an ideal 21st century elementary school.

HIGH PRIORITY ITEMS

 Based on the 2020 projections, Hammond will be significantly undersized if it remains in its current condition.

- Core classroom lack square footage.
- Shared spaces are not supplied with proper fixed equipment.

SCHOOL SITE

| SITE DATA | | |
|---------------------------|---|--|
| Steep Slopes | Significant drop in grade from the front of the school to the rear. | |
| Playgrounds | None | |
| Recreation Features | Synthetic turf field, track, exercise area, roller rink, tennis courts and open field | |
| Resource Protection Areas | Onsite conservation area, dense trees surrounding open field | |
| Parking | 143 | |
| Storm Water Management | Filters, two underground detention systems, underground sand filter | |



Hammond is located on a busy main road in Alexandria. The front of the school is dedicated to school bus and kiss-and-ride traffic. As required by the educational specifications, these two types of vehicular traffic should be separated. There are three main areas for staff parking which causes inefficiencies.

The main play field is easily accessible from the school and does not require students or staff to cross any vehicular traffic paths. The visitor parking is located close to the main entrance, as required. There is currently a paved skate rink that could serve as a future revenue generator for the school.

There are no formal outdoor learning spaces, but could be accommodated in the courtyard between the original school and new addition. Lastly, the site is lacking adequate outdoor security lighting.

INSTRUCTIONAL AND SUPPORT SPACES

The overall instructional and support spaces scored borderline. Areas of concern include insufficient classroom sizes, absence of adequate storage and furnishings, and poor internal organization of the spaces. Very few core classrooms and shared spaces met the square footage requirement. The academic classrooms at Hammond have an average square footage of 651, rather than the desired 850 square feet or 30 percent undersized. The lack of space in these capacity driving rooms reduced each room's ability to support all the recommended arrangements and teaching program activities. The rooms would also benefit from additional storage.

The next high priority issue is the lack of fixed equipment in shared spaces which included marker boards and tack boards, electronic interactive boards, sound enhancement devices, and support furniture. Over 56 percent of the classrooms did not have an interactive electronic presentation device and 92 percent did not have sound enhancement systems. The support furniture missing in most shared spaces are itinerant desks. Additionally, shared spaces lack proper technological infrastructure.

The rooms lack temperature controllability and therefore making the learning environment substandard and inadequate. Humidity is a noticeable issue in over half the spaces. Most occupants report extreme temperature shifts in classrooms ranging from too hot to too cold throughout the school year.

BUILDING ASSESSMENT

Accessibility within the school needs to be addressed. The building lacks ramps. To access a classroom adjacent to the main office and accessible by a short staircase, a person in a wheelchair must travel three times the same distance to arrive at the same destination.

Shared spaces including the media center, resource classrooms, and cafeteria are not centrally located as required.

RECOMMENDATIONS

The school will be significantly over capacity by 2020. Considerations should be given to accommodating the projected increase in enrollment at another location due to the building capacity and the overall school size.

GROUP 1 — REQUIRED PLANNING

- Plan to accommodate the projected increase in enrollment at another location due to the building capacity and the overall school size.
- **Assess** building condition comprehensively through a facility condition assessment.

GROUP 2 — FIRST PRIORITY

- **Reconfigure** the existing instructional classroom spaces to meet the recommended size requirements outlined in the educational specifications (\$33.4M).
- Address the ADA accessibility issue through the installation of ramps and/or elevators.

GROUP 3 — SECOND PRIORITY

- Equip all classrooms and support spaces with individual climate controls.
- **Provide** additional storage for teachers and students in the reconfigured classrooms.

GROUP 4 — LONG RANGE RECOMMENDATIONS


- Reconfigure site circulation to consolidate the staff parking and separate the bus drop off from the kiss and ride and to improve site efficiency.
- Utilize the lower field/roller rink area as a site for a future school.

CONCEPTUAL COST ESTIMATES

- Complete Master Plan Construction \$33.4M (in 2015 dollars)
 - 15% contingency
 - 17% other fees, insurance, etc.

- Total renovation of the existing building including:
- All new mechanical, plumbing, electrical and window systems
- New food service and a/v equipment for classrooms
- New interior walls, floors and ceilings
- New elevator

Hammond is not currently in the modernization program per the FY 2016-2025 CIP. This project will be evaluated based on ACPS priorities and funding constraints during the development of future CIPs.



FRANCIS HAMMOND MIDDLE SCHOOL


1 Potential new



Neighborhood context looking south along I-395 across Seminary Road. Inova Hospital is at the far left.




School site looking south across Seminary Road with Seminary Hills Apartments at right and North Pegram Street behind the school at upper left.



Master Plan concept showing potential new school on unimproved lower playing field at left.

Francis C. Hammond



George Washington Middle School

1005 Mount Vernon Avenue, Alexandria, VA 22301

| AT A GLANCE | | | | |
|------------------------|-------------------------------------|--------------------------------|---|--|
| Year Built | Current Floor Area | Lot Size (acres) | Core Classroom Surplus/Deficit (2020) | |
| 1935 | 237,332 | 23.2 | -1 | |
| Zoning | Floor Area Permitted by Zoning (SF) | Floor Area Ratio | Total Program Surplus/Deficit (Sq.Ft.) (2020) | |
| R-B (054.01-01-01) | 574,090 | 0.75 | (2020) | |
| POS (054.01-01-01) | 0 | 0.0 | | |
| CDD #10 (044.03-07-02) | | | | |
| School Site | Building Assessment | Instructional & Support Spaces | Projected Utilization (2020) | |
| Satisfactory | Borderline | Satisfactory | 122% | |

BACKGROUND

George Washington was built in 1935 and operated as a high school until 1971. In 1971, George Washington and Francis Hammond (FH) schools were reorganized to serve ninth and tenth graders



while T.C. Williams served eleventh and twelfth grade. George Washington was reorganized again in 1979 to serve seventh, eighth and ninth graders. George Washington finally became a middle school in 1993. In 2014, George Washington had an enrollment of 1,223 students with measured capacity of 1,150 students. By 2020, enrollment is expected to increase to 1,399 students. Therefore, the existing school will be over capacity by 249 students.

The academic curriculum at George Washington includes reading, language arts, mathematics, social studies, science and also offers:

- Art, Choir, Band and Orchestra
- Computer applications
- Speech and Drama
- Foreign Languages (Chinese, French, German, Spanish and Latin)
- Technology
- ELL program for students learning English as a second language
- Special education programs
- Health/Physical Education
- Opportunity to join many after school programs ¹

¹http://www.acps.k12.va.us/gw

STUDENT ENROLLMENT (# OF STUDENTS) 2020

| | 2014 | Projection |
|------------|-------|------------|
| Enrollment | 1,223 | 1,402 |
| Capacity | 1,150 | 1,150 |

| Color | Enrollment as % of Capacity | |
|-------|-----------------------------|-----------------------------|
| | 100% and below | Fully or underutilized |
| | 101% to 120% of capacity | Substantially over capacity |
| | Above 120% of capacity | Extremely over capacity |

KEY FINDINGS

SUMMARY

The data collected through this assessment reveals that George Washington Middle School meets 67 percent of the educational adequacy benchmarks for an ideal 21st century elementary school.

HIGH PRIORITY ITEMS

- Core classrooms are undersized.
- Main entrance does not meet the recommended standards for access control.

SCHOOL SITE

| SITE DATA | | |
|---------------------------|---|--|
| Steep Slopes | Isolated steep area | |
| Playgrounds | 2 | |
| Recreation Features | | |
| Resource Protection Areas | No | |
| Parking | 271 | |
| Storm Water Management | Multiple inlets, two underground detersion systems. | |



George Washington is not equipped with a dedicated vehicular traffic drop-off and pick-up area for students and visitors.

The school bus lane and the kiss-and-ride are located on the school premises, but essentially next to each other. Pedestrians being dropped off at the kiss-and-ride must cross the bus lane to access the school. The play areas, located behind the school, are in a good location and connect to a few pedestrian foot paths. However, to access the play fields, students must cross the thoroughfare road and parking lot. Outdoor learning areas were not observed

INSTRUCTIONAL AND SUPPORT SPACES

George Washington earns a score of satisfactory for overall instructional and support spaces. This rating reflects areas of concern related to insufficient classroom sizes, absence of adequate storage and furnishings, and poor internal organization of the spaces. The most urgent items identified for this section of the assessment are core classroom size and capacity. Within the core classroom section, the academic classrooms are driving the overall rating to inadequate because the average size is 670 square feet, rather than the desired 850 square feet. While the average classroom is 22 percent undersized, which directly impacts capacity, the school has multiple un-used rooms that help improve the capacity score. The classrooms are also lacking temperature controls with many noting humidity issues.

The internal organization of a classroom defines its ability to support the recommended program activities within the space. Over 68 percent of classrooms do not have an interactive electronic presentation device.

BUILDING ASSESSMENT

Over half the classrooms at George Washington do not have the technology infrastructure and tools to support a 21st century learning environment. Overall the school does not meet the division's expectations for small learning environments and key adjacencies. Academic clusters are present; however there are no extended learning areas or collaborative learning spaces within these clusters. The shared programmatic space is not centrally located nor appropriately clustered to allow for after-hours access as needed. Lastly, the faculty is unable to secure the rest of the school from the after-hours space as desired.

RECOMMENDATIONS

The school will be over capacity by 2020. In order to accommodate the projected enrollment, an interior renovation is required. Additionally, a small addition is recommended to provide a more visible and controlled access point.

GROUP 1 — REQUIRED PLANNING

- **Site** assessment to determine whether the drop-off location for the school can be relocated/reconfigured (based on property boundaries, setbacks, etc.).
- Explore extending the main entry corridor to the existing gymnasium to help address the key shared space organization issues without the need for major reconfiguration or addition.
- Assess building condition comprehensively through a facility condition assessment.

GROUP 2 — FIRST PRIORITY

- Reconfigure the spaces within the existing school to meet the recommended size requirements for individual academic spaces as outlined in the educational specifications.
- Reconfiguration/addition of the main entry that would allow for a dedicated drop-off and entry point to the school from the existing bus lane. It would provide a more visible and controlled access point to the school for visitors as well.

GROUP 3 — SECOND PRIORITY

- **Equip** all classrooms and support spaces with individual climate controls, and technological equipment and infrastructure.
- Provide additional storage for teachers and students as well as an upgrade to the furniture, fixtures and equipment. The square footage from unused spaces could be repurposed to increase the size of classrooms used throughout the day by students.


GROUP 4 — LONG RANGE RECOMMENDATIONS

CONCEPTUAL COST ESTIMATES

- Complete Master Plan Construction \$70M (in 2015 dollars)
 - 15% contingency
 - 17% other fees, insurance, etc.

- Total renovation of the existing building and 2,000 SF addition including:
- All new mechanical, plumbing, electrical and window systems
- Façade rehabilitation
- New food service and a/v equipment for gymnasium, auditorium, cafeteria and classrooms
- New interior walls, floors and ceilings
- New elevator

George Washington is not currently in the modernization program per the FY 2016-2025 CIP. This project will be evaluated based on ACPS priorities and funding constraints during the development of future CIPs.



GEORGE WASHINGTON MIDDLE SCHOOL



Neighborhood context looking north across Braddock Road and Metro and CSX rail lines.



School site looking north across Braddock Road and the Metro and CSX rail lines. The Braddock Road Metro Station is at the lower right.



Master Plan Concept

George Washington

Conceptual Master Plan New Construction/Addition Existing Renovation

T.C. WILLIAMS: KING STREET CAMPUS

3330 King Street Alexandria, VA 22302

| Year Built: | Current School Floor Area: | Current Lot Size: |
|---|------------------------------------|--|
| 2007 | 461,147 sq ft | 19.88 acres |
| Zoning: | Floor Area Permitted by Zoning: | Floor to Area Ratio: |
| R20 | 547,000 | .51 per DSUP |
| Classroom Count: | Ed Spec Capacity @ 86% Efficiency: | Projected Utilization (2022): |
| 169 | 2,928 | 125% |
| Space Adequacy: | Alignment: | Current Efficiency: |
| Exceeds Space Requirements: classrooms are greater than 110% of space requirements | 38 classrooms - 23% | ACPS Target Efficiency: 86% Generally this rate means rooms are used seven out of eight periods each day. See |
| Satisfactory: classrooms are between 90% to 110% of space requirements outlined in the Ed Spec | 20 classrooms - 12% | the "Schedule Efficiency" section for additional detail. |
| Borderline: classrooms are between 80% to 89% of space requirements | 75 classrooms - 44% | A-Day Schedule Average: 77% The average efficiency for A-Day is based on the following class periods: 1, 3, 5, and |
| Inadequate: classrooms are between 70% to 79% of space requirements | 10 classrooms - 6% | 7. <u>B-Day Schedule</u> Average: 78% |
| Very Inadequate: classrooms are within less than 69% of space requirements | 26 classrooms - 15% | The average efficiency for B-Day is based on the following class periods: 1, 2, 4, and 6. |

Student Counts:

| | FY 2017 Enrollment | FY 2022 Projected |
|--|-----------------------|----------------------|
| Student Count | 2943 | 3654 |
| Capacity | 2928 | 2928 |
| Utilization Rate (Student Count / Capacity) | 101% | 125% |

Utilization Rate Categories:

| Enrollment as % of | Enrollment as % of Capacity | |
|--------------------|-----------------------------|------------------|
| | < 89 | Underutilized |
| | 90 - 110% | Ideally Utilized |
| | > 111 % | Over Capacity |

BACKGROUND

T.C. Williams, Alexandria's only public high school, is a comprehensive high school comprised of two campuses: the Minnie Howard Campus and the King Street Campus. In September 2016, T.C. Williams High School had a total enrollment of 3,754 students across both campuses.

The Minnie Howard Campus serves grade 9, and the King Street Campus serves grades 10 - 12 and grade 9 students who participate in the International Academy program. Some 9th grade students from Minnie Howard travel to the King Street Campus during school hours on ACPS provided buses to attend specific class offerings, often in the afternoon.

The King Street Campus was built in 1965 and modernized in 2007 with a new facility at its present site. The modernized building is a state-of-the-art facility that provides smaller learning communities, as well as flexible academic space capable of meeting the evolving secondary school curriculum requirements. In fall 2008, the second phase of the campus modernization project was completed and included an artificial turf sports field, renovated stadium, new athletic track, new playing field, new bus driveway, and a two-story parking garage. The project received a LEED Gold rating.

ACADEMIC PROGRAM

The academic program at T.C. Williams High School includes 188 courses in reading, language arts, mathematics, social studies, and science, as well as fine arts, performing arts, physical education, and health. The school also offers the following special academic programs:

- Academy of Finance
- Advanced Placement/Honors/Dual Enrollment
- AVID
- International Academy
- Special Education/Inclusion Program
- STEM Academy
- Career and Technical Programs

The King Street and Minnie Howard campuses operate as one high school. The King Street campus serves all 10th-12th grade students and all 9th-12th grade students enrolled in the International Academy. The King Street campus serves 9th grade students from the Minnie Howard campus in instances where a course is not offered at the Minnie Howard campus. Over one-third of the Minnie Howard enrollment in 2016-2017 school year took one or multiple courses at the King Street campus, at some point during the day, typically during the afternoon. These students are provided transportation from the Minnie Howard campus to the King Street campus.

ENROLLMENT AND UTILIZATION

The King Street Campus had a September 2016 enrollment of 2,943 students. The calculated capacity of the King Street Campus is 2,928 students based on an 86% efficiency rate, yielding a utilization rate (enrollment vs. capacity) of 101% in September 2016. Enrollment projections indicate the King Street Campus school population will increase to 3,654 by the year 2022, resulting in a utilization of 125% at the King Street Campus, which equates to a gap of 726 seats if seeking 100% utilization. ACPS considers ideal utilization as a range of 90% to 110%.

KEY FINDINGS

SUMMARY

The design of the King Street Campus was informed by older standards. ACPS has since developed Educational Specifications (Ed Specs) which were approved by the School Board in January 2017 and are reflective of current program and practices and represent ACPS's ideal 21st century high school.

Only 35% of classrooms meet or exceed the 2017 board approved educational adequacy benchmarks. The remaining 65% of classrooms are smaller than the prescribed minimum size requirements set in the Ed Specs. Additionally, based on the 2016-17 course schedule, the current use of classrooms averages below the ACPS benchmark efficiency rate of 86%.

EDUCATIONAL ADEQUACY

Educational adequacy is the measure of existing educational spaces in comparison to ACPS's desired space requirements and standards set forth in the 2017 School Board-approved high school Ed Specs. The educational adequacy assessment of the school also helps to calculate the capacity of the school.

Based upon the data collected, only 35% of classrooms at the King Street Campus meet or exceed the educational adequacy benchmarks for an ideal 21st century high school. Spaces that are non-conforming to the Ed Specs impact the potential capacity of the school and utilization of space.

Of 169 total teaching spaces, only 20 spaces fall within 10% of the space requirements set forth in the Ed Specs. Despite having more room, larger spaces can only hold up to the maximize class size; therefore the 38 spaces that exceed the size requirement hold the same number of students as a standard Ed Specs classroom, as Board policy caps the class size per teacher. The remaining 111 classrooms are undersized. Per the Ed Specs, spaces that are smaller by more than 10% of the standard classroom space should hold fewer students.

SCHEDULE EFFICIENCY

Schedule efficiency examines how classroom spaces are used throughout the school day. ACPS's Ed Specs strive for an 86% efficiency rate on a regular basis. Generally this rate means rooms are used seven out of eight periods a day and teachers utilize an alternative space such as a teacher collaboration suite for their planning period.

Analysis of course scheduling and room use based on the 2016-2017 schedule reveals that T.C. Williams' instructional spaces are used slightly less than the desired rate, as shown in the Current Efficiency box. Classroom efficiency is specific to each day's schedule and can vary annually. For the purposes of this analysis, only blocks 1 through 7 were considered, as these are the core academic blocks of the school day. T.C. Williams employs a Red/ Blue block schedule, which impacts the instruction within a classroom each day. A classroom may be utilized for four periods during Red Day and only three periods during Blue Day, depending on the scheduling need. Specialty classrooms, such as for culinary courses, impact the efficiency as they may not be needed for every block. The day-to-day utilization of a classroom impacts the average schedule efficiency for that day. The average efficiency of classrooms at the King Street Campus during a Red Day schedule is 77% while the average efficiency during a Blue Day schedule is 78% based on the 2016-2017 schedule. Opportunities to improve schedule efficiency should be explored.

T.C. WILLIAMS: MINNIE HOWARD CAMPUS

3801 West Braddock Road, Alexandria, VA 22302

| Year Built: | Current School Floor Area: | Floor Area Permitted by Zoning | |
|--|--|--|--|
| 1954 | 130,435 sq ft | 146,623 sq ft | |
| Zoning: | Lot Size (acres): | Floor to Area Ratio: | |
| R12 (031.02-02-05) | 6.6 | 0.51 | |
| POS | 5.4 For fields adjacent to the school | Not Applicable for POS | |
| Classroom Count: | Ed Spec Capacity @ 86% Efficiency: | Projected Utilization (2022): | |
| 47 | 859 | 122% | |
| Space Adequacy: | Alignment: | Current Efficiency: | |
| Exceeds Space Requirements: classrooms are greater than 110% of space requirements | 1 classroom - 2% | ACPS Target Efficiency: 86% Generally this rate means rooms are used seven out of eight periods each day. See | |
| Satisfactory: classrooms are within 10% +/- of the Ed Spec space requirements | 7 classrooms - 15% | the "Schedule Efficiency" section for additional detail. A-Day Schedule Average: 70% The average efficiency for A-Day is base on the following class periods: 1, 3, 5, a | |
| Borderline: classrooms are between 80% to 89% of space requirements | 5 classrooms - 11% | | |
| Inadequate: classrooms are between 70% to 79% of space requirements | 23 classrooms - 49% | 7. <u>B-Day Schedule</u> Average: 66% | |
| Very Inadequate: classrooms are within less than 69% of space requirements | 11 classrooms - 23% | The average efficiency for B-Day is base on the following class periods: 1, 2, 4, 5 | |

Student Counts:

| | FY 2017 Enrollment | FY 2022 Projected |
|--|-----------------------|----------------------|
| Student Count | 811 | 1044 |
| Capacity | 859 | 859 |
| Utilization Rate (Student Count / Capacity) | 94% | 122% |

Utilization Rate Categories:

| Enrollment as % of Capacity | | Definition |
|-----------------------------|-----------|------------------|
| | < 89 | Underutilized |
| | 90 - 110% | Ideally Utilized |
| | > 111 % | Over Capacity |

BACKGROUND

T.C. Williams, Alexandria's only public high school, is a comprehensive high school comprised of two campuses: the Minnie Howard Campus and the King Street Campus. In September 2016, T.C. Williams High School had a

total enrollment of 3,754 students across both campuses. The Minnie Howard Campus serves grade 9 and the King Street Campus serves grades 10-12. A portion of 9th grade students travel to the King Street Campus during school hours on ACPS provided buses to attend specific class offerings.

The Minnie Howard School building was originally constructed in 1954 as an elementary school. There was a major classroom and gymnasium addition in 1969 when it was converted to a middle school. The facility served as the central administrative offices from 1981 to 1993, when it was again renovated and became the 9th grade center. ACPS has had several plans to modernize the campus in recent CIPs and is currently looking to assess the feasibility of the site for a new high school building.

ACADEMIC PROGRAM

The academic program at T.C. Williams High School includes 188 courses in reading, language arts, mathematics, social studies, and science, as well as fine arts, performing arts, physical education, and health. The school also offers the following special academic programs:

- Academy of Finance
- Advanced Placement/Honors
- AVID
- English Learners
- Special Education/Inclusion Program
- STEM Academy
- Career and Technical Programs

The Minnie Howard campus serves all 9th grade students except for those enrolled in the International Academy. The Minnie Howard campus does not provide all of the advanced courses 9th grade students may be eligible to take. Over one-third of the Minnie Howard enrollment in 2016-2017 school year attended the King Street campus for courses not offered at Minnie Howard at some point during the day, typically during the afternoon. These students are provided transportation from the Minnie Howard campus to the King Street campus.

ENROLLMENT AND UTILIZATION

The Minnie Howard Campus had a September 2016 enrollment of 811 students. The estimated capacity of the Campus is 859, yielding a utilization rate (enrollment vs. capacity) of 94%. Enrollment projections indicate the Minnie Howard school population will increase to 1,044 students by the year 2022, resulting in a utilization of 122%, which equates to a gap of 185 seats if seeking 100% utilization. ACPS considers ideal utilization as a range of 90 to 110%.

KEY FINDINGS

EDUCATIONAL ADEOUACY

Educational adequacy is the measure of existing educational spaces in comparison to ACPS's desired space

requirements and standards set forth in the 2017 School Board-approved high school Ed Specs. The educational adequacy assessment of the school helps to calculate its capacity, and is specific to square footage measurements.

Only 17% of classrooms meet or exceed the 2017 board approved educational adequacy benchmarks. The remaining 83% of classrooms are smaller than the sizes identified as adequate in the Ed Specs. Additionally, based on the 2016-2017 course schedule, the current use of classrooms averages below the ACPS benchmark efficiency rate of 86%.

SCHEDULE EFFICIENCY

Schedule efficiency examines how spaces are used throughout the school day. ACPS's Ed Specs strive for an 86% efficiency rate of classroom use on a regular basis. Generally this rate means teachers use their assigned rooms seven out of eight periods a day and utilize an alternative space, such as a teacher collaboration suite for their planning period.

Analysis of the 2016-2017 course scheduling and room use reveals that T.C. Williams: Minnie Howard Campus' instructional spaces are used less than the desired rate, as shown in the Current Efficiency box. As is the case with the King Street campus, classroom efficiency is specific to each day's schedule and can vary annually. For the purposes of this analysis, only blocks 1 through 7 were considered, as these are the core academic blocks of the school day. T.C. Williams employs a Red/Blue block schedule, which impacts the instruction within a classroom each day. A classroom may be utilized for four periods during Red Day and only three periods during Blue Day, depending on the scheduling need. Specialty classrooms impact the efficiency as they may not be needed for every block. The day-to-day utilization of a classroom impacts the average schedule efficiency for that day. The average efficiency of classrooms at the King Street Campus during a Red Day schedule is 70% while the average efficiency during a Blue Day schedule is 66%, based on the 2016-2017 course schedule. Opportunities to improve schedule efficiency should be explored.

RECOMMENDATIONS

The capacity of T.C. Williams High School's two campuses cannot meet the projected growth in enrollment, nor do the majority of classrooms meet the minimum recommended size requirements per the Ed Specs. Options to provide additional student capacity at one or both campuses or a new site should be explored. Work group members and stakeholders emphasized their desire that short-term recommendations, often identified as an early priority, do not become long-term recommendations for the Division. Rather, short-term recommendations should serve a specific purpose for a given timeframe. Based on the analysis of the data collected and meetings with the work group and stakeholders, the following recommendations for the King Street and Minnie Howard Campuses are provided.

These recommendations are meant to serve as a guideline for future proposed Capital Improvement Program projects and should be re-evaluated based on need and feasibility at the time of implementation. Recommendations were made to align with City Strategic plan goals and ACPS 2020 Strategic Plan goals and should be implemented in alignment with these goals.

GROUP 1 — REQUIRED PLANNING

- Conduct further analysis of the master schedule and use of space at both campuses to explore ways to maximize existing space. The analysis should include studying how to increase the number of teacher collaboration suites and/or reconfiguring existing space to improve the enrollment capacity.
- Study the potential outcomes of a shifted schedule (e.g. multiple tracks of students with alternating start and end times).
- Study the possibility of transporting 10 12 grade students to the Minnie Howard Campus for classes to relieve capacity constraints at T.C. Williams.
- Conduct analysis to determine if either site can accommodate additional square footage to support more students. This analysis should include the impacts to shared and core spaces such as dining.
- Conduct an analysis of adjusting grade-level pairings throughout the Division.
- Study the combined use of both campuses. Determine how specialty classrooms can be efficiently used across both.
- Study/evaluate options for building additional capacity.
- New high school graduation requirements within the Commonwealth of Virginia are currently in development, known as the "Profile of a Virginia Graduate." The profile is the framework for the Virginia Board of Education's revision of graduation requirements, which will go into effect for freshmen entering high school in the fall of the 2018-19 (the graduating class of 2022). The requirements will likely affect the number of required program and support spaces, as well as the types of spaces needed for high school programs. Once the requirements are approved, the division should conduct an analysis of high school spaces to ensure instructional spaces are in alignment with the new high school program requirements.

GROUP 2 — SHORT TERM RECOMMENDATIONS

- Continue and expand partnerships with local entities, such as NOVA Community College, to increase offcampus learning opportunities.
- Determine how much capacity can be provided at off -campus locations to inform future utilization of T.C. Williams.
- Ensure that future programs and priorities for the Minnie Howard Campus are in alignment with the site's capacity analysis.
- If applicable, adjust the master schedule based on analysis.
- In order to maximize capacity at both campuses, explore how students can travel between the two without significantly adding to the Division's transportation costs or local traffic levels.
- Utilize relocatables to accommodate more students as enrollment increases.
- Build additional capacity for T.C. Williams High School at the King Street Campus, at the Minnie Howard Campus, and/or at another location within the City.

GROUP 3 — INTERMEDIATE RECOMMENDATIONS

 If applicable, reassign grade-level pairings throughout the division based on analysis and ACPS priorities.

GROUP 4 — LONG TERM RECOMMENDATIONS

EARLY CHILDHOOD EDUCATION (PRE-K)

BACKGROUND

ACPS Early Childhood Programs consist of three components: Virginia Preschool Initiative (VPI), Preschoolers Learning Together (PLT), and Early Childhood Special Education (ECSE). ACPS also has partnerships with local early care providers such as the Campagna Center, which provides Head Start and other programs. Some of these programs occur within ACPS schools and partner locations

VPI is provided by a State grant and local funding. The purpose of VPI is to provide quality early childhood programs for children, whom the State of Virginia defines as "at-risk four-year olds." VPI is a program designed for families who might not otherwise be able to access quality early childhood education opportunities.

| | Table 1: 2016-2017 Pre-K in ACPS Elementary Schools | | | | |
|------------------------|---|-------------------------------------|---------------------|------------------------------|---------------------------------|
| School | ACPS Enrollment | HeadStart/ Partner Enrollment | Total Enrollment | Ed Spec Pre-K Capacity | Ed Spec Pre-K Utilization |
| Charles Barrett | 21 | 0 | 21 | 22 | 95% |
| Cora Kelly | 3 | 36 | 39 | 45 | 88% |
| Jefferson - Houston | 49 | 78 | 127 | 116 | 109% |
| John Adams | 123 | 92 | 197 | 144 | 137% |
| Patrick Henry | 96 | 60 | 156 | 124 | 126% |
| William Ramsay | 32 | 0 | 32 | 29 | 110% |
| George Washington | 0 | 41 | 41 | 45 | 91% |
| T.C. Williams | 0 | 24 | 24 | 40 | 60% |
| Total | 324 | 331 | 637 | 565 | 113% |

PLT is a half-day preschool program offered to eligible children ages two years and six months thru four years (by September 30). This is an opportunity for developing children from the Alexandria community to be integrated into an early childhood special education (ECSE) classroom for the purpose of providing typical role models to students with disabilities.

ECSE provides special education services to students between the ages of two to five who are identified as having a developmental delay or disability.

Head Start is provided by a federal grant and local funding through partners. Head Start, similar to VPI, provides quality early childhood education for students who meet certain socioeconomic criteria.

The City of Alexandria has an Early Care and Education Workgroup (ECEW), which is a cross-sector workgroup made up of leaders from across ACPS, city agencies, partners, and the non-profit community. The group was convened to explore how Alexandria can build an early care and early childhood education system that is high quality, culturally and financially accessible, and comprehensive (including health, education, socioemotional, family, and community support).

As shown in Table 1, ACPS currently offers early childhood education spaces in six elementary schools, one of the middle schools and at the high school. The location of programs has been informed by available capacity. Please note that all enrollment numbers included in Table 1 are for school year 2016 - 2017.

Historically, division-wide pre-K student forecasts have not been calculated as part of student projections since ACPS is limited in the amount of space that can be offered. ACPS currently provides as much space as possible throughout the City for current programs.

The State of Virginia uses a formula to project the number of disadvantaged four-year olds, which determines the amount of VPI slots to fund for a given municipality. The formula multiplies total kindergarten enrollment by the division-wide free lunch percentage and subtracts the number of slots provided through Head Start. Using the State's formula, ACPS estimates there are 746 disadvantaged four-year olds in the City of Alexandria. In 2017, there were 569 pre-school slots provided through VPI and Head Start, leaving a deficit of 177. Projections indicate the disadvantaged four-year old population will

increase to 790 by 2022, leaving a deficit of 209 if no additional slots are provided.

VISION FOR EARLY CHILDHOOD PROGRAMS

The City of Alexandria is committed to making pre-K accessible to all families with pre-K age students and understands that this will require ACPS and partner support. The LREFP work group sought to explore the best ways to provide the maximum amount of pre-K spaces throughout the division. Programs could be provided within existing elementary schools, at new centers, or a combination of both.

ACPS Ed Specs provide guidelines for classroom design. The standard for a pre-K room is the same for a kindergarten classroom due to the similar emphasis on play and programmatic needs in the two grade levels. The similar classroom configuration also allows for flexibility year-to-year as student enrollment and program needs change. At schools that house Head Start, classes can be held in standard pre-K or kindergarten classrooms, provided the classroom meets the licensing criteria.

ACPS developed Ed Specs for a pre-K center as part of the LREFP. The Ed Specs outline space recommendations for a pre-K classroom, and are used to evaluate current capacity within existing pre-K classrooms already being used by ACPS. There are other partners who provide pre-K throughout the City and utilize their own private facilities.

FUTURE PRE-K SPACE

Currently, ACPS elementary schools have limited capacity within existing space to accommodate kindergarten through grade five enrollment, let alone additional pre-K. As additional elementary capacity is added and as enrollments are updated based on boundary changes, ACPS should explore additional opportunities to provide pre-K spaces within existing elementary schools.

ACPS is committed to work with pre-K partners, the City and organizations which are active in the community to increase pre-K capacity as much and as quickly as possible to align with available funding. Possible solutions to be explored should include:

 ACPS should work with the City to re-analyze future elementary school projects within the FY 2019-2028 CIP to determine if pre-K capacity could physically and affordably be added to projects.

- ACPS, the City and partners should establish a plan for addressing the gap in pre-K capacity within the City. This plan should consider the timing of available CIP funding and offer alternatives to address the pre-K capacity gap promptly, if additional pre-K capacity is not able to be achieved through the CIP.
- ACPS, the City and partners should make every effort to solicit space from external organizations and partners to add pre-K capacity.
- Timelines and goals need to be established and agreed upon by ACPS, the City and partners to meet the pre-K capacity need city-wide and draw down on all available pre-K funding sources (i.e. Virginia Preschool Intiative).

The Ed Specs, developed jointly by ACPS and pre-K partners, should be used to determine the adequacy and proposed use of space for future solutions. Any solution pursued should promote joint professional development and collaboration of staff employed by ACPS and the Campagna Center (Head Start) and support the Early Care in Education Workgroup's mission of seamless points of entry for parents seeking services. Solutions should also promote joint program development and delivery within VPI, ECSE, and Head Start, while maintaining critical funding streams and other policy requirements needed for state and federal funding.

RECOMMENDATIONS

The capacity of pre-K spaces throughout Alexandria cannot serve the current or projected population of disadvantaged four-year olds. This reality is supported by the waitlists reported by partners. Because of this, access should be expanded to serve all families within the City. These recommendations are specific to pre-K within ACPS facilities. Options to provide additional pre-K capacity at individual sites and/or a new pre-K center should be explored to meet this vision. Work group members and stakeholders emphasized their desire that short-term recommendations do not become long-term solutions for the division. Rather, short-term recommendations should serve a specific purpose for a given timeframe. Based on the analysis of the data collected and meetings with the work group and stakeholders, the following considerations for early childhood spaces are recommended.

These recommendations are meant to serve as a guideline for future proposed Capital Improvement Program projects and should be re-evaluated based on need and feasibility at the time of implementation. Recommendations were made to align with City Strategic plan goals and ACPS 2020 Strategic Plan goals and should be implemented in alignment with these goals.

GROUP 1 — REQUIRED PLANNING

- Analyze the impact of new elementary schools, capacity projects, and redistricting for providing capacity at elementary schools, develop a potential distribution plan for early childhood classrooms.
- Study the available capacity within City-owned buildings for space conversion and potential colocation. If capacity exists, analyze whether spaces can be converted to meet Ed Spec standards.
- Study the availability of privately-owned buildings/ institutions for space conversion and potential colocation. If capacity exists, analyze whether spaces can be converted to meet Ed Spec standards.
- Evaluate implementation of co-located pre-K center to be open in 2018 to determine if additional centers would be beneficial.
- Study the possibility of co-location on City-owned sites. Perform feasibility analysis to see if build out can occur to provide space.
- Analyze the potential for/impact of providing density increases to developers who accommodate additional building capacity within new developments. Determine if land use solutions (i.e.: parking incentives, increased density, etc.) can provide additional pre-K capacity.

GROUP 2 — SHORT TERM RECOMMENDATIONS

- Calculate pre-K projections annually
- Maintain and expand, where possible, current pre-K capacity at existing elementary schools strategically located in areas of highest need.
- Expand pre-K capacity with private partners.
- Determine the amount of additional capacity that private partners can provide.
- Promote multi-story and urban school models to optimize real estate and provide maximum pre-K spaces within elementary schools.
- Identify and analyze potential land acquisition, colocation, or leasing opportunities for pre-K.

GROUP 3 — **INTERMEDIATE RECOMMENDATIONS**

- Analyze the feasibility of previously identified sites for additional pre-K capacity that aligns with the Board-approved Ed Specs.
- Explore feasibility of additional pre-K centers as a model based on the School Board-approved Ed Specs and after review and analysis of the initial co-located pre-K center.
- Configure spaces within existing elementary schools to meet Ed Specs for early childhood and/or incorporate into design for future capital projects.

GROUP 4 — **LONG TERM RECOMMENDATIONS**

FISCAL CHALLENGES

OVERVIEW

As part of the Long Range Educational Facilities Plan (LREFP), mini-master plans have been developed for thirteen Alexandria City Public Schools (ACPS) facilities which include capital improvement recommendations to ensure existing facilities meet the School Board's educational adequacy requirements, also known as the "Ed Specs", and address future capacity needs. While the final scope and cost estimate of each of the thirteen mini-master plans has yet to be finalized or incorporated into the City's capital plans, it is estimated that full implementation of the modernization, educational specification, and capacity related improvements will require the development of a long term fiscal plan for the years 2018 until 2040.

The following chart outlines the possible projects and range of estimated construction/renovation costs for facilities identified in the LREFP in five year increments. Of the thirteen facilities for which mini-master plans were completed and a cost estimate developed, eleven are included in the table below for fiscal planning purposes through 2040, along

POTENTIAL LREFP CAPITAL PROJECT COSTS (THROUGH 2040) INCLUDED IN CURRENT CIP AND PROPOSED IN LREFP INCLUDED IN CURRENT CIP AND PROPOSED IN LREFP 2018 - 2022*2023 - 2027* Douglas MacArthur George Mason New Middle School Matthew Maury Cora Kelly Unconstrained LREFP Mini-Master Plan Cost Range**: \$51.0M - \$64.6M Unconstrained LREFP Mini-Master Plan Cost: \$130.2M (compounded at 2.5% over 10 years: \$65.3M - \$82.7M) (compounded at 2.5% over 5 years: \$147.3M) Note: Current ACPS CIP budget includes \$35.8M Note: Current ACPS CIP budget includes \$131.9M PROPOSED IN LREFP PROPOSED IN LREFP 2028 - 2032** 2033 - 2037*** ■ Mount Vernon Francis Hammond William Ramsay Charles Barrett Lyles-Crouch New Elementary School Unconstrained LREFP Mini-Master Plan Cost Range: Unconstrained LREFP Mini-Master Plan Cost Range: \$66.9M - \$90.2M \$103.0M - \$107.3M (compounded at 2.5% over 20 years: \$96.9M - \$130.6M) (compounded at 2.5% over 20 years: \$168.8M - \$175.9M) PROPOSED IN LREFP 2038 - 2040*** George Washington James K. Polk Unconstrained LREFP Mini-Master Plan Cost Range: \$92.1M - \$104.2M (compounded at 2.5% over 25 years: \$170.7M - \$193.1M)

- * Proposed order based on the ACPS FY 2016-2025 CIP scheduled for final adoption May 2015.
- ** The low end of the cost range is based on implementing the renovation only option when available and the high end is based on implementing the total mini-master plan to include all additions.
- *** Proposed order based on the average priority of site, building assessment & individual spaces score shown in Table 5.4. Given the high average scores (80 or above) of John Adams and Samuel Tucker coupled with the time horizon through 2040, these schools are not included in the summary shown above.

¹Full mini-master plans were not developed for Jefferson-Houston (recently rebuilt), Patrick Henry (in active reconstruction design phase), Minnie Howard (capacity addition proposed by ACPS in FY 2016 – 2017), and T.C. Williams (the LREFP will report the high school educational specifications in 2016.)

with a new elementary school and a new middle school. The range of costs for the eleven existing facilities and two new facilities on an unconstrained basis over the next 25 years is \$443.2M to \$496.5M in 2015 dollars.¹

The cost estimates provided for each mini-master plan are based on implementing the suggested plan in its entirety and in certain cases, breaks out costs for renovation versus new construction (additions). These are conceptual cost estimates, based on the option illustrated in the minimaster plans and are subject to change through the community engagement process that would occur with each project. Future costs will be affected by market conditions, timing and phasing of the projects to be balanced with fiscal resources, staff capacity, and alignment with instructional programming priorities. Projects and cost estimates will be reevaluated and refined through the development of the annual capital improvement budget.

While the table on the previous page provides a cost estimate for the eleven existing facilities and two new facilities as identified in the LREFP, it is important to acknowledge that these costs do not include all ACPS capital needs. Projects such as Patrick Henry and T.C. Williams – Minnie Howard, additional high school and pre-K capacity projects, and the maintenance of existing capital infrastructure are also other future identified capital needs which will need to be considered as part of future financial planning.

The results of the LREFP and identification of other capital infrastructure needs demonstrate the need for the City and ACPS to continue a strong, ongoing partnership in order to create a sustainable, fiscal plan to address the financing and timing of implementing the LREFP.

BASELINE ASSUMPTIONS

Through the LREFP, existing buildings were evaluated by assessments of building interiors and exteriors that established a baseline for existing learning conditions, including: square footages, light and acoustic levels, presence of technology, natural resources, parking, circulation, recreation features and utilities. However, the LREFP did not assess the physical building conditions. Facility Condition Assessments evaluate the condition of building systems such as mechanical, electrical, plumbing and structural, through an on-site inspection by technical experts. ACPS is currently in the process of evaluating all building conditions. The results from that effort, as well as the recommendations of the LREFP should inform the development of future Capital Improvement Programs (CIPs). The cost of improvements identified in the Facility Condition Assessment is due to be published by the end of 2015.

Additionally, baseline assumptions for this LREFP included existing attendance zone boundaries and existing enrollment projections to address future capacity issues. Potential changes to school boundaries or enrollment policies were not included in the assessment of capacity needs at each facility in the LREFP.

SCHOOLS CAPITAL FUNDING PROCESS

As part of the annual CIP approval process, funding is appropriated by City Council for ACPS capital infrastructure needs. Each year, ACPS provides City Council with a ten-year plan of projected capital infrastructure needs, focusing on projects to address projected enrollment increases. City Council considers the ACPS request – along with all of the capital needs Citywide – and approves a ten-year plan for ACPS project funding, with financing identified for each year of the plan.

CITY DEBT POLICY HISTORY AND GUIDELINES

City Council passed a set of debt-related financial policies in 1987 and has operated under specific established debtrelated financial policies since then. The City was an early adopter of such policies, with the City policy used by the bond rating agencies as a model policy that should be adopted by other localities. During FY 1998, the Budget and Fiscal Affairs Advisory Committee (BFAAC), a City Council appointed citizen committee, analyzed these debtrelated financial policies, and examined the City's financial condition in comparison to other jurisdictions with superior credit ratings (other double-triple A rated jurisdictions). The BFAAC and the City Manager recommended that City Council reaffirm the updated debtrelated financial policies, incorporating BFAAC's recommended updates to the policies to establish a consistent set of appropriate relationships between debt targets and limits.

City Council reaffirmed its commitment to sound financial management and adopted updated debt-related financial policies in 1997, 1999, and 2008. The ratios that can be studied in Appendix E represent the General Fund, or tax rate supported portion of debt issued by the City which includes debt to support the needs of the schools.

These debt policies have been utilized by City Council for nearly three decades to ensure the long-term affordability and sustainability of the City's CIP (which includes ACPS capital projects). Changing upward City debt ratios to accommodate additional debt to support a greater investment in the City's capital needs would involve a careful study including determining potential impacts to the City's AAA/Aaa credit ratings and the prioritization of capital funding in relation to infrastructure needs Citywide.

FINANCING/PROCUREMENT OPTIONS TO FUND LREFP

The following details four different funding/procurement options to help inform the long-range financial plan for funding the projects included in the LREFP.

Option 1: Constrained Funding with Bonds and Cash Capital

This option is a constrained option, in that funding for the LREFP would be considered and prioritized against all other capital needs, within the constraints of City Council's approved debt policies. This requires the capital programs of ACPS and the City to fit within funding levels approved by City Council and may require the elimination of other capital projects. Unrestricted funding includes cash contributions from the General Fund and General Obligation Bonds which can be utilized for any eligible capital projects.

Option 2: Raise Debt Limits

City Council has the policy option of raising taxes to support increased debt service payments for General Obligation Bonds to support additional capital improvement projects. In order to support additional General Obligation Bonds, City Council would also be required to adjust upward the long-standing City Council approved debt ratios (i.e. limits) to accommodate additional borrowing.

Option 3: Fund Improvements with Cash

This option is similar to option 2, except that taxes would be raised to a level to provide cash funding for school building capital improvements. In this option, City Council would raise the real estate tax rate to support the implementation of the LREFP.

Option 4: Consideration of Public Private Partnership Opportunities for Addressing the City's Educational Facilities Needs

The term public-private partnership (P3), broadly refers to a variety of contractual agreements in which a public entity (e.g., a municipal or Commonwealth agency) transfers "some degree of control and responsibility for development and operation of a facility to be used by the public" to a private entity. These partnerships have been applied to a variety of services including water/ wastewater, transportation, urban development and education. The P3 project delivery method allows public entities to spread the cost of public projects over the course of their useful life, rather than paying the entire project cost upfront. While P3 is not a funding source, it

often reduces or eliminates the initial financial burden, enabling construction of the public project to occur sooner.

P3 can be structured in many ways and customized to fit individual projects and programs. Commonly used structures range from Design-Build, where a single private partner designs and constructs a project as contracted by a public entity, to Design-Build-Finance-Operate-Maintain, where the private entity designs, constructs, funds the construction and operating costs, and provides operations and maintenance services for the facility in exchange for payment, to Sale/Leaseback where the public entity sells a facility to a private entity and then leases it back from the new owner. P3 partnerships also allow for the possibility of the private partner to take advantage of Federal Tax Credits, thus increasing the financial incentives of the private partner to participate in the project.

RECOMMENDATIONS FOR ADDRESSING FISCAL CHALLENGES

To address the feasibility of implementing the plan, it is recommended that City and ACPS staff work on a comprehensive financial plan through the Long Range Planning Committee in the 2015-2016 year. Some areas to consider are as follows:

- Determine the length of time to complete the recommendations as detailed in the LREFP
- Determine cost estimates for the LREFP projects and consider incorporating those estimates into future CIPs
- Begin discussions around the possible financing options to fund capital infrastructure improvements
- Further strengthen the partnership between ACPS and City staff, and the ACPS School Board and City Council, to achieve consensus on a long-term, sustainable, and affordable plan to modernize, address educational specifications, and add capacity at ACPS facilities to address long-term enrollment projections for discussion as part of the FY 2017 budget
- Review of the City's debt policy guidelines by the Budget and Fiscal Affairs Advisory Commission (BFAAC) which has historically helped frame and update the guidelines.

²A summary of unrestricted funding sources and all proposed CIP projects are located on pages 39-47 of the City Manager's Proposed CIP, which can be found on the City's website at: http://www.alexandriava.gov/budget/info/default.aspx?id=83131

CONCLUSION

DIVISION-WIDE ISSUES AND STRATEGIES

WE ARE NEARING THE MIDDLE OF A PERIOD OF RAPID GROWTH, NOT THE END

Current ACPS projections and city forecasts indicate that ACPS is now not quite to the middle of a period of rapid growth expected to last another 10 to 15 years. While growth may be decelerating based on 2014 enrollment data, which confirms a significant slowing in growth of kindergarten enrollment, students are staying in Alexandria schools longer. This means that total enrollment is expected to continue to increase rapidly, even if kindergarten enrollment begins to decline, as today's much larger elementary school classes move up through the grades.

INCREMENTAL MEASURES ARE NO LONGER SUFFICIENT

While the educational adequacy assessment shows a number of improvements needed in the city's schools, the immediate crisis about to face the schools is the number of classrooms and support space capacity to meet growing enrollment. The run-up from the 2006 K-12 enrollment of 10,246 to 13,847 in 2014 added about 3,600 K-12 students to ACPS schools, a 35% increase in eight years.

ACPS has increased class size caps by two students at each grade in 2013, built a number of additional classrooms at some schools, and rebuilt one school for more capacity to address this increase. Eight more classrooms are to be added in the summer of 2015, and Patrick Henry School is proposed to be reconstructed as a preK-8 school beginning in 2017.

However, the next increments of growth are coming up against harder limits. Many current classrooms, particularly at older schools, are substantially undersized on the basis of target floor area per student for the current allowable class size, and many elementary schools are now or will soon be against an absolute number-of-classroom limit at this current class size cap. There are few places left to reassign students as schools reach this absolute capacity based on current class size caps. As enrollment continues to increase by an estimated 400 to 500 students per year through 2024, approximately 20 additional classrooms and their related support spaces and facilities will be needed *each year*, with a slowly declining annual need thereafter to 2030 or beyond. This is equivalent to one new full-sized elementary school every two to three years.

Current mid-range projections show an increase to 17,419 students by 2024, an additional 3,572 students over today's enrollment. The long-term forecast through 2040, based on overall population growth at about 1% per year, a decline in the City's birth rate over time, and a substantial increase in the share of population over 65 years of age, shows an estimated peak enrollment of just over 18,000 in 2031, a total increase of almost 4,300 students over today's enrollment and almost 7,900 more than the recent low enrollment in 2006.

CURRENT CLASSROOMS ARE UNDERSIZED, AND LACK SUPPORT SPACES

The current crisis is new classrooms, and expansion of cafeterias, extended learning areas, specialized classrooms for art, science and music, and other spaces to support the additional students in them. Existing schools will not only need expansion to provide additional classrooms to meet their projected enrollment, but will also need to accommodate resizing and redesign of existing undersized classrooms for current educational needs. If schools are simply remodeled within their current floor area, their capacity will be reduced as spaces are reconfigured to meet current educational specifications, so both remodeling or reconstruction and expansion are needed at most schools if new schools are not added.

MANY SCHOOLS EXCEED THE MAXIMUM DESIRABLE ENROLLMENT FOR THEIR GRADE LEVEL

ACPS will have difficulty enlarging some schools just to accept their current enrollment under up-to-date educational specifications. In addition, some schools already exceed the maximum desirable size for their type. Seven out of the division's 13 elementary schools are expected to exceed 700 students by 2020.

Because some schools are now larger than the desirable maximum size for their type, additional schools at additional school sites will also be required to meet enrollment projections. Depending on where these sites can be found and where additional capacity can be developed on existing school sites, enrollment boundaries will need to be modified so population in those enrollment areas matches student generation.

WHEN WILL THIS ENROLLMENT GROWTH END?

Enrollment growth is expected to continue, though with declining percentage rates of growth, until at least 2025 or 2030.

While universal Pre-K would exacerbate the capacity problem in elementary schools, it would provide value to the community. It is also likely to increase the kindergarten capture rate and therefore the peak enrollment ultimately achieved.

WHAT SHOULD BE ADDRESSED FIRST?

There is a significant long-term problem particularly in our oldest schools in the size of classrooms and flexibility of spaces to accommodate current and future educational specifications. A phased program of renovation or replacement is appropriate regardless of current capacity issues. However, these oldest schools typically have the most constrained sites, so expansion potential with renovation is minimal. Simply renovating these schools to provide modern facilities will reduce their student capacity unless floor area is substantially increased at the same time

Capacity is currently a big problem primarily in elementary grades. As the recent enrollment boom in elementary schools proceeds through the grades, middle schools will be next (starting now), followed by high school. Enrollment in elementary schools should see the first decline. Assuming the current high rate of cohort survival throughout the grades continues, the middle and high school decline will come much later.

Capacity shortfalls are currently greatest in the west and central area elementary schools. New development is not expected to change this situation in the short to mid term (2024).

A decline in the levels of kindergarten capture and cohort survival that resulted from the local housing market bubble and produced the enrollment decline from 2000 to 2006 was an unusual condition that is unlikely to recur in the next 15 years while the current high elementary enrollment proceeds through the grades.

CAPACITY STRATEGIES

- Remodel/Replace Patrick Henry School as a K-8 school to provide space to accommodate substantial increases in middle-school enrollment in the next 5 years.
- Construct one new 600-700-student elementary or K-8 school in the West End to accommodate further increases in elementary school enrollment, relieve over-capacity elementary schools in the west end and central portion of the city, and provide swing space for renovation of existing elementary schools over time.

- Consider construction of additional capacity for upper grades to relieve anticipated increases in enrollment in secondary schools.
- Anticipate providing additional elementary or K-8 school space opportunistically with temporary classroom facilities on existing school sites or a temporary elementary school in leased space. This is expected to be needed for 10 to 15 years to accommodate a peak enrollment of up to 18,000 students from 2025 to 2035.
- Decide which elementary schools should be substantially expanded permanently based on site capacity, maximum and minimum desirable school capacity, location and need. Program these expansions over time to add 600 to 1,200 students total capacity by 2024.
- Review boundaries as facilities are modified.

EDUCATIONAL EXCELLENCE RECOMMENDATIONS

During this expansion program, **program the renovation** and replacement as appropriate of existing elementary schools, beginning with (1) those with highest priority for addressing existing deficiencies identified in this plan and (2) those that can provide the greatest additional capacity through renovation or reconstruction to the maximum appropriate size for an elementary school.

PROCESS OVERVIEW

LONG RANGE EDUCATIONAL FACILITIES PLAN PROCESS OVERVIEW

In 2012, the City of Alexandria and Alexandria City Public Schools (ACPS) initiated the development of a work program for a Long Range Educational Facilities Plan (LREFP) to improve facilities planning, accommodate the growing student population, and enhance educational programs and services. Funds to support this planning effort were approved in the ACPS Funding Year 2013 Capital Improvements Plan.

WORK GROUP

As part of the program, a work group was established in November, 2012 and was comprised of members from the ACPS School Board, City Council, Campagna Center, PTA Council,



and the community. This effort was supported by ACPS and City of Alexandria staff. The work group met quarterly to explore major issues that could impact public school facilities over the long-term, and to guide staff in the development of the draft LREFP for consideration by the School Board and City Council.

General objectives included:

- Gaining a better understanding of current and future enrollment and capacity challenges
- Updating middle and K-5 educational specifications
- Recommending solutions for ACPS capacity problems, including alternative space utilization models
- Understanding of ACPS budget needs and priorities
- Identifying future school sites/locations
- Reaching a shared understanding of the "school of the future"
- Producing plan components which are flexible and can be updated annually as needs arise

SUBCOMMITTEES

In an effort to conduct the in-depth research and analysis necessary to address the program's goals, work group members were assigned to serve on each of three subcommittees to investigate a prudent path to best manage present and future pressures within ACPS. Subcommittee members were selected exclusively from the working group membership and assigned based on their knowledge in such subcommittee's area of expertise. Generally, subcommittee's met on a monthly basis.

Enrollment Forecasts/Demographics Subcommittee

Developed an 'up-datable' student enrollment projection methodology by examining the details of the forecasting elements proposed in the work plan; collaborated on the development of a short- mid-, and long-term enrollment forecast

Facility Capacity Needs Analysis Subcommittee

Ascertained existing conditions within ACPS educational facilities in terms of their appropriateness and viability as educational environments; examined the factors necessary to develop a more robust capacity analysis methodology.



Educational Specifications/School of the Future Subcommittee

Reviewed and updated educational specifications for elementary and middle schools; determined the upgrades necessary to bring all ACPS buildings and programs in line with the new benchmarks.

COMMUNITY INVOLVEMENT

All meetings of the LREFP work group (approx. 12) and subcommittees (approx. 16) were open to the public and the community was encouraged to participate.

The project website posted all materials distributed at each meeting as well as the LREFP work group program and schedule, individual subcommittee work programs and schedules, and links to topics and groups of interest to this plan. Audio and video recordings of meetings were also linked to the project site.



At various stages during the plan process, staff conducted "roadshows" throughout the community. The purpose of these roadshows was to share information learned with community members who may not have had the opportunity to attend formal meetings, as well as to provide the community with an opportunity to ask questions.

Community members were also invited to participate in online engagement opportunities to provide feedback on various elements of the LREFP, including the Draft ACPS Elementary and Middle School Educational Specifications and the draft final LREFP report. Comments received informed the final versions of these documents presented to the ACPS School Board and City Council for review.

Efforts to communicate information and meeting times to all project stakeholders (students, parents and families, faculty and administrators, civic leaders and community members) included posting information to the City and ACPS websites, sending eNews and social media notifications, and distributing flyers in several languages to recreation centers, libraries, schools, places of worship and other community facilities.

ENDORSEMENT/ADOPTIONS

Following the conclusion of this group effort, the draft plan was forwarded to the School Board, City Council and presented to the community as well as various boards and commissions for review and comment. On Thursday, June 11, 2015 the ACPS School Board adopted the Long Range Educational Facilities Plan, followed by City Council's endorsement on Tuesday, June 23, 2015.

LREFP Work Group Members (2012-2015)

SCHOOL BOARD

- Ronnie Campbell
- Karen A. Graf
- Justin P. Keating

ALEXANDRIA CITY PUBLIC SCHOOLS

- Dr. Alvin Crawley, Superintendent
- Dr. Morton Sherman, Superintendent (2008-2013)

ALEXANDRIA CITY COUNCIL

- Mayor William D. Euille
- Councilman Justin Wilson

CAMPAGNA CENTER

Dr. Tammy L. Mann

PTA COUNCIL

- Yvonne Folkerts
- Julie Rocchio
- Melynda Wilcox

COMMUNITY MEMBERS

- Herb Berg
- Ken Billingsley
- Mark Eisenhour
- Chris Hartman
- Judy Noritake

ACPS/CITY STAFF

- Debra Collins, Deputy City Manager
- Tammy Ignacio, Chief of Staff, ACPS

ADDITIONAL STAFF SUPPORT (EX-OFFICIO):

ALEXANDRIA CITY PUBLIC SCHOOLS

- Elijah Gross, Director, Planning Design & Construction
- Laurel Hammig, Facilities Planner/GIS Specialist
- Clarence Stukes, Chief Operations Officer
- Andrea Feniak, Director, Planning Design & Construction (2013-2014)
- William Finn, *Director of Facilities (2012-2014)*
- Dr. William Holley, *Director of Facilities (2014)*

CITY OF ALEXANDRIA

- Mark Jinks, City Manager
- Karl Moritz, Director, Planning and Zoning
- Susan Eddy, Deputy Director, Planning and Zoning
- Chris Bever, Assistant Director, Office of Management & Budget
- Steve Chozick, Division Chief, GIS
- Ron Kagawa, Division Chief, RPCA
- James Bryant, GIS Analyst, ITS
- Katherine Carraway, *Planner*, *Planning and Zoning*
- Nathan Imm, Planner, Planning and Zoning
- Pat Mann, Planner, Planning and Zoning
- Ryan Price, Planner, Development Review
- Dana Wedeles, Planner, RPCA
- Amber Wheeler, *Planner*, *Planning and Zoning (2012-2014)*

JOINT WORK PROGRAM (OCTOBER 2012)

Statement of Purpose

ACPS and the City of Alexandria will jointly conduct a long-range educational facility planning effort to develop policy guidance and recommendations to accommodate the growing student population and improve facility planning in order to support and enhance the delivery of educational programs and services in the most efficient, cost effective manner possible.

Background

ACPS student enrollment gradually declined from FY 2001 through FY 2007, but the trend has reversed during the past five years. From FY 2007 to FY 2012, enrollment has increased by 2,063 students, for an overall increase of 20.0% and an average increase of 3.8% per year. Over the next six years through FY 2018, enrollment growth is projected to increase by over 2,450 students, or a total growth of 19.8% compared to the current level. Growth rates of 3.1% on average are expected to continue through FY 2018. The growth to date has been highest at elementary schools and is projected to continue above 3.0% through FY 2016. Middle schools will experience the impact of the larger elementary grade-level cohorts beginning in FY 2014, while the high school level sees most of the impact in FY 2017 and beyond. (See trend illustrated in figure 1 below):

ACPS Enrollment Growth: Historical and Projected
16,500
15,500
14,500

10,332

FY 2007

-September Actual Enrollment

-1 Percentage Point Below Trendline

Figure 1:

11,500

9,500

8,500

7.500

Source: FY2013-2022 Proposed Capital Improvement Program Budget

September Projected Enrollment

-1 Percentage Point Above Trendline

If this growth materializes, ACPS will need substantial additional classroom space. Even if growth rates slow, ACPS will need additional space. ACPS has tried to estimate growth conservatively, using the historical cohort survival rates, population birth rates, and making no assumptions about development in Alexandria or declines in drop-out rates. Even with this conservative approach to enrollment projections, significant space constraints are imminent.

These trends may be impacted by the economic climate; changes in school programs and quality (e.g., increasing numbers of students from private schools and/or decreases in dropouts), and development activities in the City of Alexandria. Redevelopment of property such as garden apartments, which have a high student yield to high-rise apartments, will lower the trend rate. Redevelopment of the Potomac Yard properties will increase the trend rate.

With no modification in program, class-size, or enrollment policies, ACPS will not be able to accommodate the projected elementary student population. Within the ten year period, ACPS will also need to address capacity issues at middle and high schools.

Most ACPS school buildings were built in the 1940's through the 1960's. (See Figure 2). Seven ACPS school buildings will exceed 75 years of age over the next 10 years. With the construction of the 20 additional classrooms scheduled to open in FY 2012, ACPS elementary schools have available a total of 16.5 classrooms throughout the City. With continued enrollment growth of the level experienced over the past four years, this additional capacity will be utilized by the end of FY 2013.




Figure 2:

Source: FY2013-2022 Proposed Capital Improvement Program Budget

Through this long-range facilities planning effort, alternative space utilization models will also be analyzed in an effort to use space as efficiently as possible while still maintaining quality instruction within the parameters of School Board approved programs.

At the November 28, 2011 City Council/School Board Sub-Committee meeting, the City and Board agreed to move forward in developing a School Capacity Plan and that ACPS/City staff would jointly develop a proposed work program. Funds to support ACPS long-range facilities planning were approved in the ACPS FY2013 CIP. This planning effort will begin immediately and will continue through the FY 2014 CIP budget cycle (June 2014), with a detailed long-range facilities plan being the output.

Work Plan

1. Plan Goals

- a. Develop a long-range educational facilities plan to be adopted by the Alexandria City School Board and City Council. The Plan will include several key "up-datable" elements:
 - Long Range Enrollment Projections (10-year time horizon)
 - Determine Facility Capacity needs and how they will be met, including
 - (1) Availability of existing and new capacity
 - (2) Need for additional real estate
 - (3) Non-school requirements such as Central Office, Transportation, Maintenance, etc.
 - Define future educational specifications
 - Shape diverse and vibrant schools through continual analysis of ACPS enrollment practices
 - Schools of the future Explore modernization/renovation options and determine factors that affect new schools as well as off-site academic programs and alternative school locations.
- **b.** Develop policies to be approved by the School Board regarding:
 - a. Analysis of enrollment forecast components
 - b. Capacity needs analysis
 - c. Review of educational specifications

- **c.** Ensure that demographic information and educational facility needs will feed into City planning process.
- **d.** Educate and inform the community.
- **e.** Improve coordination and conduct fiscal analysis on capital funding for (new, expanded and modernized) school construction.



2. Plan Objectives

Objective A: Updatable Elements

- a. Collaboration with City staff, ACPS, and external partners such as regional demographers and local universities to develop a real-estate, land-use based projection methodology that will then be able to incorporate future residential development explicitly into the ACPS enrollment projections.
- **b.** Review and possible revision of educational specifications for all grade levels, and assessment of the required renovations and upgrades to bring all ACPS buildings up to the standard set by the educational specifications.
- **c.** Explore opportunities for prek-8 schools, off-site academics, and alternative satellite school locations.
- **d.** Through school site surveys by an A/E firm to assess the comprehensive feasibility of adding capacity at existing sites beyond the ones already included in the CIP; including a real estate analysis of existing and potential new sites and short and long-term project recommendations
- e. Conduct fiscal analysis and strategic review of short and long term project recommendations as part of CIP development and review.
- f. Development of updateable as-is plans for all sites.
- g. Development of a more robust space utilization database of all school rooms, sizes, and uses to serve as the basis for capacity analysis.

h. In collaboration with school staff and external partners, develop a more nuanced capacity analysis for elementary schools and a more sophisticated capacity analysis for secondary schools.

Objective B: Feed into City Planning Process

- a. Small Area planning process incorporates demographic information to evaluate current conditions and forecast future growth for infrastructure needs and service demands (schools) within the Plan Area
- b. Small Area planning process uses enrollment data/forecasts to determine current/future enrollment patterns, potential impacts on attendance zones, transportation routing and school facility needs and opportunities for shared services.
- c. Development of current/future demographic information and enrollment forecasts are used to determine existing and future educational facility needs which are then considered for inclusion in the City's 10 year Capital Improvements Program.

Objective C: Community Engagement

- **a.** Re-establishment of the Long-Range Facilities Plan Work Group, to meet on a quarterly basis to review and advise on the work being done.
- **b.** At key points in the process, additional community input will be solicited and periodic reports to the Board and City Council will be prepared.

Objective D: Capital Funding Coordination

- **a.** Development of an improved Capital Improvements planning process between the City and ACPS.
- **b.** Creation of a Fiscal Analysis Sub-Committee to review short and long term project recommendations for cost estimates, affordability, potential for reduced costs, improved efficiency, and project timing as part of CIP development and review.

3. Outcomes/Products/Benefits

- a. Solutions to ACPS capacity problems both short and long term project recommendations.
- b. Shared understanding of ACPS budget needs and priorities.
- c. Update middle and K-5 educational specifications.

- d. Identification of future school sites/locations including satellite school sites.
- e. Shared understanding of the "school of the future."
- f. Shared understanding of project costs, affordability, timing and impact on the CIP

4. Proposed Recommendations

- a. 18 month Plan preparation Timeline
 - a. Interim Deliverables by December 2012
 - i. Analysis of Enrollment Projection Methodology
 - ii. Capacity Analysis
 - iii. Preliminary Recommendations for Interim/Short Term Projects

b. Staff Contribution

- ACPS
 - Department of Educational Facilities -Planning Design & Construction
 - Department of Curriculum & Instruction
 - Department of Technology Services
 - Department of Financial Services
- Alexandria City Government
 - Department of Planning & Zoning –Neighborhood Planning & Community Development and Geographic information Services
 - Department of Recreation, Parks and Cultural Activities –
 - Department of General Services
 - City Manager's Office
 - Office of Housing

Work Program Elements

1. Enrollment Forecasts/Demographics –

Goal

• Develop an up-datable real estate, land-use based student enrollment projection methodology.

Community Outreach Mechanism

• Long-Range Educational Facilities Plan Work Group

Report Out Mechanism • Position Paper/Updatable element of the Long Range Educational Facilities Plan

Participating Staff

- Alexandria City Public Schools
 - · Educational Facilities
 - · Technology Services
 - · Financial Services
- · Alexandria City Government
 - Planning and Zoning/NPCD & GIS
 - · Recreation. Parks and Cultural Activities

Methodology

- Review and analyze factors for predicting K enrollment
- Analyze factors used for 1st-12th grade enrollment projections including aging, migration, and annual change in K enrollment

Interim Deliverables

- Review projection factors
- Prepare short-mid term enrollment projections (system-wide and by school, by grade)

Final Out-Puts

- Prepare short and long term enrollment projections (system wide and by school, by grade)
- Use new methodology to incorporate future residential development explicitly into the ACPS enrollment projections.

2. Facility Capacity Needs Analysis -

Goal

• Define existing conditions, and determine a more robust capacity analysis methodology. Determine factors that affect new schools and explore modernization/renovation options

Community Outreach Mechanism

• Long-Range Educational Facilities Plan Work Group

Report Out Mechanism • Position paper/updatable element of the the Long Range Educational Facilities Plan

Participating Staff

- Alexandria City Public Schools
 - Educational Facilities
- Alexandria City Government
 - Planning and Zoning/NPCD & GIS
 - · Recreation, Parks and Cultural Activities
 - General Services

Methodology

- Analyze the existing educational program/facilities
 - Existing school size (ES, MS and HS)
 - Existing/averaged class size for classrooms (ES, MS and HS)
 - Specialized classroom program area space needs: (Art, Music, PE, Science/Laboratory and special needs)
 - Non-classroom space: (ie., recreational, auditorium, meeting space media center, library, health services, cafeteria, restroom, office, parking...etc)
 - Additional Services (i.e., Talented and Gifted, ELL, Special Education)
- · Grade levels served
- · Preschool
- K-5th
- · 6th 8th
- · High School
- Adult Education Programs
- Determine "open/modified enrollment" practice impacts (20% currently) of out of district enrollment on system/by district.

Interim Deliverables

- Convert enrollment projections into teacher staffing required (Determines number/type of classrooms).
- Development of a more robust database of all school rooms, sizes, and uses to serve as the basis for capacity analysis.
- Quantify current space utilization of existing facilities
 - Full-size, resource and small classroom space
 - Dedicated space for other uses, such as science labs, existing preschool programs, special education and adult education programs
 - Determine need/applicability of modular/portable classroom
 - Conduct Fiscal Analysis of recommendations

Final Out-Puts

- Convert enrollment projections into teacher staffing required (Determines number/type of classrooms).
- In collaboration with school staff and external partners, developing a more nuanced capacity analysis for elementary schools and a more sophisticated capacity analysis for secondary schools.
- Development of a more robust database of all school rooms, sizes, and uses to serve as the basis for capacity analysis.
- Development of as-is plans for all sites. Because of the age of most ACPS buildings, as-is documents do not exist (from ACPS)
- Quantify current space utilization of existing facilities
 - · Full-size, resource and small classroom space
 - Dedicated space for other uses, such as science labs, existing preschool programs, special education and adult education programs
 - Determine need/applicability of modular/portable classroom
 - Conduct Fiscal Analysis of recommendations

3. Educational Specifications – Determining the School of the Future

Goa

• Define future Educational Specifications.

Community Outreach Mechanism

• Long-Range Educational Facilities Plan Work Group

Report Out Mechanism • Position paper/updatable element of the Long Range Educational Facilities Plan

Participating Staff

- · Alexandria City Public Schools
 - · Educational Facilities
 - · Curriculum and Instruction
 - · Technology Services
- Alexandria City Government
 - Planning and Zoning/NPCD &GIS
 - · Recreation, Parks and Cultural Activities
 - General Services

- •Define the future educational program
- •Optimal School size (ES, MS and HS)
- •Class size for classrooms (ES, MS and HS)
- Specialized classroom program area space needs: (Art, Music, PE, Science/Laboratory and special needs)
- •Non-classroom space: (ie., Recreational, Auditorium, Meeting Space Media Center, Library, Health Services, Cafeteria, Restrooms, Administrative Office, Parking...etc)
- Additional Services (i.e., Talented and Gifted, ELL, Special Education)
- Grade levels served
- · Preschool
- •K-5th
- $\bullet 6^{th} 8^{th}$
- •High School
- Adult Education Programs
- Determine "open/modified enrollment" practice impacts (20% currently) of out of district enrollment on system/by division.
- Conduct Fiscal Analysis of recommendations

Interim Deliverables

- Review and possible revision of draft educational specifications for all grade. levels, and assessment of the required renovations and upgrades to bring all ACPS buildings up to the standard set by the educational specifications.
 - Analyze buildings based on current/draft educational specifications.
 - Fiscal Impact of Recommendations

Out-Puts

- Review and possible revision of draft educational specifications for all grade. levels, and assessment of the required renovations and upgrades to bring all ACPS buildings up to the standard set by the educational specifications.
 - Analyze buildings based on current/draft educational specifications.
 - Conduct Fiscal Analysis of recommendations
- Identify organizational components necessary to implement educational specification objectives.
- Develop Educational Specifications (ie., school size, teaching stations, students /teaching station, program capacity ...etc)
 - · Flexible facilities
 - Universal design
 - Maximize community connectivity
 - Cost effective and efficient
 - · Community buy-in

4. Analysis of ACPS Enrollment Practices: Shaping Diverse and Vibrant Schools through Enrollment Practices

Goal

• Shape diverse and vibrant schools through enrollment practices and make policy recommendations to ensure diverse and vibrant schools.

Community Outreach Mechanism

• Long-Range Educational Facilities Plan Work Group; Any significant recommended changes will require broader community involvement

Report Out Mechanism • Position paper/updatable element of the Long Range Educational Facilities Plan

Participating Staff

- · Alexandria City Public Schools
 - · Educational Facilities
 - Curriculum and Instruction
 - Technology Services
- · Alexandria City Government
 - Planning and Zoning/NPCD & GIS

Methodology

- Development of historical enrollment practice summation (formal and informal practices).
- Identification of factors (Legislative, No-child-left-behind, Special education, Administrative placements ...other) that influence enrollment practices.
- Modified enrollment impact on the school system as a whole and by school attendance area.

Out-Puts

- Estimate of current enrollments practices impact on school enrollment in next 10 years.
- Enrollments impact on transportation, capacity needs and CIP.
- Proposed changes to enrollments practices.

5. School of the Future

Goal

• Explore modernization/renovation options and determine factors that affect new schools.

Community Outreach Mechanism

• Long-Range Facilities Planning Group/Broader Community involvement

Report Out Mechanism

• Position paper/updatable element of the Long Range Educational Facilities Plan

Participating Staff

- Alexandria City Public Schools
- •Educational Facilities
- •Curriculum and Instruction
- Technology Services
- •Financial Services
- Alexandria City Government
- •Planning and Zoning/NPCD
- •Planning and Zoning/GIS
- •Recreation, Parks and Cultural Activities
- •General Services
- •New School
- •Determine what "types" of schools will be constructed
 - Program based
 - Magnate
 - •Size (standard capacity template)
 - •Location/geographic considerations
 - Swing space
 - •Urban vs. traditional
 - •Conduct Fiscal Analysis of recommendations
- Determine feasibility of keeping existing facilities operational after a new school has been constructed
- Land Analysis
- •Existing sites
- · Adjacent sites
- ·New locations
- •Land analysis based on school program needs (traditional vs. urban schools)
- Conduct Fiscal Analysis of recommendations
- Funding Options
- •CIP
- Operating
- •Development of a policy on revenue sharing
- •Developer Contributions/Proffers

Methodology

Methodology (cont.)

- Modernization/Renovation Options
- Thorough school site surveys by an A/E firm to assess the feasibility of adding capacity at existing sites beyond the ones already included in the CIP.

Out-Puts

• Feasibility Study of moderninzing existing facilities

Addendum I

Alexandria City Public Schools/City of Alexandria - Long Range Educational Facilities Plan Work Group

Purpose

The work group will review and advise on the work being done to develop a long-range educational facilities plan.

Responsibilities

- To define ACPS short, medium, and long-term facilities' needs and to subsequently identify solutions. (Short term is defined as 1 to 5 years, medium as 6 to 10 years, and long-term as 11 to 30 years.) This will include:
 - Analyze programmatic, enrollment, and facility capacity trends
 - Identify the impact of City planning and development processes and decisions on ACPS facilities and enrollment
 - Determine options including but not limited to construction of new buildings for meeting short term facility needs
 - Define the medium and long-term requirements for the number, type, capacity, and general locations of ACPS facilities
 - o Identify the investment required to meet the identified needs
 - o Identify constraints, obstacles, and facilitators of change
 - Propose options to achieve the recommendations of the subcommittee
 - Prepare a report for the committee of the whole (the Long Range Educational Facilities Plan Work Group) to discuss and approve, for inclusion in a final report to the Superintendent
- To articulate a vision of future ACPS elementary and middle school facilities to serve students, parents, staff and community through the 22nd century. This will include:
 - Define the functions to be included in a future ACPS school
 - Research programmatic, land use, architectural, engineering, and ecological innovations to be included in an ACPS school of the future
 - Identify the construction and operational cost parameters of the school of the future
 - Prepare a report for the (the Long Range Educational Facilities Plan Work Group) to discuss and approve, for inclusion in a final report to the Superintendent
- To serve as a representative of ACPS and its facilities' needs at City of Alexandria small area plan meetings, with City Council, and with City of Alexandria Civic Associations. This will include:
 - Attend Potomac Yard, Braddock Metro, Arlandria, Waterfront, Beauregard implementation meetings and other small area plan meetings as a representative of school division interests

- Attend relevant civic association meetings
- o Consult with ACPS staff prior to and following attendance at such meetings
- Support the work of the Long Range Educational Facilities Plan through presentations at public and private meetings in the City
- Report to the committee of the whole (the Long Range Educational Facilities Plan Work Group) on the issues discussed and activities of the subcommittee, particularly as they impact the work of the other subcommittees
- Prepare a report on future issues and actions to go to the Long Range Educational Facilities Plan Work Group for discussion and approval, for inclusion in a final report to the Superintendent

The Long Range Educational Facilities Planning Work Group (Work Group)

The Work Group will consist of 19 members and meet at least quarterly. The Work Groups Co-Chairs will be responsible for meeting coordination, logistics and administrative support.

Membership

Elected Officials

| School Board District A | City Council | |
|-------------------------|--------------|--|
| School Board District B | City Council | |

Staff

| Co-Chair Laurel Hammig, ACPS | Co-Chair Steve Kaii-Ziegler, P&Z, COA |
|---|---------------------------------------|
| Bill Finn, Educational Facilities, ACPS | Karl Moritz, P&Z, COA |
| Dr. Mayde Henson, ACPS | Debra Collins, CM Office, COA |

Community Members

| Campagna Center | |
|-------------------|--|
| PTA Rep | |
| PTA Rep | |
| Community Rep (6) | |

Support Staff (not official members of the work group)

| C&I Staff, TBD | Ron Kagawa, RPCA, COA (Parks) |
|---------------------------|--|
| C&I Staff, TBD | Steve Sindiong, T&ES, COA |
| Elementary Principal, TBD | Donna Poillucci, General Services, COA |
| Elementary Teacher, TBD | Laura Triggs, OMB, COA |
| Secondary Teacher, TBD | Debra Collins, City Manager's Office, COA |
| | William Chesley, RPCA, COA (Recreation) |

Long Range Educational Facilities Planning Sub-Committee (Sub-Committees)

A Sub-committee for each work plan element will be created. Additionally, a separate fiscal analysis Sub-Committee will be created to review short and long term project recommendations for cost estimates, affordability, and potential for reduced costs, improved efficiency, and project timing as part of CIP development and review. At least one staff member from both the City and ACPS staff with expertise in a Sub-Committee's area of responsibility will serve as staff to each Sub-Committee.

- 1) Enrollment Forecasts/Demographics
- 2) Facility Capacity Needs Analysis
- 3) Educational Specifications
- 4) Analysis of ACPS Enrollment Practices
- 5) School of the Future
- 6) Fiscal Analysis

Sub-Committees will identify a chairperson and a communications person. The chairperson will be responsible for ensuring that agenda items and any associated materials to be considered at a regular the monthly meeting of the Work Group are sent out at least 4 business days prior to the meeting. The communications person will be responsible for writing subcommittee documents and managing subcommittee communications. The subcommittee may identify any other functional positions/tasks required to conduct the business of the Sub-Committee.

It is the responsibility of the Work Group and Sub-Committees to conduct the required analysis and prepare the working documents of the group. The function of staff is to provide documents and data that already exist; offer professional expertise and advice; and help identify resources

that committee members might otherwise not be aware of. Subcommittee meetings and participation may be electronic at the discretion of a majority of the subcommittee members

Communication

Communication will be via email or closed list-serve

Schedule

TBD

Next Steps

- Identification and appointment of Work Group and Sub-Committee members. A meeting of key ACPS/City staff is being organized for the week of October 1, 2012 to address.
- Next City/Schools Sub-Committee meeting is scheduled for October 29, 2012. The Work Groups Co-Chairs will present an update on progress.

LREFP Work Program Supplement

Long Range Educational Facilities Plan Work Program – Supplement 1 Revised 11/27/12

This supplement is intended to provide additional information, detail and guidance to implement the Long Range Educational Facilities Work Program

Senior Management Team

The City and ACPS will create a Long Range Educational Facilities Work Program "Senior Management Team" to help guide/communicate the long range planning effort. The team will consist of Dr. Madye Henson, Bill Finn and Laurel Hammig from ACPS and Debra Collins and Karl Moritz from Planning and Zoning. The senior management team will meet regularly – typically, one week prior to a monthly City/Schools Subcommittee meeting.

The Long Range Educational Facilities Planning Work Group (Work Group)

The Long Range Educational Facilities Planning Work Group (Work Group) will be made up of 19 members. 2 - School Board Members, 2-City Council Members, 1-Campagna Center Member, 2-PTA Members and 6-Community Members, 3-City Staff and 3-ACPS Staff. The work plan has been revised to reflect a 19 member work group.

ACPS/City staff will select potential candidates and forward to the Superintendent of Schools and City Manager for consideration. The Work Group will meet as a group every 60-90 days for duration of approximately 18 months. Additionally, the Senior Management Team we will need to identify potential candidates for the various sub-committees that will be integral to the planning effort. It is anticipated that sub-committees will consist of City/ACPS staff and some of the selected community members from the work group. This Supplement includes several recommended candidates for consideration in the work group.

19-Member Work Group

- 2-School Board members Yvonne Folkerts and Ronnie Campbell
- 2-City Council members Mayor Euille and Vice Mayor Donley
- 1-Campagna Center member
 - o President and CEO Dr. Tammy L. Mann
- 2-PTA Council Designees Members
 - PJ Lepp or her designee
 - Julie Rocchio

- 6-Community Members
 - Ken Billingsley Director of Demographics and Information Northern Virginia Regional Commission
 - Judy Noritake
 - o Chris Hartman
 - Mark Eisenhour
 - Herb Berg- former ACPS Superintendent
 - Keith Jabati
- 3- ACPS staff to include Dr. Madye Henson, Bill Finn and Laurel Hammig (ex-officio)
- 3-City staff to include Debra Collins, Karl Moritz and Steve Chozick (ex-officio)

<u>Sub-Committees (ACPS/City Departments – Divisions)</u>

Note: Communications to be included for internal/external dissemination of information

- Enrollment Forecasting/Demographics
 - o ACPS
 - Educational Facilities
 - Technology Services
 - Financial Services
 - City
 - Planning and Zoning
 - RCPA
- Facility Capacity Needs Analysis
 - ACPS
 - Educational Facilities
 - Elementary/Middle Schools
 - o City
 - Planning and Zoning
 - RCPA
 - General Services
- Educational Specifications
 - ACPS
 - Educational Facilities
 - Curriculum and Instruction
 - Technology Services
 - o City
 - Planning and Zoning
 - RCPA
 - General Services

- ACPS Enrollment Practices
 - ACPS
 - Educational Facilities
 - Curriculum and Instruction
 - Technology Services
 - o City
 - TBD
- School of the Future
 - o ACPS
 - Educational Facilities
 - Curriculum and Instruction
 - Technology Services
 - Financial Services
 - City
 - Planning and Zoning
 - RCPA
 - General Services
- Fiscal Analysis
 - ACPS
 - Educational Facilities
 - Financial Services
 - o City
 - Planning and Zoning
 - General Services
 - OMB

Key Dates

- October 26th Initial draft by school by grade projections due to ACPS Financial Services
- October 29th City/Schools meeting
- November 26th- City/School meeting
- December 6th- School Board meeting on joint recommendation for capacity projects to include in the FY14-23 CIP
- January 24th- ACPS presents CIP to School Board

LREFP Work Program Update

City of Alexandria, Virginia

MEMORANDUM

DATE: OCTOBER 15, 2012

TO: THE HONORABLE MAYOR AND MEMBERS OF CITY COUNCIL

FROM: RASHAD M. YOUNG, CITY MANAGER

SUBJECT: LONG RANGE EDUCATIONAL FACILITIES WORK PROGRAM - UPDATE

As you are aware, staff for the City and ACPS has been jointly developing a work program for a Long Range Educational Facilities Plan. The purpose of the planning effort is to develop recommendations to improve facilities planning and accommodate the growing student population in order to support and enhance the delivery of educational programs and services in the most efficient, cost effective manner possible.


Several weeks ago, I forwarded an initial draft of that document to City Council. In addition, the draft work program was presented at the September 18th City Council/School Board Subcommittee meeting with generally favorable feedback. The Subcommittee had an excellent discussion and offered suggestions for inclusion of additional items in the work program. City and ACPS staff have incorporated those suggestions into the final version of the Work Program, reflected in the following changes:

- Inclusion of fiscal analysis and/or strategic review language to various parts of the work program. Staff also modified the work program to allow for the creation of a fiscal analysis subcommittee.
- Revision of the Staff Contribution section of the work program to reflect Department/Division only, not individual staff positions.
- Modification of the work group composition to increase citizen members and to emphasize that staff's role is to advise and support. The work group will consist of a total of 19 members, two from the City Council, two from the School Board, a representative of the Campagna Center, and eight community members, including PTA representatives. ACPS and City staff will each have three members assigned to the work group with other ACPS/City staff acting as support staff, not official members of the work group.
- · Modification of some of the work group's attendance and meeting process requirements.


ACPS and City staff have been meeting regularly and have initiated work on student enrollment and forecasting, as well as coordinating the process to identify and select work group and subcommittee members. It is envisioned that membership in the work group and subcommittees will be selected by the Superintendent of Schools and the City Manager. Attached is a copy of the revised work program for your review. As the process continues, staff will continue to keep Council informed.

cc: Debra R. Collins, Deputy City Manager

LREFP Work Program Schedule



APPENDIX B-1 EDUCATIONAL SPECIFICATIONS DEVELOPMENT WORKFLOW



APPENDIX B-2 ACPS ELEMENTARY AND MIDDLE SCHOOL EDUCATIONAL SPECIFICATIONS

The ACPS Elementary and Middle School Educational Specifications developed during this planning process were adopted by the ACPS School Board on January 29, 2015.

These documents can be viewed from the Long Range Educational Facilities Plan webpage, http://www.alexandriava.gov/68540 or by contacting the ACPS Facilities Department, 703.619.8038.

| Appraisal Summary for | r: <u>Charles Ba</u> | <u>rrett</u> | | |
|--|----------------------------|--------------|----------|---------------------------------|
| Summary | Unweighted Points | Tier | Priority | Rating Category |
| 1.0 School Site | 71 | | | Satisfactory |
| 2.0 Building Assessment | 75 | | | Satisfactory |
| 3.0 Instructional and Support Spaces 4.0: Utilization | 74 68 | | | Satisfactory Very Inadequate |
| Average | 72 | _ | | Very Inadequate Satisfactory |
| | | | | |
| | 1.0 School Site Unweighted | | | |
| Section 1 | Points | Tier | Priority | Rating Category |
| A Site Circulation. 3 Play areas / fields | 54 88 | 3 | 14 18 | Borderline Satisfactory |
| Average : School Site | 71 | | | Satisfactory |
| 2.0 | Building Assessment | | | |
| Section 2 | Unweighted Points | Tier | Priority | Rating Category |
| A Building Organization | 75 | 4 | 19 | Satisfactory |
| Technology and Supporting Infrastructure | 50 100 | 4 | 14 | Borderline Excellent |
| C Accessibility Average : Building Assessment | 75 | 4 | 24 | Satisfactory |
| Average . Bulluling Assessment | 73 | | | Jatisfactory |
| 3.0 Instruc | tional and Support S | <u>paces</u> | | |
| Section 3 | Unweighted Points | Tier | Priority | Rating Category |
| Core Classrooms Meets Size Requirements | 37 | 2 | 7 | Inadequate |
| Internal Organization and Ancillary Spaces | 72 | 4 | 19 | Satisfactory |
| Loose Furnishings | 63 | 4 | 14 | Borderline |
| Fixed Equipment and Infrastructure Lighting Quality | 73 97 | 3 | 19 23 | Satisfactory Excellent |
| Natural Lighting | 97 | 3 | 23 23 | Excellent |
| Acoustics | 94 | 3 | 23 | Excellent |
| Air Quality and Temperature Specialty Classrooms | 73 | 3 | 18 | Satisfactory |
| Meets Size Requirements | 20 | 2 | 2 | Very Inadequate |
| Internal Organization and Ancillary Spaces | 59 | 4 | 14 | Borderline |
| Loose Furnishings Fixed Equipment and Infrastructure | 53 44 | 4 | 14 9 | Borderline Inadequate |
| Lighting Quality | 60 | 3 | 13 | Borderline |
| Natural Lighting | 100 | 3 | 23 | Excellent |
| Acoustics Air Quality and Temperature | 100 72 | 3 | 23 18 | Excellent Satisfactory |
| Support and Admin | ,,,, | 3 | 10 | Satisfactory |
| Meets Size Requirements | 20 | 2 | 2 | Very Inadequate |
| Internal Organization and Ancillary Spaces Loose Furnishings | 74 100 | 5 | 20 25 | Satisfactory Excellent |
| Fixed Equipment and Infrastructure | 75 | 5 5 | 20 | Satisfactory |
| Lighting Quality | 100 | 4 | 24 | Excellent |
| Natural Lighting | 100 | 3 | 23 | Excellent |
| Acoustics Air Quality and Temperature | 60 83 | 5 4 | 15 19 | Borderline Satisfactory |
| Shared Spaces | | | | , |
| Meets Size Requirements | 65 | 2 | 12 | Borderline |
| Internal Organization and Ancillary Spaces Loose Furnishings | 80 84 | 4 | 19 19 | Satisfactory Satisfactory |
| Fixed Equipment and Infrastructure | 72 | 4 | 19 | Satisfactory |
| Lighting Quality | 85 | 3 | 18 | Satisfactory |
| Natural Lighting Acoustics | 78 87 | 3 | 18 18 | Satisfactory Satisfactory |
| Acoustics Air Quality and Temperature | 76 | 3 | 18 18 | Satisfactory |
| Average: Instructional and Support Spaces | 74 | | | Satisfactory |
| | 4.0: Utilization | | | |
| Section 4 : Utilization | Unweighted Points | Tier | Priority | Rating Category |
| A Core Classrooms (Capacity Drivers) | 80 | 2 | 7 | Inadequate |
| S Specialty Classrooms (Core A) C Shared Spaces (Core B) | 56 133 | 3 | 3 | Very Inadequate Very Inadequate |
| STUTERIA STUTERIA DE CONTRA DE CONTR | 166 | 4 | 4 | |

3

4

Excellent

Borderline

| Appraisal Summary fo | or: <u>Cora Ke</u> | <u>lly</u> | | |
|---|--------------------------------|------------|-----------|------------------------------|
| Summary | Unweighted Points | Tier | Priority | Rating Category |
| 1.0 School Site | 87 | | | Satisfactory |
| 2.0 Building Assessment | 49 | | | Inadequate |
| 3.0 Instructional and Support Spaces 4.0: Utilization | 75 19 | | | Satisfactory Very Inadequate |
| Average | 58 | | | Borderline |
| | 1.0 School Site | | | |
| Section 1 | Unweighted Points | Tier | Priority | Rating Category |
| A Site Circulation. | 74 | 4 | 19 | Satisfactory |
| B Play areas / fields | 100 | 3 | 23 | Excellent |
| Average : School Site | 87 | | | Satisfactory |
| | Building Assessment Unweighted | | | |
| Section 2 | Points | Tier | Priority | Rating Category |
| A Building Organization B Technology and Supporting Infrastructure | 55 43 | 4 | 14 9 | Borderline Inadequate |
| C Accessibility | 50 | 4 | 14 | Borderline |
| Average : Building Assessment | 49 | | | Inadequate |
| 3.0 Instru | ctional and Support S | spaces | | |
| Section 3 | Unweighted | Tier | Priority | Rating Category |
| Core Classrooms | Points | | | |
| Meets Size Requirements | 37 | 2 | 7 | Inadequate |
| Internal Organization and Ancillary Spaces | 72 | 4 | 19 | Satisfactory |
| Loose Furnishings Fixed Equipment and Infrastructure | 73 74 | 4 | 19 19 | Satisfactory Satisfactory |
| Lighting Quality | 87 | 3 | 18 | Satisfactory |
| Natural Lighting | 93 | 3 | 23 | Excellent |
| Acoustics Air Quality and Temperature | 80 64 | 3 | 18 13 | Satisfactory Borderline |
| Specialty Classrooms | | | | |
| Meets Size Requirements Internal Organization and Ancillary Spaces | 60 67 | 2 4 | 12 14 | Borderline Borderline |
| Loose Furnishings | 62 | 4 | 14 | Borderline |
| Fixed Equipment and Infrastructure | 57 | 4 | 14 | Borderline |
| Lighting Quality Natural Lighting | 87 89 | 3 | 18 18 | Satisfactory |
| Acoustics | 75 | 3 | 18 | Satisfactory Satisfactory |
| Air Quality and Temperature | 68 | 3 | 13 | Borderline |
| Support and Admin | F0 | 2 | 12 | Dandadina |
| Meets Size Requirements Internal Organization and Ancillary Spaces | 50 58 | 5 | 12 15 | Borderline Borderline |
| Loose Furnishings | 100 | 5 | 25 | Excellent |
| Fixed Equipment and Infrastructure | 60 | 5 | 15 | Borderline |
| Lighting Quality Natural Lighting | 100 100 | 3 | 24 | Excellent Excellent |
| Acoustics | 100 | 5 | 25 | Excellent |
| Air Quality and Temperature | 100 | 4 | 24 | Excellent |
| Shared Spaces Meets Size Requirements | 74 | 2 | 17 | Satisfactory |
| Internal Organization and Ancillary Spaces | 77 | 4 | 17 | Satisfactory |
| Loose Furnishings | 86 | 4 | 19 | Satisfactory |
| Fixed Equipment and Infrastructure Lighting Quality | 51 79 | 4 | 14 18 | Borderline Satisfactory |
| Natural Lighting | 79 84 | 3 | 18 18 | Satisfactory Satisfactory |
| Acoustics | 85 | 3 | 18 | Satisfactory |
| Air Quality and Temperature | 63 | 3 | 13 | Borderline |
| Average: Instructional and Support Spaces | 75 | | | Satisfactory |
| | 4.0: Utilization Unweighted | | | |
| Section 4 : Utilization | Points | Tier | Priority | Rating Category |
| A Core Classrooms (Capacity Drivers) B Specialty Classrooms (Core A) | 98 296 | 2 | 17 3 | Satisfactory Very Inadequate |
| C Shared Spaces (Core B) | 146 | 3 | 3 | Very Inadequate |
| | 19 | | | Very Inadequate |

3

4

Excellent

Borderline

| Appraisal Summary for : | Douglas Mad | Arthur | | |
|--|--------------------------|--------|----------|------------------------------------|
| Summary | Unweighted Points | Tier | Priority | Rating Category |
| 1.0 School Site | 84 | | | Satisfactory |
| 2.0 Building Assessment | 58 | | | Borderline |
| 3.0 Instructional and Support Spaces | 63 | | | Borderline |
| 4.0: Utilization Average | 68 | | | Very Inadequate Borderline |
| | - | | | borderinie |
| | 0 School Site Unweighted | | | |
| Section 1 | Points | Tier | Priority | Rating Category |
| A Site Circulation. B Play areas / fields | 68 100 | 3 | 14 23 | Borderline Excellent |
| Average : School Site | 84 | | | Satisfactory |
| 2.0 Bu | uilding Assessment | | | |
| Section 2 | Unweighted Points | Tier | Priority | Rating Category |
| A Building Organization | 75 | 4 | 19 | Satisfactory |
| B Technology and Supporting Infrastructure | 50 | 4 | 14 | Borderline |
| C Accessibility | 50 | 4 | 14 | Borderline |
| Average : Building Assessment | 58 | | | Borderline |
| 3.0 Instructi | onal and Support S | paces | | |
| Section 3 | Unweighted Points | Tier | Priority | Rating Category |
| Core Classrooms Meets Size Requirements | 48 | 2 | 7 | Inadequate |
| Internal Organization and Ancillary Spaces | 72 | 4 | 19 | Satisfactory |
| Loose Furnishings Fixed Equipment and Infrastructure | 69 81 | 4 | 14 19 | Borderline Satisfactory |
| Lighting Quality | 69 | 3 | 13 | Borderline |
| Natural Lighting | 82 | 3 | 18 | Satisfactory |
| Acoustics Air Quality and Temperature | 93 65 | 3 | 23 13 | Excellent Borderline |
| Specialty Classrooms | 03 | 3 | 15 | Borderinie |
| Meets Size Requirements | 30 | 2 | 7 | Inadequate |
| Internal Organization and Ancillary Spaces Loose Furnishings | 42 49 | 4 | 9 | Inadequate Inadequate |
| Fixed Equipment and Infrastructure | 39 | 4 | 9 | Inadequate |
| Lighting Quality | 53 | 3 | 13 | Borderline |
| Natural Lighting Acoustics | 36 76 | 3 | 8 18 | Inadequate Satisfactory |
| Air Quality and Temperature | 69 | 3 | 13 | Borderline |
| Support and Admin | 20 | 2 | 2 | Vomelyadamiata |
| Meets Size Requirements Internal Organization and Ancillary Spaces | 20 26 | 5 | 2 5 | Very Inadequate Very Inadequate |
| Loose Furnishings | 100 | 5 | 25 | Excellent |
| Fixed Equipment and Infrastructure Lighting Quality | 20 | 5 | 5 | Very Inadequate |
| Natural Lighting | 20 | 3 | 14 3 | Borderline Very Inadequate |
| Acoustics | 100 | 5 | 25 | Excellent |
| Air Quality and Temperature Shared Spaces | 100 | 4 | 24 | Excellent |
| Meets Size Requirements | 36 | 2 | 7 | Inadequate |
| Internal Organization and Ancillary Spaces | 79 | 4 | 19 | Satisfactory |
| Loose Furnishings Fixed Equipment and Infrastructure | 90 69 | 4 | 24 14 | Excellent Borderline |
| Lighting Quality | 76 | 3 | 18 | Satisfactory |
| Natural Lighting | 74 | 3 | 18 | Satisfactory |
| Acoustics Air Quality and Temperature | 87 72 | 3 | 18 18 | Satisfactory Satisfactory |
| Average: Instructional and Support Spaces | 63 | 3 | 10 | Borderline |
| <u>4</u> | .0: Utilization | | | |
| Section 4 : Utilization | Unweighted Points | Tier | Priority | Rating Category |
| A Core Classrooms (Capacity Drivers) | 69 | 2 | 2 | Very Inadequate |
| B Specialty Classrooms (Core A) | 78 | 3 | 8 | Inadequate |
| C Shared Spaces (Core B) | 57 | 3 | 3 | Very Inadequate |
| Average : Utilization | 68 | | | Very Inadequate |

3

4

Excellent

Borderline

| Appraisal Summary | for: Francis C. Ha | mmond | | |
|---|--|--|---|---|
| ummary | Unweighted Points | Tier | Priority | Rating Category |
| 1.0 School Site | 81 | | | Satisfactory |
| 2.0 Building Assessment | 33 | | | Inadequate |
| 3.0 Instructional and Support Spaces 4.0: Utilization | 68 66 | | | Borderline Very Inadequate |
| verage | 62 | | | Borderline |
| | | | | |
| | 1.0 School Site Unweighted | | | |
| ection 1 | Points | Tier | Priority | Rating Category |
| Site Circulation. | 74 | 4 | 19 | Satisfactory |
| Play areas / fields | 88 | 3 | 18 | Satisfactory |
| verage : School Site | 81 | | | Satisfactory |
| <u>2.</u> | 0 Building Assessment | | | |
| ection 2 | Unweighted Points | Tier | Priority | Rating Category |
| Building Organization | 35 | 4 | 9 | Inadequate |
| Technology and Supporting Infrastructure | 43 | 4 | 9 | Inadequate |
| Accessibility verage : Building Assessment | 20 | 4 | 4 | Very Inadequate |
| 3.0 Instr | uctional and Support S | <u>Spaces</u> | | |
| | Unweighted Points | <u>Spaces</u> Tier | Priority | Rating Category |
| ection 3 ore Classrooms | Unweighted Points | Tier | | |
| ore Classrooms Meets Size Requirements | Unweighted Points | Tier 2 | 7 | Inadequate |
| ection 3 ore Classrooms | Unweighted Points | Tier | | |
| Pore Classrooms Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure | Unweighted Points 32 62 68 56 | Tier 2 4 | 7 14 14 14 | Inadequate Borderline |
| Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality | Unweighted Points 32 62 68 56 85 | 2 4 4 4 3 3 | 7 14 14 14 14 | Inadequate Borderline Borderline Borderline Satisfactory |
| Pre Classrooms Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting | 32 62 68 56 85 95 | 2 4 4 4 3 3 3 | 7 14 14 14 14 18 23 | Inadequate Borderline Borderline Borderline Satisfactory Excellent |
| Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality | Unweighted Points 32 62 68 56 85 | 2 4 4 4 3 3 | 7 14 14 14 14 | Inadequate Borderline Borderline Borderline Satisfactory |
| Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature | 32 62 68 56 85 95 88 64 | Tier 2 4 4 3 3 3 3 3 | 7 14 14 14 18 23 18 13 | Inadequate Borderline Borderline Borderline Satisfactory Excellent Satisfactory Borderline |
| Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature Internal Organization and Ancillary Spaces Meets Size Requirements | 32 62 68 56 85 95 88 64 | Tier 2 4 4 4 3 3 3 3 2 | 7 14 14 14 18 23 18 13 | Inadequate Borderline Borderline Borderline Satisfactory Excellent Satisfactory Borderline Inadequate |
| Pre Classrooms Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature Internal Organization and Ancillary Spaces | 32 62 68 56 85 95 88 64 | Tier 2 4 4 3 3 3 3 3 | 7 14 14 14 18 23 18 13 | Inadequate Borderline Borderline Borderline Satisfactory Excellent Satisfactory Borderline |
| Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature mared Spaces Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure | 32 62 68 56 85 95 88 64 | Tier 2 4 4 3 3 3 3 2 4 | 7 14 14 14 18 23 18 13 | Inadequate Borderline Borderline Sorderline Satisfactory Excellent Satisfactory Borderline Inadequate Borderline |
| Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature Mared Spaces Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality | Unweighted Points 32 62 68 56 85 95 88 64 35 63 66 49 89 | Tier 2 4 4 4 3 3 3 3 2 4 4 4 4 3 | 7 14 14 14 18 23 18 13 7 14 14 9 18 | Inadequate Borderline Borderline Satisfactory Excellent Satisfactory Borderline Inadequate Borderline Inadequate Satisfactory |
| Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature mared Spaces Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting | 32 62 68 56 85 95 88 64 35 63 66 49 89 90 | Tier 2 4 4 4 3 3 3 3 4 4 4 4 3 3 3 3 | 7 14 14 18 23 18 13 7 14 14 9 18 23 | Inadequate Borderline Borderline Sorderline Satisfactory Excellent Satisfactory Borderline Inadequate Borderline Inadequate Satisfactory Excellent Satisfactory |
| Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature Mared Spaces Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality | Unweighted Points 32 62 68 56 85 95 88 64 35 63 66 49 89 | Tier 2 4 4 4 3 3 3 3 2 4 4 4 4 3 | 7 14 14 14 18 23 18 13 7 14 14 9 18 | Inadequate Borderline Borderline Satisfactory Excellent Satisfactory Borderline Inadequate Borderline Inadequate Satisfactory |
| Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature Mared Spaces Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature | 32 62 68 56 85 95 88 64 35 63 66 49 89 90 85 | Tier 2 4 4 3 3 3 3 4 4 4 4 3 3 3 3 3 3 | 7 14 14 14 18 23 18 13 7 14 14 9 18 23 18 | Inadequate Borderline Borderline Satisfactory Excellent Satisfactory Borderline Inadequate Borderline Inadequate Satisfactory Excellent Satisfactory Satisfactory Satisfactory Excellent Satisfactory |
| Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature Mared Spaces Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature | ### Company of Company | Tier 2 4 4 3 3 3 3 4 4 4 4 3 3 3 3 3 3 | 7 14 14 14 18 23 18 13 7 14 14 9 18 23 18 | Inadequate Borderline Borderline Satisfactory Excellent Satisfactory Borderline Inadequate Borderline Inadequate Satisfactory Excellent Satisfactory Borderline Inadequate Satisfactory Excellent Satisfactory Borderline |
| Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature Mared Spaces Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature verage: Instructional and Support Spaces | 32 62 68 56 85 95 88 64 64 35 63 66 49 89 90 85 66 68 68 4.0: Utilization | Tier 2 4 4 3 3 3 3 4 4 4 4 3 3 3 3 3 3 | 7 14 14 14 18 23 18 13 7 14 14 9 18 23 18 | Inadequate Borderline Borderline Satisfactory Excellent Satisfactory Borderline Inadequate Borderline Inadequate Satisfactory Excellent Satisfactory Borderline Inadequate Satisfactory Excellent Satisfactory Borderline |
| ore Classrooms Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature hared Spaces Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature verage: Instructional and Support Spaces ection 4: Utilization Core Classrooms (Capacity Drivers) | 32 62 68 56 85 95 88 64 | Tier 2 4 4 3 3 3 3 2 4 4 4 3 3 3 3 3 3 3 3 | 7 14 14 18 23 18 13 7 14 14 9 18 23 18 13 | Inadequate Borderline Borderline Satisfactory Excellent Satisfactory Borderline Inadequate Borderline Inadequate Satisfactory Excellent Satisfactory Excellent Satisfactory Excellent Satisfactory Excellent Satisfactory Very Inadequate |
| Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature hared Spaces Meets Size Requirements Internal Organization and Ancillary Spaces Loose Furnishings Fixed Equipment and Infrastructure Lighting Quality Natural Lighting Acoustics Air Quality and Temperature verage: Instructional and Support Spaces | 32 62 68 56 85 95 88 64 64 89 90 85 66 68 68 40: Utilization Unweighted Points | Tier 2 4 4 4 3 3 3 3 3 4 4 4 4 3 3 3 3 3 Tier | 7 14 14 14 18 23 18 13 7 14 14 9 18 23 18 13 | Inadequate Borderline Borderline Satisfactory Excellent Satisfactory Borderline Inadequate Borderline Inadequate Satisfactory Excellent Satisfactory Excellent Satisfactory Excellent Satisfactory Excellent Satisfactory Borderline Borderline Rating Category |

| Appraisal Summary for : | George M | <u>ason</u> | | |
|--|--------------------------|--------------|----------|-----------------------------|
| Summary | Unweighted Points | Tier | Priority | Rating Category |
| 1.0 School Site | 64 | | | Borderline |
| 2.0 Building Assessment | 57 | | | Borderline |
| 3.0 Instructional and Support Spaces 4.0: Utilization | 63 73 | | | Borderline Inadequate |
| Average | 64 | | | Borderline |
| | | | | |
| <u>1</u> | 0 School Site Unweighted | | | |
| Section 1 | Points | Tier | Priority | Rating Category |
| A Site Circulation. B Play areas / fields | 52 75 | 3 | 14 18 | Borderline Satisfactory |
| Average : School Site | 64 | | | Borderline |
| 2.0 Bu | uilding Assessment | | | |
| Section 2 | Unweighted Points | Tier | Priority | Rating Category |
| A Building Organization | 28 | 4 | 4 | Very Inadequate |
| B Technology and Supporting Infrastructure | 43 | 4 | 9 | Inadequate |
| C Accessibility Average : Building Assessment | 100 57 | 4 | 24 | Excellent Borderline |
| | | | | |
| 3.0 Instructi | onal and Support S | <u>paces</u> | | |
| Section 3 | Unweighted Points | Tier | Priority | Rating Category |
| Core Classrooms Meets Size Requirements | 45 | 2 | 7 | Inadequate |
| Internal Organization and Ancillary Spaces | 70 | 4 | 19 | Satisfactory |
| Loose Furnishings | 70 | 4 | 19 | Satisfactory |
| Fixed Equipment and Infrastructure Lighting Quality | 76 78 | 3 | 19 18 | Satisfactory Satisfactory |
| Natural Lighting | 97 | 3 | 23 | Excellent |
| Acoustics | 68 | 3 | 13 | Borderline |
| Air Quality and Temperature Specialty Classrooms | 75 | 3 | 18 | Satisfactory |
| Meets Size Requirements | 64 | 2 | 12 | Borderline |
| Internal Organization and Ancillary Spaces Loose Furnishings | 53 47 | 4 | 14 9 | Borderline Inadequate |
| Fixed Equipment and Infrastructure | 54 | 4 | 14 | Borderline |
| Lighting Quality | 61 | 3 | 13 | Borderline |
| Natural Lighting Acoustics | 64 87 | 3 | 13 18 | Borderline Satisfactory |
| Air Quality and Temperature | 72 | 3 | 18 | Satisfactory |
| Support and Admin | | | = | |
| Meets Size Requirements Internal Organization and Ancillary Spaces | 20 68 | 5 | 2 15 | Very Inadequate Borderline |
| Loose Furnishings | 40 | 5 | 10 | Inadequate |
| Fixed Equipment and Infrastructure | 90 | 5 | 25 | Excellent |
| Lighting Quality Natural Lighting | 35 20 | 3 | 3 | Inadequate Very Inadequate |
| Acoustics | 100 | 5 | 25 | Excellent |
| Air Quality and Temperature | 50 | 4 | 14 | Borderline |
| Shared Spaces Meets Size Requirements | 43 | 2 | 7 | Inadequate |
| Internal Organization and Ancillary Spaces | 55 | 4 | 14 | Borderline |
| Loose Furnishings | 63 | 4 | 14 | Borderline |
| Fixed Equipment and Infrastructure Lighting Quality | 45 65 | 3 | 9 13 | Inadequate Borderline |
| Natural Lighting | 87 | 3 | 18 | Satisfactory |
| Acoustics | 63 | 3 | 13 | Borderline |
| Air Quality and Temperature Average: Instructional and Support Spaces | 63 | 3 | 18 | Satisfactory Borderline |
| | I.O: Utilization | | | |
| Section 4 : Utilization | Unweighted | Tier | Priority | Rating Category |
| A Core Classrooms (Capacity Drivers) | Points 50 | 2 | 2 | Very Inadequate |
| B Specialty Classrooms (Core A) | 99 | 3 | 18 | Satisfactory |
| C Shared Spaces (Core B) | 69 | 3 | 3 | Very Inadequate |
| Average : Utilization | 73 | | | Inadequate |

3

4

Excellent

Borderline

| Appraisal Summary f | or: George Was | hington | | |
|--|-----------------------|---------|----------|-------------------------------|
| ummary | Unweighted Points | Tier | Priority | Rating Category |
| 1.0 School Site | 82 | | | Satisfactory |
| 2.0 Building Assessment | 66 | | | Borderline |
| 3.0 Instructional and Support Spaces 4.0: Utilization | 70 50 | | | Satisfactory Very Inadequate |
| verage | 67 | | | Borderline |
| | 1.0 School Site | | | |
| ction 1 | Unweighted Points | Tier | Priority | Rating Category |
| Site Circulation. | 64 | 4 | 14 | Borderline |
| Play areas / fields | 100 | 3 | 23 | Excellent |
| erage : School Site | 82 | | | Satisfactory |
| <u>2.0</u> |) Building Assessment | | | |
| ction 2 | Unweighted Points | Tier | Priority | Rating Category |
| Building Organization | 48 | 4 | 9 | Inadequate |
| Technology and Supporting Infrastructure | 50 | 4 | 14 | Borderline |
| Accessibility | 100 | 4 | 24 | Excellent |
| erage : Building Assessment | 66 | | | Borderline |
| ection 3 | Unweighted Points | Tier | Priority | Rating Category |
| re Classrooms Meets Size Requirements | 34 | 2 | 7 | Inadequate |
| Internal Organization and Ancillary Spaces | 65 | 4 | 14 | Borderline |
| Loose Furnishings | 64 | 4 | 14 | Borderline |
| Fixed Equipment and Infrastructure | 48 | 4 | 9 | Inadequate |
| Lighting Quality | 99 | 3 | 23 | Excellent Excellent |
| Natural Lighting Acoustics | 99 84 | 3 | 23 18 | Satisfactory |
| Air Quality and Temperature | 75 | 3 | 18 | Satisfactory |
| ared Spaces | | | | |
| Meets Size Requirements Internal Organization and Ancillary Spaces | 50 65 | 2 4 | 12 14 | Borderline Borderline |
| Loose Furnishings | 51 | 4 | 14 | Borderline |
| Fixed Equipment and Infrastructure | 45 | 4 | 9 | Inadequate |
| Lighting Quality | 94 | 3 | 23 | Excellent |
| Natural Lighting Acoustics | 93 85 | 3 | 23 18 | Excellent Satisfactory |
| Air Quality and Temperature | 69 | 3 | 13 | Borderline |
| erage: Instructional and Support Spaces | 70 | | | Satisfactory |
| | 4.0: Utilization | | | |
| ction 4 : Utilization | Unweighted Points | Tier | Priority | Rating Category |
| Core Classrooms (Capacity Drivers) | Points 69 | 2 | 2 | Very Inadequate |
| Specialty Classrooms (Core A) | | 3 | FALSE | Not Rated |
| | 169 | 3 | 3 | Very Inadequate |
| Shared Spaces (Core B) | 169 | 3 | 3 | very madequate |

| Key | | | | |
|-----|-----------------|--|--|--|
| 1 | Excellent | | | |
| 2 | Satisfactory | | | |
| 3 | Borderline | | | |
| 4 | Inadequate | | | |
| 5 | Very Inadequate | | | |

| Appraisal Summary for | : James K. | <u>Polk</u> | | |
|---|----------------------|-------------|----------------|------------------------------|
| Summary | Unweighted | Tier | Priority | Rating Category |
| Summary | Points | Her | Priority | Rating Category |
| 1.0 School Site | 89 | | | Satisfactory |
| 2.0 Building Assessment | 70 | | | Satisfactory |
| 3.0 Instructional and Support Spaces 4.0: Utilization | 73 68 | | | Satisfactory Very Inadequate |
| Average | 75 | | | Satisfactory |
| | | | | |
| Section 1 | Unweighted | Tier | Priority | Rating Category |
| | Points | | | |
| A Site Circulation. B Play areas / fields | 90 88 | 3 | 24 18 | Excellent Satisfactory |
| Average : School Site | 89 | | | Satisfactory |
| 2.0 Bi | uilding Assessment | | | |
| Section 2 | Unweighted | Tier | Priority | Rating Category |
| | Points | | • | |
| A Building Organization B Technology and Supporting Infrastructure | 68 43 | 4 | 14 9 | Borderline Inadequate |
| C Accessibility | 100 | 4 | 24 | Excellent |
| Average : Building Assessment | 70 | | | Satisfactory |
| 3.0 Instructi | ional and Support S | paces | | |
| Section 3 | Unweighted | Tier | Priority | Rating Category |
| Core Classrooms | Points | | | |
| Meets Size Requirements | 42 | 2 | 7 | Inadequate |
| Internal Organization and Ancillary Spaces | 72 | 4 | 19 | Satisfactory |
| Loose Furnishings Fixed Equipment and Infrastructure | 85 74 | 4 | 19 19 | Satisfactory Satisfactory |
| Lighting Quality | 99 | 3 | 23 | Excellent |
| Natural Lighting | 91 | 3 | 2 3 | Excellent |
| Acoustics | 94 | 3 | 23 | Excellent |
| Air Quality and Temperature Specialty Classrooms | 67 | 3 | 13 | Borderline |
| Meets Size Requirements | 47 | 2 | 7 | Inadequate |
| Internal Organization and Ancillary Spaces | 70 | 4 | 19 | Satisfactory |
| Loose Furnishings Fixed Equipment and Infrastructure | 74 63 | 4 | 19 14 | Satisfactory Borderline |
| Lighting Quality | 91 | 3 | 23 | Excellent |
| Natural Lighting | 65 | 3 | 13 | Borderline |
| Acoustics | 85 | 3 | 18 | Satisfactory |
| Air Quality and Temperature Support and Admin | 72 | 3 | 18 | Satisfactory |
| Meets Size Requirements | | 2 | FALSE | ERROR |
| Internal Organization and Ancillary Spaces | | 5 | FALSE | ERROR |
| Loose Furnishings Fixed Equipment and Infrastructure | | 5 5 | FALSE FALSE | ERROR ERROR |
| Lighting Quality | | 4 | FALSE | ERROR |
| Natural Lighting | | 3 | FALSE | ERROR |
| Acoustics Air Quality and Temperature | | 5 4 | FALSE FALSE | ERROR ERROR |
| Shared Spaces | | 7 | 1 ALJL | ERROR |
| Meets Size Requirements | 58 | 2 | 12 | Borderline |
| Internal Organization and Ancillary Spaces | 65 79 | 4 | 14 10 | Borderline Satisfactory |
| Loose Furnishings Fixed Equipment and Infrastructure | 78 59 | 4 | 19 14 | Satisfactory Borderline |
| Lighting Quality | 80 | 3 | 18 | Satisfactory |
| Natural Lighting | 48 | 3 | 8 | Inadequate |
| Acoustics Air Quality and Temperature | 94 82 | 3 | 23 18 | Excellent Satisfactory |
| Average: Instructional and Support Spaces | 73 | | | Satisfactory |
| 4 | 1.0: Utilization | | | |
| Section 4 : Utilization | Unweighted Points | Tier | Priority | Rating Category |
| A Core Classrooms (Capacity Drivers) | 68 | 2 | 2 | Very Inadequate |
| B Specialty Classrooms (Core A) | 68 | 3 | 3 | Very Inadequate |
| C Shared Spaces (Core B) | 67 | 3 | 3 | Very Inadequate |
| Average : Utilization | 68 | | | Very Inadequate |

Key

3

4

Excellent

Borderline

| Appraisal Summary for | <u>John Adams</u> | | | |
|--|-------------------------------|--------|------------|------------------------------|
| Summary | Unweighted | Tier | Priority | Rating Category |
| | Points | | | |
| 1.0 School Site | 100 | | | Excellent |
| 2.0 Building Assessment 3.0 Instructional and Support Spaces | 72 74 | | | Satisfactory Satisfactory |
| 4.0: Utilization | 85 | | | Borderline |
| Average | 83 | | | Satisfactory |
| <u> </u> | 1.0 School Site | | | |
| Section 1 | Unweighted Points | Tier | Priority | Rating Category |
| A Site Circulation. | 100 | 4 | 24 | Excellent |
| B Play areas / fields Average : School Site | 100 | 3 | 23 | Excellent Excellent |
| | | | | |
| | uilding Assessment Unweighted | Tion | Duiouitu | Dating Catagony |
| Section 2 | Points | Tier | Priority | Rating Category |
| A Building Organization B Technology and Supporting Infrastructure | 80 35 | 4 | 19 9 | Satisfactory Inadequate |
| B Technology and Supporting Infrastructure C Accessibility | 100 | 4 | 24 | Excellent |
| Average : Building Assessment | 72 | | | Satisfactory |
| 3.0 Instructi | ional and Support S | paces | | |
| Section 3 | Unweighted | Tier | Priority | Rating Category |
| | Points | rici | Thomey | Rating Category |
| Core Classrooms Meets Size Requirements | 28 | 2 | 2 | Very Inadequate |
| Internal Organization and Ancillary Spaces | 66 | 4 | 14 | Borderline |
| Loose Furnishings | 74 | 4 | 19 | Satisfactory |
| Fixed Equipment and Infrastructure Lighting Quality | 67 81 | 3 | 14 18 | Borderline Satisfactory |
| Natural Lighting | 95 | 3 | 23 | Excellent |
| Acoustics | 95 | 3 | 23 | Excellent |
| Air Quality and Temperature Specialty Classrooms | 91 | 3 | 23 | Excellent |
| Meets Size Requirements | 51 | 2 | 12 | Borderline |
| Internal Organization and Ancillary Spaces | 61 | 4 | 14 | Borderline |
| Loose Furnishings Fixed Equipment and Infrastructure | 58 49 | 4 | 14 9 | Borderline Inadequate |
| Lighting Quality | 70 | 3 | 18 | Satisfactory |
| Natural Lighting | 90 | 3 | 2 3 | Excellent |
| Acoustics | 90 | 3 | 23 | Excellent |
| Air Quality and Temperature Support and Admin | 96 | 3 | 23 | Excellent |
| Meets Size Requirements | 50 | 2 | 12 | Borderline |
| Internal Organization and Ancillary Spaces | 52 | 5 | 15 | Borderline |
| Loose Furnishings Fixed Equipment and Infrastructure | 50 60 | 5 5 | 15 15 | Borderline Borderline |
| Lighting Quality | 60 | 4 | 14 | Borderline |
| Natural Lighting | 100 | 3 | 23 | Excellent |
| Acoustics Air Quality and Temperature | 60 100 | 5 | 15 24 | Borderline Excellent |
| Shared Spaces | 100 | 4 | 24 | Excellent |
| Meets Size Requirements | 81 | 2 | 17 | Satisfactory |
| Internal Organization and Ancillary Spaces | 80 | 4 | 19 | Satisfactory |
| Loose Furnishings Fixed Equipment and Infrastructure | 78 51 | 4 | 19 14 | Satisfactory Borderline |
| Lighting Quality | 95 | 3 | 23 | Excellent |
| Natural Lighting | 100 | 3 | 23 | Excellent |
| Acoustics Air Quality and Temperature | 97 85 | 3 | 23 18 | Excellent |
| Air Quality and Temperature Average: Instructional and Support Spaces | 74 | 3 | 18 | Satisfactory Satisfactory |
| | 1.0: Utilization | | | |
| Section 4 : Utilization | Unweighted | Tier | Priority | Rating Category |
| A Core Classrooms (Capacity Drivers) | Points 82 | 2 | 12 | Borderline |
| B Specialty Classrooms (Core A) | 123 | 3 | 3 | Very Inadequate |
| C Shared Spaces (Core B) | 98 | 3 | 18 | Satisfactory |
| Average : Utilization | 85 | | | Borderline |

| Appraisal Summary fo | : <u>Lyles-Crouch</u> | | | |
|--|---------------------------------|----------|----------|------------------------------|
| ummary | Unweighted | Tier | Priority | Rating Category |
| | Points | | , | |
| 1.0 School Site 2.0 Building Assessment | 49 61 | | | Inadequate Borderline |
| 3.0 Instructional and Support Spaces | 71 | | | Satisfactory |
| 4.0: Utilization | 84 | | | Borderline |
| verage | 66 | | | Borderline |
| | 1.0 School Site | | | |
| ection 1 | Unweighted Points | Tier | Priority | Rating Category |
| Site Circulation. | 42 | 4 | 9 | Inadequate |
| Play areas / fields | 55 | 3 | 13 | Borderline |
| Average : School Site | 49 | | | Inadequate |
| | Building Assessment Unweighted | | | |
| ection 2 | Points | Tier | Priority | Rating Category |
| Building Organization Technology and Supporting Infrastructure | 40 43 | 4 | 9 | Inadequate Inadequate |
| Accessibility Average: Building Assessment | 100 61 | 4 | 24 | Excellent Borderline |
| verage : Building Assessment | 61 | | | Borderline |
| 3.0 Instruc | ctional and Support S | Spaces . | | |
| ection 3 | Unweighted Points | Tier | Priority | Rating Category |
| ore Classrooms Moots Sizo Populiroments | 20 | 2 | 2 | Vorulnadowała |
| Meets Size Requirements Internal Organization and Ancillary Spaces | 63 | 4 | 14 | Very Inadequate Borderline |
| Loose Furnishings | 7 9 | 4 | 19 | Satisfactory |
| Fixed Equipment and Infrastructure | 77 | 4 | 19 | Satisfactory |
| Lighting Quality | 71 | 3 | 18 | Satisfactory |
| Natural Lighting Acoustics | 100 94 | 3 | 23 23 | Excellent Excellent |
| Air Quality and Temperature | 60 | 3 | 13 | Borderline |
| pecialty Classrooms | | | | |
| Meets Size Requirements | 36 | 2 | 7 | Inadequate |
| Internal Organization and Ancillary Spaces | 59 | 4 | 14 | Borderline |
| Loose Furnishings Fixed Equipment and Infrastructure | 65 52 | 4 | 14 14 | Borderline Borderline |
| Lighting Quality | 71 | 3 | 18 | Satisfactory |
| Natural Lighting | 84 | 3 | 18 | Satisfactory |
| Acoustics | 95 | 3 | 23 | Excellent |
| Air Quality and Temperature | 67 | 3 | 13 | Borderline |
| upport and Admin Meets Size Requirements | 20 | 2 | 2 | Very Inadequate |
| Internal Organization and Ancillary Spaces | 52 | 5 | 15 | Borderline |
| Loose Furnishings | 100 | 5 | 25 | Excellent |
| Fixed Equipment and Infrastructure | 100 | 5 | 25 | Excellent |
| Lighting Quality | 60 | 4 | 14 | Borderline |
| Natural Lighting Acoustics | 100 100 | 3 5 | 23 25 | Excellent Excellent |
| Air Quality and Temperature | 73 | 4 | 19 | Satisfactory |
| nared Spaces | | | | · |
| Meets Size Requirements | 42 | 2 | 7 | Inadequate |
| Internal Organization and Ancillary Spaces | 55 | 4 | 14 | Borderline |
| Loose Furnishings Fixed Equipment and Infrastructure | 81 59 | 4 | 19 14 | Satisfactory Borderline |
| Lighting Quality | 92 | 3 | 23 | Excellent |
| Natural Lighting | 90 | 3 | 23 | Excellent |
| Acoustics | 77 | 3 | 18 | Satisfactory |
| Air Quality and Temperature verage: Instructional and Support Spaces | 76 71 | 3 | 18 | Satisfactory Satisfactory |
| verager matractional and adphort apaces | | | | Satisfactory |
| ection 4 : Utilization | 4.0: Utilization Unweighted | Tier | Priority | Rating Category |
| Core Classrooms (Capacity Drivers) | Points 91 | 2 | 17 | Satisfactory |
| Specialty Classrooms (Core A) | 71 | 3 | 8 | Inadequate |
| Shared Spaces (Core B) | 91 | 3 | 18 | Satisfactory |
| verage : Utilization | 84 | | | Borderline |

3

4

Excellent

Borderline

| Appraisal Summary fo | or: Matthew N | Matthew Maury | | |
|---|------------------------------|---------------|-----------------|---------------------------------|
| Summary | Unweighted Points | Tier | Priority | Rating Category |
| 1.0 School Site | 52 | | | Borderline |
| 2.0 Building Assessment | 74 | | | Satisfactory |
| 3.0 Instructional and Support Spaces 4.0: Utilization | 72 72 | | | Satisfactory Inadequate |
| Average | 68 | | | Borderline |
| | <u> </u> | | | |
| Cartion 1 | 1.0 School Site Unweighted | T : | Dutantan | Dating Catanami |
| Section 1 A Site Circulation. | Points | Tier | Priority | Rating Category |
| A Site Circulation. B Play areas / fields | 36 68 | 3 | 13 | Inadequate Borderline |
| Average : School Site | 52 | | | Borderline |
| <u>2.0</u> | Building Assessment | | | |
| Section 2 | Unweighted Points | Tier | Priority | Rating Category |
| A Building Organization | 48 | 4 | 9 | Inadequate |
| B Technology and Supporting Infrastructure | 75 100 | 4 | 19 24 | Satisfactory Excellent |
| C Accessibility Average: Building Assessment | 74 | 4 | 24 | Satisfactory |
| 2 O Instru | ctional and Support S | naces | | |
| | Unweighted | | | |
| Section 3 | Points | Tier | Priority | Rating Category |
| Core Classrooms Meets Size Requirements | 28 | 2 | 2 | Very Inadequate |
| Internal Organization and Ancillary Spaces | 71 | 4 | 19 | Satisfactory |
| Loose Furnishings | 64 | 4 | 14 | Borderline |
| Fixed Equipment and Infrastructure Lighting Quality | 76 98 | 3 | 19 23 | Satisfactory Excellent |
| Natural Lighting | 89 | 3 | 18 | Satisfactory |
| Acoustics | 86 | 3 | 18 | Satisfactory |
| Air Quality and Temperature Specialty Classrooms | 70 | 3 | 18 | Satisfactory |
| Meets Size Requirements | 20 | 2 | 2 | Very Inadequate |
| Internal Organization and Ancillary Spaces Loose Furnishings | 54 62 | 4 | 14 | Borderline Borderline |
| Fixed Equipment and Infrastructure | 48 | 4 | 14 9 | Inadequate |
| Lighting Quality | 93 | 3 | 23 | Excellent |
| Natural Lighting Acoustics | 47 | 3 | 8 | Inadequate |
| Air Quality and Temperature | 87 78 | 3 | 18 18 | Satisfactory Satisfactory |
| Support and Admin | | | | , |
| Meets Size Requirements | 20 58 | 2 | 2 | Very Inadequate Borderline |
| Internal Organization and Ancillary Spaces Loose Furnishings | 75 | 5 5 | 15 20 | Satisfactory |
| Fixed Equipment and Infrastructure | 100 | 5 | 25 | Excellent |
| Lighting Quality | 100 | 4 | 24 | Excellent |
| Natural Lighting Acoustics | 100 100 | 3 5 | 23 25 | Excellent Excellent |
| Air Quality and Temperature | 73 | 4 | 19 | Satisfactory |
| Shared Spaces | | | 4- | |
| Meets Size Requirements Internal Organization and Ancillary Spaces | 80 77 | 2 4 | 17 19 | Satisfactory Satisfactory |
| Loose Furnishings | 79 | 4 | 19 | Satisfactory |
| Fixed Equipment and Infrastructure | 34 | 4 | 9 | Inadequate |
| Lighting Quality Natural Lighting | 70 80 | 3 | 18 18 | Satisfactory Satisfactory |
| Acoustics | 100 | 3 | 23 | Excellent |
| Air Quality and Temperature | 100 | 3 | 23 | Excellent |
| Average: Instructional and Support Spaces | | | | Satisfactory |
| | 4.0: Utilization Unweighted | | | |
| Section 4 : Utilization | Points | Tier | Priority | Rating Category |
| A Core Classrooms (Capacity Drivers) B Specialty Classrooms (Core A) | 69 68 | 3 | 3 | Very Inadequate Very Inadequate |
| C Shared Spaces (Core B) | 80 | 3 | 8 | Inadequate |
| Average : Utilization | 72 | | | Inadequate |

3

4

Excellent

Borderline

| Appraisal Summary for : | Mount Vernon | | | |
|--|---------------------------|--------|----------|----------------------------|
| Summary | Unweighted Points | Tier | Priority | Rating Category |
| 1.0 School Site | 56 | | | Borderline |
| 2.0 Building Assessment | 38 | | | Inadequate |
| 3.0 Instructional and Support Spaces 4.0: Utilization | 64 73 | | | Borderline Inadequate |
| Average | 58 | | | Borderline |
| | | | | |
| | .0 School Site Unweighted | | | |
| Section 1 | Points | Tier | Priority | Rating Category |
| A Site Circulation. B Play areas / fields | 36 7 5 | 3 | 9 18 | Inadequate Satisfactory |
| Average : School Site | 56 | | | Borderline |
| 2.0 Bu | ilding Assessment | | | |
| Section 2 | Unweighted Points | Tier | Priority | Rating Category |
| A Building Organization | 20 | 4 | 4 | Very Inadequate |
| B Technology and Supporting Infrastructure C Accessibility | 43 50 | 4 | 9 | Inadequate Borderline |
| C Accessibility Average : Building Assessment | 38 | 4 | 14 | Inadequate |
| 3.0 Instruction | onal and Support S | paces | | |
| | Unweighted | | | |
| Section 3 | Points | Tier | Priority | Rating Category |
| Core Classrooms Meets Size Requirements | 51 | 2 | 12 | Borderline |
| Internal Organization and Ancillary Spaces | 74 | 4 | 19 | Satisfactory |
| Loose Furnishings | 59 | 4 | 14 | Borderline |
| Fixed Equipment and Infrastructure Lighting Quality | 65 81 | 3 | 14 18 | Borderline Satisfactory |
| Natural Lighting | 92 | 3 | 23 | Excellent |
| Acoustics | 43 | 3 | 8 | Inadequate |
| Air Quality and Temperature Specialty Classrooms | 66 | 3 | 13 | Borderline |
| Meets Size Requirements | 20 | 2 | 2 | Very Inadequate |
| Internal Organization and Ancillary Spaces Loose Furnishings | 68 67 | 4 | 14 14 | Borderline Borderline |
| Fixed Equipment and Infrastructure | 69 | 4 | 14 | Borderline |
| Lighting Quality | 69 | 3 | 13 | Borderline |
| Natural Lighting | 73 | 3 | 18 | Satisfactory Borderline |
| Acoustics Air Quality and Temperature | 52 64 | 3 | 13 13 | Borderline |
| Support and Admin | | | | |
| Meets Size Requirements | 20 | 2 | 2 | Very Inadequate |
| Internal Organization and Ancillary Spaces Loose Furnishings | 80 75 | 5 5 | 20 20 | Satisfactory Satisfactory |
| Fixed Equipment and Infrastructure | 50 | 5 | 15 | Borderline |
| Lighting Quality | 60 | 4 | 14 | Borderline |
| Natural Lighting Acoustics | 50 100 | 3 5 | 13 25 | Borderline Excellent |
| Air Quality and Temperature | 83 | 4 | 19 | Satisfactory |
| Shared Spaces | | | | |
| Meets Size Requirements Internal Organization and Ancillary Spaces | 52 65 | 2 | 12 14 | Borderline Borderline |
| Loose Furnishings | 55 | 4 | 14 | Borderline |
| Fixed Equipment and Infrastructure | 57 | 4 | 14 | Borderline |
| Lighting Quality | 63 74 | 3 | 13 | Borderline Satisfactory |
| Natural Lighting Acoustics | 74 | 3 | 18 18 | Satisfactory Satisfactory |
| Air Quality and Temperature | 90 | 3 | 23 | Excellent |
| Average: Instructional and Support Spaces | 64 | | | Borderline |
| 4 | .0: Utilization | | | |
| | | | | |
| Section 4 : Utilization | Unweighted Points | Tier | Priority | Rating Category |
| Section 4 : Utilization A Core Classrooms (Capacity Drivers) | Points 85 | 2 | 12 | Borderline |
| Section 4 : Utilization | Points | | · · | |

3

4

Excellent

Borderline

| Appraisal Summary fo | or: Samuel W. | Samuel W. Tucker | | | |
|---|--------------------------------|------------------|----------------|-------------------------------|--|
| Summary | Unweighted Points | Tier | Priority | Rating Category | |
| 1.0 School Site | 85 | | | Satisfactory | |
| 2.0 Building Assessment 3.0 Instructional and Support Spaces | 77 77 | | | Satisfactory Satisfactory | |
| 4.0: Utilization | 30 | | | Very Inadequate | |
| Average | 67 | | | Borderline | |
| | 1.0 School Site | | | | |
| Section 1 | Unweighted Points | Tier | Priority | Rating Category | |
| A Site Circulation. | 90 | 4 | 24 | Excellent | |
| B Play areas / fields Average : School Site | 80 | 3 | 18 | Satisfactory Satisfactory | |
| | | | | Satisfactory | |
| | Building Assessment Unweighted | | B 1 - 11 | | |
| Section 2 | Points | Tier | Priority | Rating Category | |
| A Building Organization B Technology and Supporting Infrastructure | 75 55 | 4 | 19 14 | Satisfactory Borderline | |
| C Accessibility | 100 | 4 | 24 | Excellent | |
| Average : Building Assessment | 77 | | | Satisfactory | |
| 3.0 Instru | ctional and Support S | ipaces | | | |
| Section 3 | Unweighted Points | Tier | Priority | Rating Category | |
| Core Classrooms Meets Size Requirements | 50 | 2 | 12 | Borderline | |
| Internal Organization and Ancillary Spaces | 87 | 4 | 19 | Satisfactory | |
| Loose Furnishings | 83 | 4 | 19 | Satisfactory | |
| Fixed Equipment and Infrastructure Lighting Quality | 85 94 | 3 | 19 23 | Satisfactory Excellent | |
| Natural Lighting | 95 | 3 | 23 | Excellent | |
| Acoustics | 88 | 3 | 18 | Satisfactory | |
| Air Quality and Temperature Specialty Classrooms | 74 | 3 | 18 | Satisfactory | |
| Meets Size Requirements | 89 | 2 | 17 | Satisfactory | |
| Internal Organization and Ancillary Spaces | 68 | 4 | 14 | Borderline Borderline | |
| Loose Furnishings Fixed Equipment and Infrastructure | 61 54 | 4 | 14 14 | Borderline | |
| Lighting Quality | 84 | 3 | 18 | Satisfactory | |
| Natural Lighting | 76 | 3 | 18 | Satisfactory | |
| Acoustics Air Quality and Temperature | 93 7 0 | 3 | 23 18 | Excellent Satisfactory | |
| Support and Admin | | | | outionadio. y | |
| Meets Size Requirements | | 2 | FALSE | ERROR | |
| Internal Organization and Ancillary Spaces Loose Furnishings | | 5 5 | FALSE FALSE | ERROR ERROR | |
| Fixed Equipment and Infrastructure | | 5 | FALSE | ERROR | |
| Lighting Quality | | 4 | FALSE | ERROR | |
| Natural Lighting Acoustics | | <u>3</u> | FALSE FALSE | ERROR ERROR | |
| Air Quality and Temperature | | 4 | FALSE | ERROR | |
| Shared Spaces | | | | | |
| Meets Size Requirements Internal Organization and Ancillary Spaces | 68 94 | 2 4 | 12 24 | Borderline Excellent | |
| Loose Furnishings | 75 | 4 | 19 | Satisfactory | |
| Fixed Equipment and Infrastructure | 69 | 4 | 14 | Borderline | |
| Lighting Quality Natural Lighting | 87 48 | 3 | 18 8 | Satisfactory Inadequate | |
| Acoustics | 90 | 3 | 23 | Excellent | |
| Air Quality and Temperature | 60 | 3 | 13 | Borderline | |
| Average: Instructional and Support Spaces | 77 | | | Satisfactory | |
| | 4.0: Utilization Unweighted | | | | |
| Section 4 : Utilization | Points | Tier | Priority | Rating Category | |
| A Core Classrooms (Capacity Drivers) B Specialty Classrooms (Core A) | 75 271 | 3 | 7 3 | Inadequate Very Inadequate | |
| C Shared Spaces (Core B) | 87 | 3 | 13 | Borderline | |
| Average : Utilization | 30 | | | Very Inadequate | |

3

4

Excellent

Borderline

| Appraisal Summary for : | William Ramsay | | | | |
|--|-------------------------------|-------|----------|------------------------------|--|
| Summary | Unweighted Points | Tier | Priority | Rating Category | |
| 1.0 School Site | 65 | | | Borderline | |
| 2.0 Building Assessment | 37 | | | Inadequate | |
| 3.0 Instructional and Support Spaces 4.0: Utilization | 72 74 | | | Satisfactory Inadequate | |
| Average | 62 | | | Borderline | |
| | L.O School Site | | | | |
| Section 1 | Unweighted | Tier | Priority | Rating Category | |
| A Site Circulation. | Points 54 | 4 | 14 | Borderline | |
| B Play areas / fields Average : School Site | 75 65 | 3 | 18 | Satisfactory Borderline | |
| | | | | borderinie | |
| | uilding Assessment Unweighted | Tion | Deiovitu | Dating Catagory | |
| Section 2 | Points | Tier | Priority | Rating Category | |
| A Building Organization B Technology and Supporting Infrastructure | 55 35 | 4 | 14 9 | Borderline Inadequate | |
| C Accessibility | 20 | 4 | 4 | Very Inadequate | |
| Average : Building Assessment | 37 | | | Inadequate | |
| 3.0 Instructi | onal and Support S | paces | | | |
| Section 3 | Unweighted Points | Tier | Priority | Rating Category | |
| Core Classrooms Meets Size Requirements | 41 | 2 | 7 | Inadequate | |
| Internal Organization and Ancillary Spaces | 78 | 4 | 19 | Satisfactory | |
| Loose Furnishings Fixed Equipment and Infrastructure | 75 71 | 4 | 19 19 | Satisfactory | |
| Lighting Quality | 70 | 3 | 18 | Satisfactory Satisfactory | |
| Natural Lighting | 98 | 3 | 23 | Excellent | |
| Acoustics Air Quality and Temperature | 92 68 | 3 | 23 13 | Excellent Borderline | |
| Specialty Classrooms | UO | 3 | 13 | borderline | |
| Meets Size Requirements | 43 | 2 | 7 | Inadequate | |
| Internal Organization and Ancillary Spaces Loose Furnishings | 65 66 | 4 | 14 14 | Borderline Borderline | |
| Fixed Equipment and Infrastructure | 51 | 4 | 14 | Borderline | |
| Lighting Quality | 71 | 3 | 18 | Satisfactory | |
| Natural Lighting Acoustics | 77 100 | 3 | 18 23 | Satisfactory Excellent | |
| Air Quality and Temperature | 65 | 3 | 13 | Borderline | |
| support and Admin | 20 | • | • | | |
| Meets Size Requirements Internal Organization and Ancillary Spaces | 20 68 | 5 | 2 15 | Very Inadequate Borderline | |
| Loose Furnishings | 67 | 5 | 15 15 | Borderline | |
| Fixed Equipment and Infrastructure | 68 | 5 | 15 | Borderline | |
| Lighting Quality Natural Lighting | 100 20 | 3 | 3 | Excellent Very Inadequate | |
| Acoustics | 100 | 5 | 25 | Excellent | |
| Air Quality and Temperature | 67 | 4 | 14 | Borderline | |
| Shared Spaces Meets Size Requirements | 88 | 2 | 17 | Satisfactory | |
| Internal Organization and Ancillary Spaces | 87 | 4 | 19 | Satisfactory | |
| Loose Furnishings | 81 | 4 | 19 | Satisfactory | |
| Fixed Equipment and Infrastructure Lighting Quality | 72 85 | 3 | 19 18 | Satisfactory Satisfactory | |
| Natural Lighting | 63 | 3 | 13 | Borderline | |
| Acoustics | 95 | 3 | 23 | Excellent | |
| Air Quality and Temperature Average: Instructional and Support Spaces | 87 72 | 3 | 18 | Satisfactory Satisfactory | |
| | | | | | |
| Section 4 : Utilization | Unweighted | Tier | Priority | Rating Category | |
| A Core Classrooms (Capacity Drivers) | Points 72 | 2 | 7 | Inadequate | |
| | | 3 | 18 | Satisfactory | |
| B Specialty Classrooms (Core A) C Shared Spaces (Core B) | 90 58 | 3 | 3 | Very Inadequate | |

3

4

Excellent

Borderline

APPENDIX D-1 LONG TERM ENROLLMENT FORECAST DESCRIPTION

City of Alexandria
Department of Planning and Zoning
301 King Street, Room 2100
Alexandria, VA 22314


January 10, 2014

Long-Term School Enrollment Forecast

Draft for Enrollment and Forecasting Subcommittee Discussion

The long term enrollment forecast is actually a set of forecasts, one of which is recommended to guide education facilities planning over the long term. The forecasts also include two alternate scenarios based on different assumptions about economic conditions and families' responses to them over the long-range planning period through 2040. These alternate scenarios illustrate the sensitivity of the forecast to changes in basic assumptions.

The recommended forecast, shown below as a red line, has enrollment continuing to increase at a steady rate until 2020, after which growth will decelerate. Peak enrollment is forecast to occur in 2030 at approximately 18,650 students, a 40% increase over today's enrollment of 13,278 and almost double the enrollment of 2006. Enrollment is then expected to decline to about 17,400 students by 2040.



The recommended forecast assumes the current birth rate remains steady for the next five years before declining and that the rate of families with children moving from Alexandria, while remaining low, will increase to its previous long-term average over the next decades. This forecast closely matches the ACPS mid-term projection through its horizon year of 2023.

The two most significant inputs to the forecast are answers to the following questions:

- Will Alexandria birth rates, now on the rise, continue to increase? And if so, for how long? After holding steady for about a decade, Alexandria's birth rates began to rise in 2007 and have continued to rise. Alexandria's birth rate is much higher than that of the nation as a whole because we have a higher proportion of our population in the child-bearing age range. Even so, this local "baby boomlet" will eventually recede. Local and national demographic trends indicate that birth rates are likely to peak within the next five years and then retreat. Even after birth rates begin to decline, the number of actual births will remain fairly high even after the "boomlet" is officially over because the city will continue to have a high share of its population in the peak childbearing age group. The recommended forecast assumes birth rates will hold steady for the next five years and then decline to the pre-2007 average of 16.3 per 1000 population by 2028. After that, the birth rate will decline more slowly, in line with national averages.
- How many families with children will move out of Alexandria before entering or completing public school? The 2000-2006 housing bubble induced a historically high rate of out-migration of families with children from the City of Alexandria. Relatively cheap mortgages and less strict loan requirements encouraged Alexandria families with children to move out of the City to locations where single-family homes are more plentiful. The housing market correction in 2007 brought a sudden and dramatic conclusion to that out-migration with an immediate impact on school enrollment. While the housing market has improved somewhat, enrollment has continued to increase. Over the forecast period it is likely that some family out-migration will resume since Alexandria has a limited amount of housing for families, but the recommended forecast assumes that the rapid out-migration of the 2000-2007 period will not fully return because the financial conditions that prompted it will not return, and because it appears that families are placing a higher value on raising children in urban environments than they have in the past.

In order for enrollment to be lower than the recommended forecast, either the City's baby boomlet would have to end in the next 1-3 years and birth rates would have to decline at a faster pace than is assumed for the recommended forecast, or family out-migration would have to resume at an accelerated pace. The latest data show birth rates as rising (not falling) and do not show evidence of increasing family out-migration, so we have not yet seen evidence that such a change has begun.

An increase in the rate of family out-migration compared to the recommended forecast is the assumption that forms the basis of the Moderate Enrollment Growth Scenario, shown as the teal (or blue-green) dashed line below the recommended forecast. The Moderate Enrollment Growth Scenario peaks in 2030 at about 17,100 students and declines slowly to about 15,900 students by 2040.

The gray dashed line above the red recommended forecast is a high enrollment forecast that assumes Alexandria birth rates will continue to rise for the next five years, and that only a very slow increase in the rate of family out-migration will take place through 2040. All other inputs are the same as those of the recommended forecast. This scenario shows an enrollment peak of 20,600 in 2033 followed by slow decline to below 20,200 in 2040. Alexandria's birth rate has been increasing for the past five years and though the rate of increase has moderated, the rate has not yet started to decline. Continued growth is increasingly unlikely, given anticipated changes in the size and composition of the cohort of Alexandrians in the child-bearing age range.

The table on the following page summarizes the assumptions for key factors used to estimate future enrollment on which the various forecast scenarios are based. Additional work to refine the forecasts and to allocate forecasts to different geographic areas of the city will be undertaken in 2014.

City of Alexandria Department of Planning and Zoning

ACPS Projections, Long-Term Forecast and Alternate Scenarios Compared

| Forecast or Projection | Horizon Year | Population Growth Assumption | Birth Rate Assumption Births per 1000 People | Kindergarten Capture, Percent of Births 5 years Ago | Cohort Survival, Percent by Grade |
|---|-----------------------|---|--|---|--|
| ACPS Short- Term Projection | 6 years (2019) | Used to estimate enrollment from new development only | Projected trend in average number of births of 5-year and 8-year averages to 2014 | 3-year average (60.7%) | 3-year average by school by grade |
| ACPS Mid- Term Projection | 10 years (2023) | Used to estimate enrollment from new development only. | Projected trend in average number of births of 5-year and 8-year averages to 2018 | 3-year average (60.7%) | 3-year average by school by grade |
| | | | nate Scenarios. Not all scenarios : the scenario listed above it) | are illustrated. | |
| Sustained Growth, High Enrollment Growth | 2040 | Sustained Growth (COG Round 8.2). 2040 population 191,000 | 2012 birth rate increases 0.3/1000 per year for five years, stable 1 year, then declines at 0.3/1000 until 16.3/1000 is reached, then declines at rate national birth rate declines. | 60% falls to 58% gradually over forecast period | 3-year average by grade falls gradually by 1 percentage point over forecast period |
| Sustained Growth, Recommende d Enrollment Forecast | 2040 | Sustained Growth (COG Round 8.2). 2040 population 191,000 | 2012 birth rate steady for five years, then declines at 0.3/1000 until 16.3/1000 is reached, then declines at rate national birth rate declines. | 60% falls to 58% in 5 years, then gradually to 56% in 2040 | 3-year average by grade falls gradually by 1 percentage point over forecast period |
| Sustained Growth, Moderate Enrollment Growth | 2040 | Sustained Growth (COG Round 8.2). 2040 population 191,000 | 2012 birth rate steady for five years, then declines at 0.3/1000 until 16.3/1000 is reached, then declines at rate national birth rate declines. | 60% falls to 58% in two years, then falls gradually over forecast period to 56% in 2040 | 3-year average by grade falls by 2 percentage points in 2 years, then 2 percentage points gradually to 2040 |
| Sustained Growth, Low Enrollment Growth (not shown) | 2040 | Sustained Growth (COG Round 8.2). 2040 population 191,000 | 2012 birth rate falls now at 0.3/1000 each year until 16.3/1000 is reached, then declines at rate national birth rate declines. | 60% falls to 58% over two years, then falls gradually over forecast period to 56% in 2040 | 3-year average by grade falls by 2 percentage points in 2 years, then 2 percentage points gradually to 2040 |
| Weak Economy, Low Enrollment Growth (not shown) | 2040 | Weak Economy, 2040 population 177,000 | 2012 birth rate falls now at 0.3/1000 until 16.3/1000 is reached, then declines at rate national birth rate declines. | Falls to 58% over 5 years | Falls by 1 percentage point in each grade over 5 years |

Enrollment Forecast Assumptions Summary

The enrollment forecasts integrate:

- Short- and long-term demographic and economic trends shaping the City of Alexandria, the region, and to a limited extent, the nation, with
- The capacity for growth and change due to development and redevelopment.

The analysis of demographic and economic trends – particularly those that directly translate into changes in student enrollment – is used to make assumptions about the three key elements of any school enrollment forecasting model:

- Births: the number of births to mothers living in the City of Alexandria (regardless of the location of the birth event)
- Kindergarten capture rate: the number of enrolled ACPS kindergarteners as a percentage of the number of births five years earlier
- Cohort survival: the number of ACPS students in a grade level (for example: 1st grade) as a
 percentage of the number of students in the previous grade (in this example: kindergarten) a year
 earlier.

As a reality check on the enrollment forecast results, the enrollment forecast is compared to student generation from the expected future mix of housing types based on the city's long-term development forecast.

• Student generation: the number of ACPS students living in a particular housing unit type (for example: townhouses) divided by the number of housing units of that type in the City.

In order to incorporate all of the information gathered over the past year and to cross-check assumptions, staff looked at the forecasts from a number of different perspectives:

- A perspective based on forecast of the City's population growth, with demographic and economic factors informing birth rates and migration of families with children in and out of the City.
- A perspective based upon the expected change in the City's housing stock over time, with demographic and economic factors informing how student generation rates may change over time.
- A perspective for the mid-range based on the idea that we already know a lot about the next ten
 years because so many of the students who will be enrolled ten years from now are already living
 in Alexandria.
- A perspective based on the historic number of ACPS students per 1,000 people in the city, and by comparison, in surrounding jurisdictions.

In most cases, looking at enrollment from these different perspectives resulted in forecasts that were very similar. Where there were differences based upon reasonable assumptions, those differences were used to create the high and low scenarios in the recommended forecast.

The balance of this memorandum summarizes the key variables in the forecasts, the trends that inform them, and how they were used in the enrollment forecasts.

City of Alexandria Department of Planning and Zoning

Population

The City of Alexandria forecasts the City's population in five-year increments to 2040. These forecasts are done in coordination with the other jurisdictions in the region through the Metropolitan Washington Council of Governments (MWCOG) and, as in the other MWCOG jurisdictions, constitute the "official" population forecasts for the City.

The City's population forecast assumes that the Washington, D.C. metropolitan region, particularly inside the Beltway, will experience sustained growth over the forecast period, so that the city will continue to attract residents to existing housing and planned development projects. Under this forecast, population in the city is expected to continue to grow at a rate of approximately 1% per year, from a 2010 population of 140,000 to a 2040 population estimated at 191,000. This rate of growth continues the city's average growth rate experienced from 1980 to 2010.

Lower rates of population growth were studied but have not been included in the long-term forecast. The rate of population growth is much less likely to diverge from long-term trends than other factors, such as births and rates of out-migration.

Enrollment Forecasting Model.

Virtually all school demographers use the same basic process to model and forecast school enrollment. What are different from jurisdiction to jurisdiction are the inputs to the model. The enrollment model uses actual births in the city, estimates of what percentage of these births will appear as kindergarten students 5 years later, and estimates of how many of these students will proceed through each grade of school to graduation. Among the reasons this model is the standard for forecasting:


- The model reflects the process by which students enter the population, enroll in school, and proceed through the grades.
- For these inputs (births, kindergarten capture, and cohort survival), we have timely and very
 precise data with a long historical record.

While economic and demographic factors do affect each of the primary enrollment inputs, in general data on these factors is much less precise at the city scale, data is not as timely, and these factors affect enrollment indirectly. For example, the 2000s housing price bubble and the housing finance crisis certainly affected enrollment over the past decade. However, it would be difficult if not impossible to develop an accurate enrollment forecasting model that uses housing market indicators as explicit inputs since the local housing market is affected by many factors, not all of which are easily tracked.

5

Births and Birth Rate

The figure below shows the birth rate per 1,000 people in Alexandria since 1975. Data have been corrected to include births that occurred to Alexandria mothers but not births to mothers living in the "Alexandria" portion of Fairfax County or elsewhere, or births that took place in Alexandria to mothers who live elsewhere.



This graph shows that the birth rate per 1000 people in the city has been slowly increasing since 1975, with a significant recent increase starting in 2007. In 2006, the birth rate was 15.7 per 1,000 people; since then it has increased by 3.4 per 1,000 people to 19.1 per 1,000 people. Alexandria's birth rate per 1,000 people is substantially higher than the U.S. national average, primarily because the city has an unusually high percentage of its population in the 25-39 year age group, the age group with the highest rate of births.

The increase of more than 3 per 1000 population reflects a combination of factors. Two of the most important are the significant in-migration for employment and the significant increase in the Hispanic population of Alexandria in the 2000s. Many of the young people attracted to the Washington region for employment have aged into the prime family-forming years, resulting in a local "baby boom" that is reflected in increased enrollments in many school districts in the region. The Hispanic population nationally has the highest birth rate of any major racial or ethnic group, and the decade of the 2000s saw Alexandria's Hispanic population increase by 19%, twice as fast as the population as a whole. The share of Hispanic students in APCS schools has grown by 29% since 2000 to almost one-third of the total enrollment, according to the Virginia Department of Education.

City of Alexandria Department of Planning and Zoning

Birth Rate Forecast

In all forecast scenarios, birth rates are expected to peak and then decline over the long term for two reasons:

- The local "baby boom" is assumed not to continue indefinitely because job growth has moderated locally and local economies in other regions have recovered. The long-range forecast recommended as a planning guideline assumes that birth rates are at their peak, but that this rate will continue for approximately five years before declining. The high enrollment scenario assumes that the birth rate will continue to increase for five more years; the low enrollment scenario assumes that the birth rate is peaking now. In all cases, the peak is followed by a gradual decline to return to Alexandria's birth rate prior to the recent increases. This would mark the end of the "local baby boom."
- Once the local baby boom has ended, birth rates are expected to continue to decline at the same rate of decline as that of the national birth rate projection of the U.S. Census Bureau. This birth rate projection considers changes in race and ethnicity, changes in birth rates by race and ethnicity, in- and out-migration, and changes in the age distribution of population. The assumption is that these factors will affect Alexandria's birth rate over time in the same way they affect the national birth rate.

The figure on the previous page shows these long-term forecast assumptions of the birth rate together with the trend in the national birth rate from the Census Bureau's long-term projection (2012, central estimate).


Sensitivity of Enrollment Forecast to Birth Rate. The recent increase in birth rates of approximately 3 births per 1000 people has the potential to add approximately 3000 students to ACPS enrollment if the current birth rate remains in place over the entire forecast period. A change in the birth rate begins to affect enrollment 5 years later. The change has full impact by 17 years later and beyond, when the effect has reached all grades. Much of the difference in enrollment among the forecast scenarios in the intermediate years of the forecast results from the difference in their birth rate assumptions over time. Because of the delayed impact of birth rate on enrollment, the city and ACPS have early warning of future impacts from this change in time to plan and construct facilities if needed.

Birth rate effects on enrollment can be moderated by families with children moving out of Alexandria, either prior to starting school (reflected in the kindergarten capture rate) or after starting school but prior to graduation (affecting cohort survival rates).

Kindergarten Capture

The next step in the enrollment forecast model is to estimate the percentage of Alexandria births that will enter ACPS kindergarten five years later. The figure on the following page shows the ratio of births to kindergarten enrollment in the city since 1980, based on births since 1975.

The kindergarten capture rate of enrollments compared to births five years prior has varied from less than 50% to almost 75% over the period from 1980 to 2012. After declining during the 2000 to 2005 period, the kindergarten capture rate has steadily increased in ACPS schools from 46.2% in 2005 to 66.4% in 2012. In 2013, the rate dropped substantially to 58.2%. The long-term average since 1980 is 56.0%.




Alexandria's kindergarten capture rate of substantially less than 100% means that people are moving out of the community before their children reach kindergarten age or are sending their children to private schools.

Both the 2000 and 2010 Censuses show that between birth and at least age 15, the size of each Alexandria age cohort is smaller than any of the age cohorts that precede it. For example, in 2010 there were about 2,000 children age 2, under 1,800 age 3, and under 1,700 age 4, and so forth, to 850 children age 15.. The figure on the following page shows the population of the city by single years of age through age 20 for 2000 and 2010. In 2010, Alexandria's 5-year-old population was just 60% of the population of those under one year, and the 10-year-old population was 70% of the 5-year-old population. In 2000, Alexandria's 5-year-old population was 66% of the population of those under one year, and the 10-year-old population was 83% of the 5-year-old population. For the U.S. as a whole, the 5-year-old population was 103% of the population under

January 10, 2014

- one year, and the 10-year-old population was 103% of the 5-year-old population. The gray line on the graph shows what Alexandria's population by age would be if its 2010 population were distributed by age the same way the national population was distributed by age in 2010.
- Consistently over time, the Census shows that between 12% and 15% of Alexandria's school-age
 children are enrolled in private school (not including population in residential schools in the city
 who are counted as residents). This percentage is similar to that of other jurisdictions in the
 region, and is not assumed to change significantly over the forecast period.



Kindergarten Capture Rate Forecast.

The kindergarten capture rate is expected to decline from the current 3-year average rate in the long term under all forecast scenarios.

The kindergarten capture rate reflects the share of Alexandria families who choose to stay in the city and send their children to public school after having children. More families choosing urban living means a higher kindergarten capture rate. While the evidence of more people making this choice in recent years is primarily anecdotal, a number of factors are expected to be encouraging families to choose urban living now and in the future. These factors include increasing energy prices that discourage long commutes; a widening range of transportation choices including carsharing, rapid bus, bus rapid transit and streetcars within the Beltway; less emphasis on the back yard for play and recreation and greater emphasis on group activities at public and private facilities; and a desire to take advantage of the broader array of cultural opportunities for children in urban areas. There are some factors that will dampen the trend of more families raising children in Alexandria; the two most notable being higher housing prices than suburban areas, and a high proportion of housing units in Alexandria that are small multifamily units less desired by most families. Nearly all growth in housing units forecast for the future is in multifamily projects, and increases in this share are expected to reduce the city's kindergarten capture rate in the long term.


Based on these factors, the kindergarten capture share in the recommended forecast is assumed to drop from 60% to 58% in 5 years, then drop to 56% by 2040. The capture rate throughout the period is lower than the current 3-year average kindergarten capture rate of 60.7% but until the end of the forecast period is higher than the past long-term average of 56% since 1975. The kindergarten capture rate for the moderate and low enrollment scenarios is assumed to decline to 58% over two years and to further decline gradually to the long-term average of 56% by 2040.

Sensitivity of Enrollment Forecast to Kindergarten Capture Rate. A change in kindergarten capture rate has an immediate impact on enrollment, initially at the kindergarten level. As these students pass through the grades, the change in rate ultimately affects the entire enrollment, with its full effect felt in 13 years. Assuming 60% kindergarten capture in the high enrollment scenario rather than the past long-term average of 56% is responsible for about 7% of the total enrollment forecast for 2026, or about 1,000 students, the year when the change has affected all grades. This 7% effect then continues throughout the remainder of the forecast period.

Cohort Survival

Cohort survival rate is the term that compares the number of students at a grade level to the number of students who were in the previous grade in the previous year. For example, the cohort survival rate for kindergarten to first grade in 2013 is the number of first grade students in 2013(1,462) compared to the number of kindergarten students in 2012 (1,516), or 96.4%. This means that 96.4% as many students showed up in first grade in 2013 as were enrolled in kindergarten in 2012. The graph below shows Alexandria's cohort survival rates since 1997 by grade.

Grade-to-Grade Cohort Survival




Over the 17-year period since 1997, the ACPS cohort survival rates for elementary and middle school grades have clustered together, averaging between 93.7% (1st to 2nd grade) and 98.4% (kindergarten to 1st grade). Cohort survival rates by grade and for individual elementary schools and middle schools have much wider variation. 9th and 10th grades see a substantial influx from private schools, and these grades have cohort survival rates of greater than 100% in nearly all years. 12th grade typically has a lower cohort survival rate than any other grade, exceeding 90% in only four years since 1997, all of which were in the last seven years.

Alexandria's cohort survival rate reflects a high rate of migration into and out of the region, and within the region among different communities. It reflects students moving in and out of private schools each year. The city's steady growth in population also affects the cohort survival rate, making it slightly higher than it would be with no net annual increase in population.

A cohort survival rate of 90% means 10% fewer students enroll in the grade above than were in the grade below last year. A cohort survival rate of 90% in all grades would result in a 12th grade class that includes

only 28 students for every 100 in the kindergarten class entering school. A cohort survival rate of 95% would mean that 54 students would enter 12th grade for each child entering kindergarten. Over the past 10 years, the 12th grade class has ranged from a minimum of 44.4% of the incoming kindergarten class in 2012 and 2013 to a maximum of 61.1% in 2005, indicating that cohort survival has ranged around approximately 95% from grade to grade for these graduating classes.

The figure below shows the average cohort survival rate by school level, averaging elementary, middle and high school grades. Grades 9 and 10 typically have higher than 100% cohort survival, and grades 11 and 12 have much lower cohort survival, so these grades are averaged separately. Also shown on this graph is the weighted average cohort survival rate for all grades, with the cohort survival rate for each grade weighted by the number of students in that grade to determine the overall average.



In the past, cohort survival rates by grade have varied up and down substantially for periods of a few years, but have returned to an overall average rate near 95% for the elementary and middle school years over time. Cohort survival is particularly sensitive to changes in housing markets as we have seen in the 2000-2013 period. During the housing price bubble, cohort survival rates declined substantially, reaching lows in most grades in 2005 well under 95%. When the housing finance market suddenly collapsed in 2006, and people were less able to move, cohort survival for these grades rapidly increased to rates near 100% in 2008. As housing finance and the housing market have normalized since 2008, cohort survival has fallen to just above 95% for most elementary and middle school grades.

Cohort survival rates tend to vary up and down over time together for all grades, and to vary in the same way kindergarten capture rate varies over time. Since the rates all are a function of migration in and out of the city by age, it makes sense for these rates to vary together.

Alexandria has a lower cohort survival rate than most school systems through most grades. The city's population in the 2010 Census showed only 70% as many 10-year-olds as 5-year-olds, while the nationwide population has 3% more 10-year-olds than 5-year-olds. Alexandria's housing stock has an unusually small share of single-family units, and an unusually high share of units with four rooms or less compared to most communities in the Washington, D.C. Metropolitan Area. Because of this small share of housing units with characteristics that are more desirable to families, many families move out of the city as their children grow older or as their families grow larger.

Cohort Survival Forecast

Cohort survival is assumed in the high enrollment and recommended forecasts to begin at the current 3-year average cohort survival rate in each grade, and to decline by one percentage point for all grades very slowly over the entire period of the forecast. This slow decline is based on the assumption that the shift in housing types to more multifamily units over time will result in a smaller percentage of families choosing to stay in Alexandria once they have children and as they have more children or their children get older, in spite of an overall trend to more families choosing urban living. If current average cohort survival rates were to continue over the forecast period, total enrollment would be approximately 2-3% higher by 2030 and 4-5% higher by 2040..

The moderate and low enrollment scenarios assume family out-migration resumes to a greater extent so that the cohort survival rate falls two percentage points over the next two years, then two additional percentage points through the end of the forecast period. This change in cohort survival results in a reduction in total enrollment of about 13% over the forecast period compared to using the current average cohort survival rates.

Sensitivity of Enrollment Forecast to Cohort Survival Rate. At the current level of enrollment, with all other enrollment inputs (birth rate, population, and kindergarten capture rate) kept constant, an immediate increase in the average cohort survival rate of one percentage point in all grades would increase enrollment by about 1,000 students in 13 years when the higher enrollment in lower grades has worked its way fully through all grades.

Enrollment Model Forecasts in Perspective

The discussion below outlines how the enrollment model forecast was reality-checked against some other ways of viewing student enrollment trends.

Student Generation by Housing Type.

Student generation by housing type is a method often used by school districts to identify potential school needs associated with new development. Existing enrollment patterns by housing type are used to estimate future enrollment from new construction. In Alexandria, the types of housing that are found in most new development have been found to generate very few students, at least until such housing is 30 years old or older. Recent increases in enrollment are associated with higher numbers of students living in existing housing of all types rather than high occupancy of new housing. Very low numbers of students, on the order of one per 10 units or one per 20 units, are found from new apartments and condominiums, housing types that make up most new development. Townhouses and single-family detached homes do not generate substantially lower numbers of students in new units, though older low-priced townhouses

January 10, 2014

have higher student generation than new townhouses. Building data is not readily available to analyze student generation for more than the past four or five years, so a long-term trend of student generation by building type is not available for comparison. However, a range of realistic generation factors is available based on recent years, and neighboring jurisdictions also maintain records of student generation by housing type that can be compared.

The figure at the top on the following page shows the change in the mix of building types that results from the city's development forecast over the enrollment forecast period through 2040. The figure at the bottom of the page shows the extent to which average student generation by housing type would have to change to produce the recommended enrollment forecast. For the recommended forecast to be achieved, student generation rates would have to increase on average by approximately 16.5% of the 2012 generation factor for each building type. Because most new development has a low student generation factor, the average increase in generation factor required for existing housing is approximately 23.6%. Because little increase in generation is expected for existing high- and mid-rise development, the increase for single-family detached and townhouse units is estimated at 46%. An increase of this magnitude results in student generation of approximately 0.41 students for each single-family detached home, which is approximately the current student generation factor for single-family detached homes reported in Arlington County.

Even as student generation rates increase over time, they will not increase at the same rate for every housing type. Housing units likely to see the greatest student generation rate increase will be single-family detached, townhouse, garden apartment, and affordable housing.


Each of the enrollment forecast scenarios implies a set of student generation rates, which staff examined as a way of testing the likelihood of each scenario. The scenario selected for the recommended forecast was chosen, in part, because the future student generation rates remain within reasonable bounds. In the 2010 Census, only 19% of Alexandria's households were families with their own children under age 18, compared to 29.8% of households nationwide. Alexandria's average family size was 2.85 in 2010, compared to 3.14 nationwide. The higher student generation rate required to accommodate the enrollment forecast is likely to result from both larger families in those households with children, and an increase in the share of households that are families with children. Relatively small increases in family size and the percentage of households that are families with children would be required to meet the peak enrollment of the recommended enrollment forecast, which occurs in 2030. Enrollment increases since 2010 show that the current housing stock is capable of at least some growth in occupancy by families with children.

Student Generation by Housing Affordability.


An analysis of housing affordability conducted by the city showed that for most housing types, student generation is substantially higher for housing with lower rents and lower housing values. The highest student generation rates occur in housing that is reserved for low- and moderate-income households by income restrictions or rent subsidies. This is in part because these programs are oriented to providing family housing. Among market-rate apartments, student generation is much higher for apartments with rents under \$1,500 per month. Analysis by age of housing indicated that such rents are typically limited to apartments 30 years old or older. Student generation is very low for apartments with rents exceeding \$1,700 per month.

14

Dwelling Units by Housing Type Sustained Growth Development Forecast



Student Generation Rates per Dwelling Unit Recommended Enrollment Forecast Average for Existing and New Development by Housing Category



January 10, 2014

The student generation model used to develop the student generation rates incorporates what is known about existing and planned affordable housing of all types (public, subsidized, and market affordable).

In order to adjust for the expected decline in affordability as well as an expected decline in the percentage of units in the city that are considered desirable by families, the enrollment forecast model for all forecast scenarios assumes that the average kindergarten capture and cohort survival rates will fall slowly over time as less of the city's housing is affordable, and less is considered desirable by families. The moderate and low enrollment forecasts assume a more rapid decline in kindergarten capture and cohort survival rates.

ACPS Enrollment per 1,000 People.

The figure on the following page shows ACPS enrollment each year since 1960 as a rate per 1,000 people in the city. Over this period, the total enrollment peaked at with the maximum enrollment of over 17,000 K-12 students in 1970, when the city's population was about 111,000.


The rate of students per 1,000 residents peaked at over 160 students in 1966, just after the end of the baby boom and when the first baby boomers had started graduating from high school and leaving for college in 1964. Enrollment fell to about 85 students per 1,000 people by 1988, when the last of the baby boomers had graduated from high school. The 1990 Census shows a substantial increase in the share of Alexandria households that were single-person households in 1990, and a significant growth in the 20- to 35-year age cohort, as baby boomers entered the workforce.

During the housing price bubble of the early 2000s, the student rate fell again, reaching a minimum of 75 students per 1,000 in 2006 just as the housing finance market collapsed. Since then, the enrollment rate has grown past its plateau of the 90s to reach 93.5 students per 1,000 in 2013.

The enrollment forecasts on the following page show enrollment continuing to increase to over 100 students per 1,000 people in all scenarios, reflecting the assumption that the recent high rate of births to Alexandria residents will continue to provide an increasing number of students to Alexandria schools over the next few years. The scenarios differ on when the local birth rate will return to its previous level, and when the housing market will again be in a position to provide more options for people to move from Alexandria as their families grow.

All forecasts show a substantial increase in the number of students per capita, reflecting these recent births and the choice of at least some families to seek a more urban environment in which to raise their children. Because it is considered unlikely that the housing market will return to the easy financing of the early 2000s, a return to a declining rate of students per 1,000 people is not foreseen until demographic forces including a significant increase in over-65 population and declining birth rates among the Hispanic population balance the forces now adding students to the schools.

For 2010 fall enrollment following the 2010 Census, Alexandria had 84.4 K-12 ACPS students per 1,000 people based on its 2010 census population. Arlington County had 98.5 K-12 students per 1,000, Fairfax County had 158.6 students and Prince William County had 195.4 students. The City's ratio of students per 1,000 people can grow substantially while remaining well below the ratios of the surrounding suburban counties.




APCS K-12 Students Per 1,000 People Since 1960 With Forecast Scenarios

These scenarios show the future decline in enrollment following the expected drop in birth rates at a rate similar to that of the 1980s, when the baby boom impact was declining into a new era of stability in enrollments in the 1990s.

Alexandria's Pubic School Enrollment History: 1960 to Present

Three Distinct Historical Eras - the Larger Context Influencing Enrollment Trends




Distinguishing Characteristics of Three Phases in City's

- baby boom years
- period of rapid population growth, when city experienced its largest population increases in its history
- households consisted pimarily of families with children
- ??? what was built

- baby bust years
- slow growth years: net population gain from 1970-1990:
- when large-scale commerical/retail devleopment of suburbs commenced
- saw construction of large number of high-rise condos in West End and other parts of city
- when city's demographic profile morphed from a traditional family suburb into new urban identity
- moderate, but sustainined population
- characterized by high degree of stability in many demographic and household fundamentals: avg household size, household composition (% families, households with children), percentage share of school-aged population, percent of households that rent, etc.
- high degree of population tumover/migrstion


Enrollment Growth Scenarios



No Evidence of Significant Shifts
In Basic Demographic/Household Profile that has Defined the City for Past 30 Years

Household Size Average 4.5 4.0 3.5 Percent Households with Children Percent Youth

Percent Family Households



2.5

3.0

APPENDIX D-3 HISTORIC REGIONAL PUBLIC SCHOOL ENROLLMENT

Public School Enrollment: 1980-2013 Northern Virginia Public School Divisions

| | ALEX | KANDRI | | AR | LINGTON | N. | FAIRFAX OI | COUNTY FAIRFAX | | FAL | LS CHURG | СН | |
|-------------------------|--------|--------|---------|--------|---------|---------|---------------|-------------------|---------|-------|----------|---------|--|
| School | | | Percent | | | Percent | | | Percent | | | Percent | |
| Year | Total | Change | Change | Total | Change | Change | Total | Change | Change | Total | Change | Change | |
| 1980-01 | 10,831 | | | 15,152 | | | 126.981 | | | 1.097 | | | |
| 1981-82 | 10,734 | 97 | 0.9 | 14,757 | 395 | 2.6 | 124,426 | 2,555 | 2.0 | 1,048 | 49 | 4.5 | |
| 1982-83 | 10,543 | 191 | 1.8 | 14,610 | 147 | 1.0 | 122,944 | 1,482 | 1.2 | 1,013 | 35 | 33 | |
| 1983-84 | 10,326 | 217 | 2.1 | 14,515 | 95 | 0.7 | 122,371 | 573 | 0.5 | 1,039 | 26 | 2.6 | |
| 1984-85 | 10,549 | 223 | 2.2 | 14.643 | 128 | 0.9 | 123,158 | 787 | 0.6 | 1,060 | 21 | 2.0 | |
| 1985-86 | 10,344 | 205 | 1.9 | 14,481 | 162 | 1.1 | 125,141 | 1,983 | 1.6 | 1.101 | 41 | 3.9 | |
| 1986-87 | 9,967 | 377 | 3.6 | 14,706 | 225 | 1.6 | 127,166 | 2,025 | 1.6 | 1,132 | 31 | 2.8 | |
| 1987-88 | 9,475 | 492 | 4.9 | 14,404 | 302 | 2.1 | 127,750 | 584 | 0.5 | 1,133 | 1 | 0.1 | |
| 1988-89 | 9,304 | 171 | 1.8 | 14,113 | 291 | 2.0 | 127,514 | 236 | 0.2 | 1,181 | 48 | 4.2 | |
| 1989-90 | 9,269 | 35 | 0.4 | 14,290 | 177 | 1.3 | 126,775 | 739 | 0.6 | 1,215 | 34 | 2.9 | |
| 1990-91 | 9,493 | 224 | 2.4 | 14,825 | 535 | 3.7 | 128,762 | 1,987 | 1.6 | 1,219 | 4 | 0.3 | |
| 1991-92 | 9,463 | 30 | 0.3 | 15,237 | 412 | 2.8 | 131,432 | 2,670 | 2.1 | 1,209 | 10 | 0.8 | |
| 1992-93 | 9,785 | 322 | 3.4 | 15,828 | 591 | 3.9 | 133,403 | 1,971 | 1.5 | 1,252 | 43 | 3.6 | |
| 1993-94 | 9,815 | 30 | 0.3 | 16,458 | 630 | 4.0 | 135,413 | 2,010 | 1.5 | 1,339 | 87 | 6.9 | |
| 1994-95 | 9,792 | 23 | 0.2 | 16,854 | 396 | 2.4 | 137,646 | 2,233 | 1.6 | 1,356 | 17 | 1.3 | |
| 1995-96 | 10,044 | 252 | 2.6 | 17,178 | 324 | 1.9 | 140,820 | 3,174 | 2.3 | 1,462 | 106 | 7.8 | |
| 1996-97 | 10,156 | 112: | 1.1 | 17,546 | 368 | 2.1 | 143,266 | 2,446 | 1.7 | 1,480 | 18 | 1.2 | |
| 1997-98 | 10,488 | 332 | 3.3 | 17,892 | 346 | 2.0 | 145,722 | 2,456 | 1.7 | 1,451 | 29 | 2.0 | |
| 1998-99 | 10,803 | 315 | 3.0 | 18,121 | 229 | 1.3 | 149,035 | 3,313 | 2.3 | 1,541 | 90 | 6.2 | |
| 1999-00 | 11,017 | 214 | 2.0 | 18,260 | 139 | 8.0 | 152,952 | 3,917 | 2.6 | 1,675 | 134 | 8.7 | |
| 2000-01 | 11,167 | 150 | 1.4 | 18,870 | 610 | 3.3 | 156,412 | 3,460 | 2.3 | 1,721 | 46 | 2.7 | |
| 2001-02 | 11,104 | 63 | 0.6 | 19,109 | 239 | 1.3 | 160,584 | 4.172 | 2.7 | 1,764 | -43 | 2.5 | |
| 2002-03 | 10,971 | 133 | 1.2 | 19,133 | 24 | 0.1 | 162,585 | 2,001 | 1.2 | 1,833 | 69 | 3.9 | |
| 2003-04 | 10,902 | 69 | 0.6 | 19,158 | 25 | 0.1 | 164,235 | 1,650 | 1.0 | 1,874 | 41 | 2.2 | |
| 2004-05 | 10,996 | 94 | 0.9 | 18,802 | 356 | 1.9 | 164,767 | 532 | 0.3 | 1,898 | 24 | 1.3 | |
| 2005-06 | 10,643 | 353 | 3.2 | 18,463 | 339 | 1.8 | 163,768 | 999 | 0.6 | 1,865 | 33 | 1.7 | |
| 2006-07 | 10,334 | 309 | 2.9 | 18,456 | 7 | 0.0 | 163,962 | 194 | 0.1 | 1,883 | 18 | 1.0 | |
| 2007-08 | 10,570 | 236 | 2.3 | 18,736 | 280 | 1.5 | 165,734 | 1,772 | 1.1 | 1,936 | 53 | 2.8 | |
| 2008-09 | 11,223 | 653 | 6.2 | 19,599 | 863 | 4.6 | 169,040 | 3,306 | 2.0 | 1,967 | 31 | 1.6 | |
| 2009-10 | 11,661 | 438 | 3.9 | 20,268 | 669 | 3.4 | 171,959 | 2,919 | 1.7 | 2,023 | 56 | 2.8 | |
| 2010-11 | 11,999 | 338 | 2.9 | 21,485 | 1,217 | 6.0 | 174,490 | 2,531 | 1.5 | 2,084 | 61 | 3.0 | |
| 2011-12 | 12,396 | 397 | 3.3 | 21,892 | 407 | 1.9 | 177,606 | 3,116 | 1.8 | 2,183 | 99 | 4.8 | |
| 2012-13 | 13,105 | 709 | 5.7 | 22,543 | 651 | 3.0 | 180,616 | 3,010 | 1.7 | 2,274 | 91 | 4.2 | |
| 2013-14 | 13,563 | 458 | 3.5 | 23,316 | 773 | 3.4 | 183,269 | 2,653 | 1.5 | 2,421 | 147 | 6.5 | |
| Last 7 Yrs 2007-2013 | | 3,229 | 31.2 | | 4,860 | 26.3 | | 19,307 | 11.8 | | 538 | 28.6 | |

Public School Enrollment: 1980-2013 Northern Virginia Public School Divisions

| | LOUDO | UN | | MAN | ASSAS PA | RK | M | ANASSAS | | PRIN | CE WILLI | AM |
|-------------------------|--------|--------|---------|-------|----------|---------|-------|---------|---------|--------|----------|---------|
| School | | | Percent | | | Percent | | | Percent | | | Percent |
| Year | Total | Change | Change | Total | Change | Change | Total | Change | Change | Total | Change | Change |
| 1980-01 | 13,441 | | | 1,642 | | | 3,353 | | | 35,604 | | |
| 1981-82 | 13,061 | 380 | 2.8 | 1,564 | 78 | 4.8 | 3,488 | 135 | 4.0 | 35,367 | 237 | 0.7 |
| 1982-83 | 12,862 | 199 | 1.5 | 1,562 | 2 | 0.1 | 3,476 | 12 | 0.3 | 34,866 | 501 | 1.4 |
| 1983-84 | 12,708 | 154 | 1.2 | 1.489 | 73 | 4.7 | 3,511 | 35 | 1.0 | 35,288 | 422 | 1.2 |
| 1984-85 | 12,616 | 92 | 0.7 | 1,494 | 5 | 0.3 | 3,696 | 185 | 5.3 | 35,786 | 498 | 1.4 |
| 1985-86 | 12,893 | 277 | 2.2 | 1,458 | 36 | 2.4 | 3,730 | 34 | 0.9 | 36,587 | 801 | 2.2 |
| 1986-87 | 13,232 | 339 | 2.6 | 1,418 | 40 | 2.7 | 3,941 | 211 | 5.7 | 37,565 | 978 | 2.7 |
| 1987-88 | 13,564 | 332 | 2.5 | 1,408 | 10 | 0.7 | 4,216 | 275 | 7.0 | 38,765 | 1,200 | 3.2 |
| 1988-89 | 13,717 | 153 | 1.1 | 1,370 | 38 | 2.7 | 4,521 | 305 | 7.2 | 40,127 | 1,362 | 3.5 |
| 1989-90 | 14,172 | 455 | 3.3 | 1,337 | 33 | 2.4 | 4,695 | 174 | 3.8 | 40,991 | 864 | 2.2 |
| 1990-91 | 14,475 | 303 | 2.1 | 1,342 | 5 | 0.4 | 4,813 | 118 | 2.5 | 41,888 | 897 | 2.2 |
| 1991-92 | 14,955 | 480 | 3.3 | 1,350 | 8 | 0.6 | 5,048 | 235 | 4.9 | 43,222 | 1,334 | 3.2 |
| 1992-93 | 15.733 | 778 | 5.2 | 1,385 | 35 | 2.6 | 5,233 | 185 | 3.7 | 44.273 | 1,051 | 2.4 |
| 1993-94 | 16,977 | 1.244 | 7.9 | 1,386 | 1 | 0.1 | 5,406 | 173 | 3.3 | 44,881 | 608 | 1.4 |
| 1994-95 | 18,131 | 1.154 | 6.8 | 1,490 | 104 | 7.5 | 5,437 | 31 | 0.6 | 45,675 | 794 | 1.8 |
| 1995-96 | 19,827 | 1,696 | 9.4 | 1,561 | 71 | 4.8 | 5,685 | 248 | 4.6 | 47,072 | 1,397 | 3.1 |
| 1996-97 | 21,574 | 1.747 | 8.8 | 1,623 | 62 | 4.0 | 5,881 | 196 | 3.4 | 48,333 | 1,261 | 2.7 |
| 1997-98 | 23,616 | 2,042 | 9.5 | 1,705 | 82 | 5.1 | 6,080 | 199 | 3.4 | 49,905 | 1,572 | 3.3 |
| 1998-99 | 26,091 | 2,475 | 10.5 | 1,788 | 83 | 4.9 | 6,193 | 113 | 1.9 | 51,111 | 1,206 | 2.4 |
| 1999-00 | 28,787 | 2,696 | 10.3 | 1,831 | 43 | 2.4 | 6,271 | 78 | 1.3 | 52,551 | 1,440 | 2.8 |
| 2000-01 | 31,804 | 3,017 | 10.5 | 2,013 | 182 | 9,9 | 6,411 | 140 | 2.2 | 54,646 | 2,095 | 4.0 |
| 2001-02 | 34,571 | 2,767 | 8.7 | 2,169 | 156 | 7.7 | 6,566 | 155 | 2.4 | 58,017 | 3,371 | 6.2 |
| 2002-03 | 37,532 | 2,961 | 8.6 | 2,327 | 158 | 7.3 | 6,673 | 107 | 1.6 | 60,541 | 2,524 | 4.4 |
| 2003-04 | 40,750 | 3,218 | 8.6 | 2,288 | 39 | 1.7 | 6,803 | 130 | 1.9 | 63,404 | 2,863 | 4.7 |
| 2004-05 | 43,991 | 3,241 | 8.0 | 2,374 | 86 | 3.8 | 6,761 | 42 | 0.6 | 66,298 | 2,894 | 4.6 |
| 2005-06 | 47,326 | 3,335 | 7.6 | 2,337 | 37 | 1.6 | 6,554 | 207 | 3.1 | 68,462 | 2,164 | 3.3 |
| 2006-07 | 50,416 | 3,090 | 6.5 | 2,497 | 160 | 6.8 | 6,495 | 59 | 0.9 | 70,948 | 2,486 | 3.6 |
| 2007-08 | 53,985 | 3,569 | 7.1 | 2,516 | 19 | 0.8 | 6,474 | 21 | 0.3 | 72,989 | 2,041 | 2.9 |
| 2008-09 | 56,922 | 2,937 | 5.4 | 2,464 | 52 | 2.1 | 6,566 | 92 | 1.4 | 73,918 | 929 | 1.3 |
| 2009-10 | 60,034 | 3,112 | 5.5 | 2,707 | 243 | 9.9 | 6,866 | 300 | 4.6 | 76,862 | 2,944 | 4.0 |
| 2010-11 | 63,151 | 3,117 | 5.2 | 2,957 | 250 | 9.2 | 6,986 | 120 | 1.7 | 79,358 | 2,496 | 3.2 |
| 2011-12 | 65,585 | 2,434 | 3.9 | 3,019 | 62 | 2.1 | 7,154 | 168 | 2.4 | 81,937 | 2,579 | 3.2 |
| 2012-13 | 68,205 | 2,620 | 4.0 | 3,123 | 104 | 3.4 | 7,276 | 122 | 1.7 | 83,865 | 1,928 | 2.4 |
| 2013-14 | 70,857 | 2,652 | 3.9 | 3,216 | 93 | 3.0 | 7,242 | 34 | 0.5 | 85,455 | 1,590 | 1.9 |
| Last 7 Yrs 2007-2013 | | 20,441 | 40.5 | | 719 | 28.8 | | 747 | 11.5 | | 14,507 | 20.4 |

Public School Enrollment: 1980-2013 Northern Virginia Public School Divisions

NORTHERN VIRGINIA

| School Year | Total | Change | Percent Change |
|-------------------------|---------|--------|-------------------|
| 1980-01 | 208,101 | | |
| 1981-82 | 204,445 | 3.656 | 1.8 |
| 1982-83 | 201,876 | 2,569 | 1.3 |
| 1983-84 | 201,247 | 629 | 0.3 |
| 1984-85 | 203,002 | 1,755 | 0.9 |
| 1985-86 | 205,735 | 2,733 | 1.3 |
| 1986-87 | 209,127 | 3,392 | 1.6 |
| 1987-88 | 210,715 | 1.588 | 0.8 |
| 1988-89 | 211,847 | 1,132 | 0.5 |
| 1989-90 | 212,744 | 897 | 0.4 |
| 1990-91 | 216,817 | 4,073 | 1.9 |
| 1991-92 | 221,916 | 5,099 | 2.4 |
| 1992-93 | 226,892 | 4,976 | 2.2 |
| 1993-94 | 231,675 | 4,783 | 2.1 |
| 1994-95 | 236,381 | 4,706 | 2.0 |
| 1995-96 | 243,649 | 7,268 | 3.1 |
| 1996-97 | 249,859 | 6,210 | 2.5 |
| 1997-98 | 256,859 | 7,000 | 2.8 |
| 1998-99 | 264,683 | 7,824 | 3.0 |
| 1999-00 | 273,344 | 8,661 | 3.3 |
| 2000-01 | 283,044 | 9,700 | 3.5 |
| 2001-02 | 293,884 | 10,840 | 3.8 |
| 2002-03 | 301,595 | 7,711 | 2.6 |
| 2003-04 | 309,414 | 7,819 | 2.6 |
| 2004-05 | 315,887 | 6,473 | 2.1 |
| 2005-06 | 319,418 | 3,531 | 1.1 |
| 2006-07 | 324,991 | 5,573 | 1.7 |
| 2007-08 | 332,940 | 7,949 | 2.4 |
| 2008-09 | 341,699 | 8,759 | 2.6 |
| 2009-10 | 352,380 | 10,681 | 3.1 |
| 2010-11 | 362,510 | 10,130 | 2.9 |
| 2011-12 | 371,772 | 9,262 | 2.6 |
| 2012-13 | 381,007 | 9,235 | 2.5 |
| 2013-14 | 389,339 | 8,332 | 2.2 |
| Last 7 Yrs 2007-2013 | | 64,348 | 19.8 |


APPENDIX D-4

ALEXANDRIA BIRTH RATE TRENDS


Note: All information contained in Appendix D4 can be found in the July 18, 2013 materials from the LREFP Enrollment Forecasts/Demographics Subcommittee Meeting.

Major Demographic Trends/Factors that could Influence Public School Enrollements in Future Years

- I Factors impacting number of births and size of school-aged population in the City
 - Changes in Crude Birth Rate (births per 1,000 population)
 - Changes in Total Fertility Rate (average number of births a women has in her lifetime)
 - Structural changes in age composition affecting relative size of cohort consisting of females in child-bearing years
 - Changes in racial/ethnic composition that may result in an increase/decrease in fertility rates (i.e., number of births per 1,000 women 15-44 years of age)



14.6 14.5 15.1 15.0 15.5 15.9 15.8 15.6 15.6 15.8 15.6 15.7 16.0 13.4 13.4 13.7 13.7 14.3 14.8 15.0 15.0 15.1 15.1 15.7 15.7 15.4 16.0 16.0 16.6 16.0 15.7 15.1 15.2 15.2 15.5 15.5 15.5 16.5 16.3 16.1 16.1 16.5 16.3 16.3 15.9 Alexandria 15.0 15.1 14.9 13.3 14.2 13.9 13.7 13.7 14.8 14.4 15.4 15.5 15.5 15.2 15.3 17.5 15.8 16.3 15.8 13.6 15.5 17.8 17.4 17.1 19.0 18.5 16.9 18.0 18.4 19.1 19.1 19.5 19.5 1980 1981 1982 1983 1986 1986 1987 1988 1990 1991 1993 1994 1995 1996 1997 1998 1975 1976 1977 1978 2000 2001 2002 2003 2004 2005 2006 2007 2008



Comparison with National and Regional Trends

Trends in Crude Birth Rates


Crude Birth Rate Trend Neighboring Northern Virginia Counties and Cities

| on Northern by Virginia U.S.A. | | 13.4 | 13.7 | 13.7 | | 14.8 | 15.0 | | 15.1 | 15.2 | 15.7 | 15.4 | 16.0 | 16.1 | 16.5 | 16.6 | 16.0 | 15.7 | 15.1 15.5 | 15.4 | 15.2 | | 15.2 | | 15.7 | 16.5 | 16.3 | 16.1 | 16.1 | 16.6 | 16.5 | 16.3 | 16.4 | 15.9 | 15.6 13.5 | |
|-------------------------------------|----------|-----------|-----------|------|-----------|------|-----------|-----------|------|------|-----------|------|------|-----------|-----------|--------|------|------|-----------|------|------|------|-----------|--------|-----------|-----------|------|------|-----------|----------|------|------|-----------|------|-----------|------|
| Prince Manassas William Park County | | 12.9 | | | 16.4 18.5 | | | 21.3 20.0 | | | | | | 17.6 | 21.3 20.1 | | | | 7.71 | | | | | 18.9 | | 20.2 18.0 | | | 18.9 18.4 | | | | 18.5 | | 16.7 | 1 |
| oun iy Manassas | 9 10.4 | | | | 1 23.9 | | 4 23.4 | | | | | | | | | 2 20.4 | | | | | | | | 8 19.0 | | 5 22.0 | | | | 17.4 | | | 4 18.8 | | | |
| Falls Loudoun Church County | 9.3 15.9 | | 11.7 15.2 | | 12.5 15.1 | | 12.4 15.4 | | | | 12.2 18.2 | | | 11.9 18.8 | | 10.4 | | | | | | | 11.0 18.6 | | 11.8 18.8 | 12.1 21.5 | | | | 9.6 20.2 | | | 11.3 18.4 | | | • |
| Fairfax County | 12.3 | 12.2 | 12.6 | 12.7 | 13.4 | 14.0 | 14.1 | 14.4 | 14.3 | 14.4 | 14.8 | 14.5 | 14.9 | 15.3 | 15.6 | 15.4 | 15.3 | 14.8 | 14.2 | 14.8 | 14.4 | 14.5 | 14.0 | 14.5 | 14.7 | 15.1 | 14.9 | 14.8 | 14.6 | 15.1 | 14.7 | 14.4 | 14.9 | 14.7 | 14.6 | 9 |
| City of Fairfax | 12.6 | 11.5 | 12.7 | 13.6 | 16.6 | 15.1 | 18.6 | 15.7 | 15.6 | 16.0 | 16.0 | 15.4 | 14.5 | 18.4 | 14.6 | 13.0 | 15.1 | 14.4 | 15.0 | 12.7 | 12.9 | 12.1 | 11.8 | 13.2 | 13,1 | 12.3 | 12.1 | 12.5 | 14.5 | 9.2 | 11.0 | 14.9 | 17.7 | 18.4 | 16.4 | |
| Alexandria Arlington | | 15.1 11.1 | | | 14.2 12.3 | | | | | | | | | | 16.2 15.1 | | | | 5.8 14.0 | - | | | | | | 19.0 14.3 | | | | | | | | | 8.6 14.5 | |
| Alex | | | | | 1979 | 1980 | | | | | | | | | | 1990 | | | | | | | | | | 2000 19 | | | | | | | | | | 0.00 |

Projected Crude Birth Trends


What Census Bureau is Projecting for the United States: 2012 to 2060

Crude Birth Rate (births per 1,000 population)



Projected Fertility Trends

What Census Bureau is Projecting for the United States: 2012 to 2060



Total Fertility Rate

(average number of births per woman)

| | Total | White | Black | Asinn | Hispanic |
|------|-------|-------|-------|-------|----------|
| 2012 | 2.00 | 1.83 | 2.03 | 1.72 | 2.53 |
| 2013 | 1.99 | 1.83 | 2.03 | 1.73 | 2.52 |
| 2014 | 1.99 | 1.83 | 2.02 | 1.73 | 2.51 |
| 2015 | 1.99 | 1.83 | 2.02 | 1.73 | 2.51 |
| 2016 | 1.99 | 1.83 | 2.02 | 1.73 | 2.50 |
| 2017 | 1.99 | 1.83 | 2.02 | 1.73 | 2.49 |
| 2018 | 1.99 | 1.83 | 2.01 | 1.73 | 2.48 |
| 2019 | 1.98 | 1.83 | 2.01 | 1,73 | 2.47 |
| 2020 | 1.98 | 1.83 | 2.01 | 1.73 | 2,47 |
| 2021 | 1.98 | 1.83 | 2.01 | 1.74 | 2.46 |
| 2022 | 1.98 | 1.83 | 2.01 | 1.74 | 2.45 |
| 2023 | 1.98 | 1.83 | 2.00 | 1.74 | 2.44 |
| 2024 | 1.97 | 1.83 | 2.00 | 1.74 | 2.43 |
| 2025 | 1.97 | 1.83 | 2.00 | 1.74 | 2.43 |
| 2026 | 1.97 | 1.83 | 2.00 | 1.74 | 2.42 |
| 2027 | 1.97 | 1.83 | 1.99 | 1.74 | 2.41 |
| 2028 | 1.97 | 1.83 | 1.99 | 1.74 | 2.40 |
| 2029 | 1.97 | 1.83 | 1.99 | 1.75 | 2.39 |
| 2030 | 1.96 | 1.83 | 1.99 | 1.75 | 2.39 |
| 2031 | 1.96 | 1.83 | 1.99 | 1.75 | 2.38 |
| 2032 | 1.96 | 1.83 | 1.98 | 1.75 | 2.37 |
| 2033 | 1,96 | 1.83 | 1.98 | 1.75 | 2.36 |
| 2034 | 1.96 | 1.83 | 1.98 | 1.75 | 2.36 |
| 2035 | 1.95 | 1.83 | 1.98 | 1.75 | 2.35 |
| 2036 | 1.95 | 1.83 | 1.97 | 1.75 | 2.34 |
| 2037 | 1.95 | 1.83 | 1.97 | 1.76 | 2.33 |
| 2038 | 1.95 | 1.83 | 1.97 | 1.76 | 2.32 |
| 2039 | 1.95 | 1.83 | 1.97 | 1.76 | 2.32 |
| 2040 | 1.94 | 1.83 | 1.97 | 1:76 | 2.31 |
| 2041 | 1,94 | 1.83 | 1.96 | 1.76 | 2.30 |
| 2042 | 1.94 | 1.83 | 1.96 | 1.76 | 2.29 |
| 2043 | 1.94 | 1.83 | 1.96 | 1.76 | 2.28 |
| 2044 | 1.94 | 1.83 | 1.96 | 1.76 | 2.28 |
| 2045 | 1.94 | 1.83 | 1.95 | 1.77 | 2.27 |
| 2046 | 1.93 | 1.83 | 1.95 | 1.77 | 2.26 |
| 2047 | 1.93 | 1.83 | 1.95 | 1.77 | 2.25 |
| 2048 | 1.93 | 1.83 | 1.95 | 1.77 | 2.24 |
| 2049 | 1.93 | 1.83 | 1.95 | 1.77 | 2.24 |
| 2050 | 1.93 | 1.83 | 1.94 | 1.77 | 2.23 |
| 2051 | 1.92 | 1.83 | 1.94 | 1.77 | 2.22 |
| 2052 | 1.92 | 1.83 | 1.94 | 1.77 | 2.21 |
| 2053 | 1,92 | 1.83 | 1.94 | 1.78 | 2.21 |
| 2054 | 1.92 | 1.83 | 1.93 | 1.78 | 2.20 |
| 2055 | 1.92 | 1.83 | 1.93 | 1.78 | 2.19 |
| 2056 | 1.92 | 1.83 | 1.93 | 1.78 | 2.18 |
| 2057 | 1.91 | 1.83 | 1.93 | 1.78 | 2.17 |
| 2058 | 1.91 | 1.83 | 1.93 | 1.78 | 2.17 |
| 2059 | 1.91 | 1.83 | 1.92 | 1.78 | 2.16 |
| 2060 | 1.91 | 1.83 | 1.92 | 1.78 | 2.15 |
| | | | | | |

Total fertility rate represents the number of children that would be born to a woman if she were to live to the end of her childbearing years and bear children in accordance with current age-specific fertility rates.

Projected Trend in Relative Size of Female 15-44 Aged Cohort - Women in Child-Bearing Years

2041 2042 2043

2044

2046 2047

2049

2050

18.3 18.3 18.3 18.3


18.2

18.2

2060 18.1

What Census Bureau is Projecting for United States: 2012 to 2060


I. Percentage Share of Total U.S. Population




Age Structure of Alexandria's Population 2010

QUESTION:

With the baby-boom generation entering retirement years, the age structure of the population will be undergoing an historic reconfiguration. What impact, if any, could this demographic transition have on future birth and public school enrollment trends in the City?





Characteristics of Alexandria's Female Population, aged 15-44

Size and Demographic Composition

| AAAA | 200 | | |
|------|------|-----|----|
| 2000 | (e) | 181 | 21 |

| 2000 Census | | | | | | | | Percent of |
|-----------------------------|------------|-----------|-----------|-----------|-------------|------------|-------------|------------|
| | Females | | | | Non- Hispan | nie | 2000 | Total |
| | (15-44) | Black | Asian | Hispanic | Whites | Minority | Population | Population |
| Alexandria city | 35,352 | 8,339 | 2,289 | 5,266 | 18,192 | 17,160 | 128,283 | 27.6 |
| Arlington County | 49.847 | 4.795 | 5,137 | 9.467 | 28,960 | 20,887 | 189,453 | 26.3 |
| Fairfax city | 4,822 | 311 | 724 | 784 | 2,891 | 1,931 | 21,498 | 22,4 |
| Fairfax County | 219,668 | 22,268 | 33,231 | 28,004 | 129,490 | 90,178 | 969,749 | 22.7 |
| Falls Church city | 2,100 | 94 | 188 | 230 | 1,541 | 559 | 10,377 | 20.2 |
| Loudoun County | 41,543 | 2,959 | 2,620 | 2,702 | 32,508 | 9,035 | 169,599 | 24.5 |
| Manassas city | 8,359 | 1,128 | 308 | 1,260 | 5,497 | 2,862 | 35,135 | 23,8 |
| Manassas Park city | 2,605 | 308 | 128 | 377 | 1,736 | 869 | 10,290 | 25.3 |
| Prince William County | 68,403 | 14,375 | 3,057 | 6,886 | 42,302 | 26,101 | 280,813 | 24.4 |
| NORTHERN VIRGINIA | 432,699 | 54,577 | 47,682 | 54,976 | 263,117 | 169,582 | 1,815,197 | 23.8 |
| VIRGINIA | 1,589,080 | 339,281 | 72,121 | 84,528 | 1,063,947 | 525,133 | 7,078,515 | 22,4 |
| U.S.A. | 61,576.997 | 8,442,267 | 2,682,228 | 8,509,703 | 40,460,458 | 21.116,539 | 281,421,906 | 21.9 |
| PERCENT - By Race/Ethnicity | | | | | | | | |
| Alexandria city | | 23.6 | 6.5 | 14.9 | 51.5 | 48.5 | | |
| Arlington County | | 9.6 | 10.3 | 19.0 | 58.1 | 41.9 | | |
| Fairfax city | | 6.4 | 15.0 | 16.3 | 60.0 | 40.0 | | |
| Fairfax County | | 10.1 | 15.1 | 12.7 | 58.9 | 41.1 | | |
| Falls Church city | | 4.5 | 9.0 | 11.0 | 73.4 | 26.6 | | |
| Loudoun County | | 7.1 | 6.3 | 6.5 | 78.3 | 21.7 | | |
| Manassas city | | 13.5 | 3.7 | 15.1 | 65.8 | 34.2 | | |
| Manassas Park city | | 11.8 | 4.9 | 14.5 | 66.6 | 33.4 | | |
| Prince William County | | 21.0 | 4.5 | 10.1 | 61.8 | 38.2 | | |
| NORTHERN VIRGINIA | | 12.6 | 11.0 | 12.7 | 60.8 | 39.2 | | |
| VIRGINIA | | 21.4 | 4.5 | 5.3 | 67.0 | 33.0 | | |
| VIRGINIA | | 13.7 | 4.4 | 13.8 | 65.7 | 34.3 | | |

Characteristics of Alexandria's Female Population, aged 15-44

Size and Demographic Composition

| 2010 | 1 '0 | 240.00 |
|------|------|--------|
| 4010 | | เมรเมร |

| 2010 Census | Females (15-44) | Black | Asian | Hispanie | Non- Hispan Whites | dic Minority | 2010 Population | Percent of Total Population |
|------------------------------|--------------------|-----------|-----------|------------|-----------------------|-----------------|--------------------|-----------------------------------|
| 0.00 | | | | | | | 7.00 | |
| Alexandria city | 37,149 | 8,455 | 2,726 | 6.269 | 18,716 | 18,433 | 139,966 | 26.5 |
| Arlington County | 57,112 | 4,496 | 6,793 | 8,264 | 36,071 | 21.041 | 207.627 | 27.5 |
| Fairfax city | 4,533 | 249 | 838 | 883 | 2.417 | 2,116 | 22,565 | 20. I |
| Fairfax County | 225,140 | 23,999 | 45,592 | 41,834 | 106,804 | 118,336 | 1,081,726 | 20.8 |
| Falls Church city | 2,419 | 134 | 305 | 280 | 1,623 | 796 | 12,332 | 19.6 |
| Loudoun County | 68,333 | 5,370 | 11,984 | 9,828 | 39,392 | 28,941 | 312,311 | 21.9 |
| Manassas city | 8,345 | 1,218 | 445 | 2,900 | 3,600 | 4,745 | 37,821 | 22.1 |
| Manassas Park city | 3,427 | 473 | 334 | 1.166 | 1,366 | 2,061 | 14.273 | 24.0 |
| Prince William County | 88,899 | 19,676 | 7,379 | 20.425 | 38.726 | 50,173 | 402,002 | 22.1 |
| NORTHERN VIRGINIA | 495,357 | 64.070 | 76,396 | 91.849 | 248.715 | 246,642 | 2,230,623 | 22.2 |
| VIRGINIA | 1,652,698 | 348,733 | 112,961 | 157,002 | 994,778 | 657,920 | 8,001,024 | 20.7 |
| U.S.A. | 62,374,964 | 8,888,036 | 3,624,440 | 11.786.165 | 36.427.835 | 25,947,129 | 308,745,538 | 20,2 |
| PERCENT - By Risce/Ethnicity | | | | | | | | |
| Alexandria city | | 22.8 | 7.3 | 16.9 | 50.4 | 49.6 | | |
| Arlington County | | 7.9 | 11.9 | 14.5 | 63.2 | 36.8 | | |
| Fairfax city | | 5.5 | 18.5 | 19.5 | 53.3 | 46.7 | | |
| Fairfax County | | 10.7 | 20.3 | 18.6 | 47.4 | 52.6 | | |
| Falls Church city | | 5.5 | 12.6 | 11.6 | 67.1 | 32.9 | | |
| Loudoun County | | 7.9 | 17.5 | 14.4 | 57.6 | 424 | | |
| Manassas city | | 14.6 | 5.3 | 34.8 | 43.1 | 56.9 | | |
| Manassas Park city | | 13.8 | 9.7 | 34.0 | 39.9 | 60.1 | | |
| Prince William County | | 22.1 | 8.3 | 23.0 | 43.6 | 56.4 | | |
| NORTHERN VIRGINIA | | 12.9 | 15.4 | 18.5 | 50.2 | 49.8 | | |
| VIRGINIA | | 21.1 | 6.8 | 9.5 | 60.2 | 39.8 | | |
| U.S.A. | | 14.2 | 5.8 | 18.9 | 58.4 | 41.6 | | |

Change in Size and Demographic Composition - Alexandria's Female Population, aged 15-44 2000 to 2010

Numerical Change

| | Females | | | | Non- Hispani | | Total | As a Percent of Total |
|---------------------------|--------------|---------|---------|-----------|--------------|-----------|------------|--------------------------|
| | (15-44) | Black | Asian | Hispanic | Whites | Minority | Population | Population |
| Alexandria city | 1,797 | 116 | 437 | 1,003 | 524 | 1,273 | 11,683 | 1.0 |
| Arlington County | 7,265 | 299 | 1,656 | 1,203 | 7,111 | 154 | 18,174 | 1,2 |
| Fairfax city | 289 | 62 | 114 | 99 | 474 | 185 | 1,067 | 2.3 |
| Fairfax County | 5,472 | 1.731 | 12,361 | 13,830 | 22.686 | 28,158 | 111,977 | 1.8 |
| Falls Church city | 319 | 40 | 117 | 50 | 82 | 237 | 1,955 | 0.6 |
| Loudoun County | 26,790 | 2,411 | 9,364 | 7.126 | 6.884 | 19.906 | 142.712 | 2.6 |
| Manassas city | 14 | 90 | 137 | 1,640 | 1,897 | 1.883 | 2,686 | 1.7 |
| Manassas Park city | 822 | 165 | 206 | 789 | 370 | 1.192 | 3.983 | 1.3 |
| Prince William County | 20,496 | 5,301 | 4,322 | 13,539 | 3,576 | 24,072 | 121.189 | 2.2 |
| NORTHERN VIRGINIA | 62,658 | 9,493 | 28,714 | 36,873 | 14,402 | 77,060 | 415,426 | 1.6 |
| VIRGINIA | 63,618 | 9,452 | 40.840 | 72,474 | 69,169 | 132,787 | 922,509 | 1.8 |
| U.S.A. | 797,967 | 445,769 | 942,212 | 3,276,462 | 4,032,623 | 4,830,590 | 27,323,632 | 1.7 |
| Change in PERCENT - By Ra | ce/Ethnicity | | | | | | | |
| Alexandria city | | 0.8 | 0,9 | 2.0 | 1.1 | 1,1 | | |
| Arlington County | | 1.7 | 1.6 | 4.5 | 5.1 | 5.1 | | |
| Fairfax city | | 1.0 | 3.5 | 3.2 | 6.6 | 6.6 | | |
| Fairfax County | | 0.5 | 5.1 | 5.8 | 11.5 | 11.5 | | |
| Falls Church city | | 1.1 | 3.7 | 0.6 | 6.3 | 6.3 | | |
| Loudoun County | | 0.7 | 11.2 | 7.9 | 20.6 | 20.6 | | |
| Manassas city | | 1.1 | 1.6 | 19.7 | 22.6 | 22.6 | | |
| Manassas Park city | | 20 | 4.8 | 19.6 | 26.8 | 26.8 | | |
| Prince William County | | 1.1 | 3.8 | 12.9 | 18.3 | 18.3 | | |
| NORTHERN VIRGINIA | | 0.3 | 4.4 | 5.8 | 10.6 | 10.6 | | |
| VIRGINIA | | 0.2 | 2.3 | 4.2 | 6.8 | 6.8 | | |
| U.S.A. | | 0.5 | 1.5 | 5.1 | 7.3 | 7.3 | | |

APPENDIX E DEBT SERVICE RATIOS

DEBT SERVICE RATIOS

The following ratios represent the General Fund, or tax rate supported portion of debt issued by the City for city-wide capital needs. ¹ These ratios are based on the City Council Approved FY 2016 – 2025 CIP.

Debt as a Percentage of Total Personal Income


Target = 3.2 percent; Limit = 4.5 percent; FY 2016 = 3.99 percent



This percentage is a measure of the capacity of citizens to finance tax-supported debt. A lower percentage means that taxes required to repay debt represent a smaller portion of the average citizen's income. Based on the City Council Approved FY 2016 - 2025 CIP, and existing debt policy guidelines there is little capacity for additional borrowing in the ten-year plan, as the debt ratio bumps up against the limit in fiscal years 2018, 2019, and 2023.

Debt as a Percentage of Fair Market Real Property Value

Target = 1.1 percent; Limit = 1.6 percent; FY 2016 = 1.31 percent




This ratio indicates the relationship between the City's debt and the full value of real property in the City as assessed annually at fair market value. It is an important indicator of the City's ability to repay debt because real property taxes are the primary source of the City's revenues used to repay debt. A small ratio is an indication that the City will be better able to withstand possible future economic downturns and continue to meet its debt obligations. Based on the City Council Approved FY 2016 - 2025 CIP, this ratio is over its target and near its limit for all fiscal years.

¹The analysis of debt ratios excludes both Sanitary Sewer and Potomac Yard debt service. Sanitary Sewer debt service is paid through the fee-funded Sanitary Sewer Fund, while Potomac Yard debt service paid from Special Tax District revenues, incremental property value growth in Potomac Yard, and development contributions.

Debt Service as a Percentage of General Government Expenditures

Target = 8.0 percent; Limit = 10.0 percent; FY 2016 = 7.41 percent



This ratio is a measure of the City's ability to repay debt without hampering other City services. A small ratio indicates a lesser burden on the City's operating budget. There is an important distinction in this ratio that is referring to General Government expenditures, and not General Fund expenditures. Based on the City Council Approved FY 2016 - 2025 CIP, this ratio is projected to be near its target in the next three years and nearly reaches its limit by FY 2024.


APPENDIX F REFERENCE MAPS

The maps in this section show potential areas or sites for development of new schools, followed by zoning maps for all existing schools.


In maps showing potential new school sites or areas, outlines of zoning districts are shown on aerial photos that illustrate development of the sites in 2013.

Each diagram shows an area scale indicating two acres and four acres. A two-acre site is the approximate requirement for an urban elementary school in a three-story building with minimal access and parking, with minimal outdoor play space. For such a site, the school needs to be in close proximity to a park that provides open space suitable for outdoor exercise and physical education. A four-acre site is sufficient to provide both the school building and some outdoor recreation space. The Lyles-Crouch Traditional Academy is located on a site almost exactly two acres in size, and has a current capacity of 375 students, a little less than half the capacity of the largest elementary school prototype in the ACPS educational specifications.


Some of these locations would be suitable for development of a school as part of a mixed-use development including office, flex commercial, residential, public or other uses compatible with a school.



The Francis Hammond lower field provides a potential location for an additional school on this site. The site could be used either for an elementary school or for a new middle school.




A site adjacent to Simpson Fields was set aside in the Potomac Yard/Potomac Greens Small Area Plan as a school site.




A site for a public facility was set aside in the North Potomac Yard Plan adjacent to a future park site. The site is less than one acre in area, and may not be practical to use for a full-sized elementary school. It could be used for a small special academy.


Zoning Map, Charles Barrett Elementary School,




Zoning Map, Cora Kelly Elementary School




Zoning Map, Douglas MacArthur Elementary School




Zoning Map, George Mason Elementary School




Zoning Map, James K. Polk Elementary School




Zoning Map, Jefferson-Houston K-8 School




Zoning Map, John Adams Elementary School




Zoning Map, Lyles-Crouch Traditional Academy




Zoning Map Matthew Maury Elementary School




Zoning Map, Mount Vernon Elementary School




Zoning Map, Patrick Henry Elementary School




Zoning Map, Samuel W. Tucker Elementary School




Zoning Map, William Ramsay Elementary School




Zoning Map, Francis Hammond Middle School



Zoning Map, George Washington Middle School



Zoning Map, Minnie Howard Ninth Grade



Zoning Map, T.C. Williams High School

