PRELIMINARY DEVELOPMENT SPECIAL USE PERMIT

1101 NORTH WASHINGTON STREET

CITY OF ALEXANDRIA, VIRGINIA

AREA TABULATIONS

TOTAL SITE AREA = 0.9813 AC 42,746 SF

TOTAL AREA OF TAX PARCELS = 0.9813 AC 42,746 SF

TOTAL EXISTING IMPERVIOUS AREA = 0.8453 AC 36,821 SF

TOTAL PROPOSED IMPERVIOUS AREA = 0.8441 AC 36,768 SF

TOTAL DISTURBED AREA = 1.0962 AC 47,750 SF

ENVIRONMENTAL SITE ASSESSMENT

- 1. THERE ARE NO RESOURCE PROTECTION AREAS (RPA'S), TIDAL WETLANDS, SHORES, TRIBUTARY STREAMS, FLOOD PLAINS, OR BUFFER AREAS FOR SHORES, WETLANDS, CONNECTED TIDAL WETLANDS, ISOLATED WETLANDS OR HIGHLY ERODIBLE/PERMEABLE SOILS LOCATED ON THIS SITE. THERE ARE NO WETLAND PERMITS REQUIRED FOR THE DEVELOPMENT ON THIS PROPERTY.
- 2. THE CITY OF ALEXANDRIA DEPARTMENT OF TRANSPORTATION AND ENVIRONMENTAL SERVICES, DIVISION OF ENVIRONMENTAL QUALITY MUST BE NOTIFIED IF UNUSUAL OR UNANTICIPATED CONTAMINATION OR UNDERGROUND STORAGE TANKS, DRUMS AND CONTAINERS ARE ENCOUNTERED AT THE SITE. IF THERE IS ANY DOUBT ABOUT PUBLIC SAFETY OR A RELEASE TO THE ENVIRONMENT, THE ALEXANDRIA FIRE DEPARTMENT MUST BE CONTACTED IMMEDIATELY BY CALLING 911. THE TANK OR CONTAINER'S REMOVAL, ITS CONTENTS, ANY SOIL CONTAMINATION AND RELEASE TO THE ENVIRONMENT WILL BE HANDLED IN ACCORDANCE WITH FEDERAL, STATE, AND CITY REGULATIONS.
- 3. ALL WELLS TO BE DEMOLISHED ON THIS PROJECT, INCLUDING MONITORING WELLS, MUST BE CLOSED IN ACCORDANCE WITH STATE W REGULATION. CONTACT THE ALEXANDRIA HEALTH DEPARTMENT AT 703-746-4866.
- 4. THERE ARE NO KNOWN CONTAMINATED AREAS, CONTAMINATED SOILS OR ENVIRONMENTAL ISSUES ASSOCIATED WITH THIS SITE.

ENVIRONMENTAL PERMITS NOTES

ALL REQUIRED PERMITS FROM VIRGINIA DEPARTMENT OF ENVIRONMENTAL QUALITY, ENVIRONMENTAL PROTECTION AGENCY, ARMY CORPS OF ENGINEERS, VIRGINIA MARINE RESOURCES MUST BE IN PLACE FOR ALL PROJECT CONSTRUCTION AND MITIGATION WORK PRIOR TO RELEASE OF THE FINAL SITE PLAN.

THIS PROJECT PROPOSES CONSTRUCTION ACTIVITIES THAT DISTURB AN AREA GREATER THAN 1 ACRE, THEREFORE A VPDES PERMIT IS

ARCHAEOLOGY NOTES


CALL ALEXANDRIA ARCHAEOLOGY IMMEDIATELY (703-746-4399) IF ANY BURIED STRUCTURAL REMAINS (WALL FOUNDATIONS, WELLS, PRIVIES, CISTERNS, ETC.) OR CONCENTRATIONS OF ARTIFACTS ARE DISCOVERED DURING DEVELOPMENT. WORK MUST CEASE IN THE AREA OF THE DISCOVERY UNTIL A CITY ARCHAEOLOGIST COMES TO THE SITE AND RECORDS THE FINDS.

THE APPLICANT SHALL NOT ALLOW ANY METAL DETECTION AND/OR ARTIFACT COLLECTION TO BE CONDUCTED ON THE PROPERTY, UNLESS AUTHORIZED BY ALEXANDRIA ARCHAEOLOGY. FAILURE TO COMPLY SHALL RESULT IN PROJECT DELAYS.

ALL REQUIRED ARCHAEOLOGICAL PRESERVATION MEASURES SHALL BE COMPLETED IN COMPLIANCE WITH SECTION 11-411 OF THE ZONING ORDINANCE.

GENERAL NOTES

- 1. PRIOR TO THE APPLICATION FOR NEW CERTIFICATE OF OCCUPANCY, THE APPLICANT SHALL SUBMIT A BUILDING PERMIT FOR A CHANGE OF USE. DRAWINGS PREPARED BY A LICENSED ARCHITECT OR PROFESSIONAL ENGINEER SHALL ACCOMPANY THE PERMIT APPLICATION. THE PLANS SHALL SHOW PROPOSED CONDITIONS AND PROVIDE DATA BY THE DESIGN PROFESSIONAL WHICH DETAILS HOW THE PROPOSED USE WILL COMPLY WITH THE CURRENT EDITION OF THE VIRGINIA UNIFORM STATEWIDE BUILDING CODE FOR THE NEW USE IN THE AREA OF STRUCTURAL STRENGTH, MEANS OF EGRESS, PASSIVE AND ACTIVE FIRE PROTECTION, HEATING AND VENTILATING SYSTEMS, HANDICAPPED ACCESSIBILITY AND PLUMBING FACILITIES.
- 2. NEW CONSTRUCTION MUST COMPLY WITH THE CURRENT EDITION OF THE UNIFORM STATEWIDE BUILDING CODE (USBC).
- 3. BEFORE A BUILDING PERMIT CAN BE ISSUED ON ANY PROPOSED FUTURE ALTERATIONS, A CERTIFICATION IS REQUIRED FROM THE OWNER OR OWNER'S AGENT THAT THE BUILDING HAS BEEN INSPECTED BY A LICENSED ASBESTOS INSPECTOR FOR THE PRESENCE OF ASBESTOS.
- 4. A CERTIFICATE OF OCCUPANCY SHALL BE OBTAINED PRIOR TO ANY OCCUPANCY OF THE BUILDING OR PORTION THEREOF.
- 5. REQUIRED EXITS, PARKING, AND ACCESSIBILITY WITHIN THE BUILDING FOR PERSONS WITH DISABILITIES MUST COMPLY WITH USBC CHAPTER 11. HANDICAPPED ACCESSIBLE BATHROOMS SHALL ALSO BE PROVIDED.
- 6. TOILET FACILITIES FOR PERSONS WITH DISABILITIES: LARGER, DETAILED, DIMENSIONED DRAWINGS ARE REQUIRED TO CLARIFY SPACE LAYOUT AND MOUNTING HEIGHTS OF AFFECTED ACCESSORIES. INFORMATION ON DOOR HARDWARE FOR THE TOILET STALL IS REQUIRED (USBC 1109.2.2).
- 7. IF APPLICABLE, ENCLOSED PARKING GARAGES MUST BE VENTILATED IN ACCORDANCE WITH USBC 406.4.2. THE REQUIRED MECHANICAL VENTILATION RATE FOR AIR IS 0.75 CFM PER SQUARE FOOT OF THE FLOOR AREA (USBC 2801.1). IN AREAS WHERE MOTOR VEHICLES OPERATE FOR A PERIOD OF TIME EXCEEDING 10 SECONDS, THE VENTILATION RETURN AIR MUST BE EXHAUSTED. AN EXHAUST SYSTEM MUST BE PROVIDED TO CONNECT DIRECTLY TO THE MOTOR VEHICLE EXHAUST (USBC 2801.1).
- 8. ELECTRICAL WIRING METHODS AND OTHER ELECTRICAL REQUIREMENTS MUST COMPLY WITH NFPA 70, 2008.
- 9. IF APPLICABLE, THE PUBLIC PARKING GARAGE FLOOR MUST COMPLY WITH USBC 406.2.6 AND DRAIN THROUGH OIL SEPARATORS OR TRAPS TO AVOID ACCUMULATION OF EXPLOSIVE VAPORS IN BUILDING DRAINS OR SEWERS AS PROVIDED FOR IN THE PLUMBING CODE (USBC 2901). THIS PARKING GARAGE IS CLASSIFIED AS AN S-2, GROUP 2, PUBLIC GARAGE.
- 10. THIS PROJECT IS LOCATED IN A COMBINED SEWER AREA.
- 11. THIS SITE DOES NOT CONTAIN ANY AREAS PREVIOUSLY MAPPED AS MARINE CLAYS.



PROJECT DESCRIPTION NARRATIVE

THE APPLICANT REQUESTS A DEVELOPMENT SPECIAL USE PERMIT WITH SITE PLAN (DSUP) TO RENOVATE AND EXPAND AN EXISTING HOTEL AND TO ADD A RESTAURANT. THE PROJECT PROPOSES A 4-STORY HOTEL WITH RESTAURANT AREA, RENOVATED SURFACE PARKING LAYOUT AND IMPROVED STREETSCAPE/OPEN SPACE. SITE ACCESS WILL REMAIN AS IN EXISTING CONDITIONS.

REQUESTED APPLICATIONS AND MODIFICATIONS:

THIS DEVELOPMENT IS REQUESTING A:

- DEVELOPMENT SPECIAL USE PERMIT TO CONSTRUCT A HOTEL AND RESTAURANT
- TRANSPORTATION MANAGEMENT PLAN SPECIAL USE PERMIT
- PARKING REDUCTION SPECIAL USE PERMIT FOR PARKING AND LOADING REDUCTION
 MODIFICATION FOR THE ZONE TRANSITION LINE SETBACK FOR THE EAST PROPERTY LINE
- MODIFICATION FOR PARKING LOT LANDSCAPE ISLAND RATIO

BUILDING CODE ANALYSIS:

USE GROUP(S):	R-1 (HOTEL)
	A-2 (RESTAURANT)
	A-3 (HOTEL AMENITIES)
	S-2 (PARKING/SERVICE)
TYPE OF CONSTRUCTION:	IIB
NUMBER OF STORIES:	4
FLOOR AREA (GROSS):	62,403 SQ. FT.
BUILDING HEIGHT:	50.0'
FIRE SUPRESSION/DETECTION:	SPRINKLERED

COMPLETE STREETS INFORMATION:

NEW	UPGRADED
3	N/A
3	N/A
N/A	N/A
N/A	7
N/A	446
6	N/A
6	N/A
N/A	N/A
N/A	N/A
N/A	N/A
	3 N/A N/A N/A 6 6 N/A

ZONING TABULATIONS

1.	ZONE OF SITE	<u> </u>	(COMMERCIAL DOW	NTOWN)	
2.	USE: EXI	STING HOTEL	PROPOSEI	HOTEL/RESTAURANT	
3.	LOT AREA:	42,746 SF (0.9813 AC)	MINIMUM LOT AREA	:N/A	
4.	NUMBER OF I	DWELLING UNITS:0			
5.	NUMBER OF	MEETING ROOM SEATS: EXIS	STING 49 PROP	POSED 95 POSED 20 POSED 40	
6.	UNITS PER A	CRE: ALLOWED <u>N/A</u> PR	OPOSED N/A		
7.	FLOOR AREA:	<u>GROSS</u>		<u>NET</u>	
		HOTEL: RESTAURANT/MEETING ROOM CANOPY: TOTAL:	59,214 SF l: 1,839 SF 1,350 SF 62,403 SF	HOTEL: RESTAURANT/MEETING ROOM: CANOPY: TOTAL:	55,350 SF 1,839 SF 1,350 SF 58,539 SF
		BASEMENT:	6,710 SF		
8.	FLOOR AREA	RATIO: EXISTING: 0.64 ALLOWED: 1.50 PROPOSED: 1.37			
9.	OPEN SPACE:	PROPOSED:	L: 5,050 SF (11.8%): 600 SF (1.4%) 5,650 SF (13.2%	•	
10.	AVERAGE FINIS	SHED GRADE: 30.57	· · · · · · · · · · · · · · · · · · ·	•	
11.	HEIGHT: PE	RMITTED50'	PROPOSEI	50'	
12.	YARDS:	REQUIRED: N/A PROPOSED: FRONT (E ABINGDON): FRONT (SECOND): SIDE (NORTH): SIDE (EAST)	8.8'		
13.	FRONTAGE:	REQUIRED: N/A PROPOSED: E ABINGDON DRIVE: SECOND STREET:			
* 14.	PARKING:	EXISTING:	69 SPACES		
		REQUIRED (PER OLD TOWN)	NORTH AREA PLAN):		
		HOTEL = 67 SPACES 0.7 SPACES/ROOM = RESTAURANT/MEETING ROOM 0.125 SPACES/SEAT = TOTAL = 75 SPACES	= 8 SPACES		

*15. LOADING SPAC	CES: REQUIRED	4	PROPOSED	1	_
16. TRIP GENERAT		400 VPD 26 AVTE		850 VPD 55 AVTE	_(PER ITE STANDARDS)

PROVIDED:

STANDARD SIZE PARKING:

COMPACT SIZE PARKING:

ACCESSIBLE SIZE PARKING: 3 SPACES

PM PEAK <u>29 AVTE</u> PM PEAK <u>62 AVTE</u>

* SEE REQUESTED APPLICATIONS/MODIFICATIONS FOR DETAILED INFORMATION (THIS SHEET)

46 SPACES

PRELIMINARY DEVE SPECIAL USE PE 1101 NOR VASHINGTON

OWNER/DEVELOPER

OWNER:
CIA COLONY INN LLC
3147 WOODLAND LANE
ALEXANDRIA, VA 22309
INSTRUMENT #120027595

DEVELOPER:

CIA COLONY INN LLC

ALEXANDRIA. VA 22314

CONTACT: STEVE BANNISTER

800 SLATERS LANE

(703) 909-6888

ARCHITECT:
RUST ORLING ARCHITECTS
1215 CAMERON STREET
ALEXANDRIA, VA 22314
(703) 836-3205
CONTACT: SCOTT FLEMING

PLAN PREPARED BY:
R.C. FIELDS & ASSOCIATES, INC.
730 S. WASHINGTON STREET
ALEXANDRIA, VA 22314
(703) 549-6422
CONTACT: ANDREA SPRUCH

ATTORNEY:
WALSH, COLUCCI, LUBELEY
& WALSH, P.C
2200 CLARENDON BLVD, SUITE 1300
ARLINGTON, VIRGINIA 22201
(703) 528-4700
CONTACT: M. CATHARINE PUSKAR

LANDSCAPE ARCHITECTURE:
STUDIO 39 LANDSCAPE
ARCHITECTURE, P.C.
6416 GROVEDALE DRIVE, SUITE 100-A
ALEXANDRIA, VA 22310
(703) 719-6500 X106
CONTACT: DAN DOVE

SHEET INDEX:

<u> </u>	
COVER SHEET_	1
CONTEXTUAL PLAN_	2
EXISTING CONDITIONS	3
PRELIMINARY SITE PLAN	4
SITE DIMENSION PLAN	5
STORMWATER MANAGEMENT PLAN	6
STORMWATER MANAGEMENT PLAN	7
OUTFALL ANALYSIS	8
SIGHT DISTANCE	9
SIGHT DISTANCE	10
TURNING MOVEMENTS	11
SANITARY SEWER OUTFALL ANALYSIS	12
PRELIMINARY EASEMENT PLAT (FOR INFO ONLY)	13
HARDSCAPE & LANDSCAPE PLAN	L1.(
HARDSCAPE DETAILS	L2.0
LANDSCAPE NOTES AND DETAILS	L3.0

1ST FLOOR, 2ND, & 3RD FLOOR PLANS	A1.1
4TH FLOOR PLAN AND ROOF PLAN	A1.2
FAR DIAGRAMS	A1.3
EXTERIOR ELEVATIONS	A2.1
EXTERIOR ELEVATIONS	A2.2
EXTERIOR ELEVATIONS	A2.3
STREETSCAPES	A3.1
BUILDING SECTIONS	A3.2
MASSING MODEL	A4.1
SHADOW STUDY	A4.2
SHADOW STUDY	A4.3

APPROVED
SPECIAL USE PERMIT NO.

DEPARTMENT OF PLANNING & ZONING

DIRECTOR

DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES

SITE PLAN NO.

DIRECTOR

DATE

CHAIRMAN, PLANNING COMMISSION

DATE


DATE


DATE

INSTRUMENT NO.

DEED BOOK NO.

DATE









SECTION 6-403 COMPLIANCE NOTE:

SECTION 6-403 STATES "IN ALL HEIGHT DISTRICTS, THE ALLOWABLE HEIGHT OF A BUILDING AT ANY POINT SHALL NOT EXCEED TWICE THE DISTANCE FROM THE FACE OF THE BUILDING AT THAT POINT TO THE CENTERLINE OF THE STREET FACING SUCH BUILDING." SEE DETAILS BELOW FOR SECTION SHOWING COMPLIANCE.

SECTION 6-403 DETAILS:





THIS DRAWING IS A SERVICE DOCUMENT OF R.C. FIELDS & ASSOCIATES, INC. AND MAY NOT BE US REPRODUCED WITHOUT THE WRITTEN PERMISSION OF THE ENGINEER AND /OR LAND SURVEYOR. EXISTING UTILITIES SHOWN ON THIS PLAN TAKEN FROM AVAILABLE RECORDS AND/OR FROM OBSERVATIONS. FOR EXACT LOCATIONS OF EXISTING UNDERGROUND UTILITIES, NOTIFY "MISS UTILIT 1-800-552-7001, 72 HOURS BEFORE THE START OF ANY EXCAVATION OR CONSTRUCTION. LOCATION AND DEPTH OF ALL EXISTING UNDERGROUND UTILITIES TO BE VERIFIED BY CONTRACTOR PRICE CONSTRUCTION. INTERFERENCE OR DISRUPTION OF SAME WILL NOT BE THE RESPONSIBILITY OF THIS OF

	APPROVED SPECIAL USE PERMIT NO. 2014-0043 DEPARTMENT OF PLANNING & ZONING DIRECTOR DATE DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES	
ISED OR	SITE PLAN NO.	
A FIELD LITY" AT	DIRECTOR DATE	
RIOR TO OFFICE.	CHAIRMAN, PLANNING COMMISSION DATE DATE RECORDED	

——— WMATA ROUTE 11Y

REVISION CHECKED: ACS DESIGN: AWB SCALE: AS NOTED DATE: AUG 2015 SHEET 2 OF 13

ANDREA SPRUCH Lic. No. 047863 DECEMBER 21, 2015

SE PERMITSTREET

SPECIAL IGTON

OPMENT

RELIMINARY


SHING


A

— 0 XANDRIA,

OF

ALL CONSTRUCTION SHALL CONFORM TO THE CURRENT STANDARDS AND SPECIFICATIONS OF CITY OF ALEXANDRIA, VIRGINIA © 2015 R.C. FIELDS & ASSOCIATES, INC. INSTRUMENT NO. DEED BOOK NO. DATE © 2015 R.C. FIELDS & ASSOCIATES, INC.





0' 10' 20'

ALEXANDRIA, VIRGINIA

EX. BUILDING

4-STORY (APPROX.)

USE: CONDO MASTER CARDS

INSTR. #050019584

TEXT LEGEND:

 ∇

b

✡

UTILITY POLE

LIGHT POLE

LIMITS OF DISTURBANCE

မှ

 \Rightarrow

PROPOSED

LCURB RAMP

ANDREA SPRUCH Lic. No. 047863 DECEMBER 21, 2015

REVISION


LOCATION AND DEPTH OF ALL EXISTING UNDERGROUND UTILITIES TO BE VERIFIED BY CONTRACTOR PRIOR TO CONSTRUCTION. INTERFERENCE OR DISRUPTION OF SAME WILL NOT BE THE RESPONSIBILITY OF THIS OFFICE.

ALL CONSTRUCTION SHALL CONFORM TO THE CURRENT STANDARDS AND SPECIFICATIONS OF CITY OF

DATE RECORDED

© 2015 R.C. FIELDS & ASSOCIATES, INC.


INSTRUMENT NO. DEED BOOK NO. DATE



EX. BUILDING

4-STORY (APPROX.)

LIMITS OF DISTURBANCE



PERMIT NSI Ш SP XANDRI **OPMENT** Ш DEVI **PRELIMINARY**

DATE REVISION CHECKED: ACS DESIGN: AWB

SCALE: 1" = 20DATE: AUG 2015

SHEET 5 OF 1

ALL CONSTRUCTION SHALL CONFORM TO THE CURRENT STANDARDS AND SPECIFICATIONS OF CITY OF ALEXANDRIA, VIRGINIA © 2015 R.C. FIELDS & ASSOCIATES, INC.

© 2015 R.C. FIELDS & ASSOCIATES, INC.

WATER QUALITY/QUANTITY COMPLIANCE NARRATIVE:

PRE-DEVELOPMENT CONDITIONS:

THIS 0.98 ACRE SITE IS LOCATED IN THE POTOMAC RIVER WATERSHED. THE SITE IS CURRENTLY OCCUPIED BY A HOTEL ACCOMPANIED BY PARKING AND SPARSELY LANDSCAPED OPEN SPACE. THE SUBJECT PROPERTY HAS TWO POINTS OF OUTFALL. THE MAJORITY OF THE SITE DRAINS SOUTH TO BE COLLECTED BY AN EXISTING UNDERGROUND STORM SEWER SYSTEM WHICH THEN CONVEYS STORMWATER RUNOFF TOWARDS THE SECOND STREET RIGHT-OF-WAY. THE REMAINING PORTION OF THE SITE SHEETS FLOWS TOWARDS THE NORTH TO BE COLLECTED BY AN EXISTING CURB INLET LOCATED NEAR THE EAST ABINGDON STREET RIGHT-OF-WAY.

THE REDEVELOPMENT OF THE PROJECT PROPOSES A 5-STORY HOTEL AND RESTAURANT, A RENOVATED SURFACE PARKING LAYOUT AND IMPROVED STREETSCAPE/OPEN SPACE. IN PROPOSED CONDITIONS THE POINTS OF OUTFALL REMAIN THE SAME WITH THE MAJORITY OF THE SITE CONTINUING TO DRAIN SOUTH TO AN UNDERGROUND STORM SEWER SYSTEM WHICH THEN CONVEYS RUNOFF TOWARDS THE SECOND STREET RIGHT-OF-WAY. THE REMAINING PORTION OF THE SITE CONTINUES TO SHEET FLOW IN A NORTHERLY DIRECTION TO BE COLLECTED BY AN EXISTING CURB INLET LOCATED NEAR THE EAST ABINGDON STREET RIGHT-OF-WAY.

STORMWATER QUANTITY:

THIS PLAN PROPOSES A DECREASE IN THE OVERALL IMPERVIOUS AREA ON THE SUBJECT SITE WHICH RESULTS IN A DECREASE OF THE PEAK RATE OF RUNOFF ASSOCIATED WITH THE 10 YEAR 24 HOUR (SEE STORMWATER RUNOFF COMPUTATIONS, THIS SHEET). DUE TO THE REDUCTION IN RUNOFF, NO DETENTION IS REQUIRED FOR THIS PROJECT PER SECTION 13-109F(2)(b)(ii) OF THE CITY OF ALEXANDRIA ZONING ORDINANCE.

STORMWATER QUALITY:

A BEST MANAGEMENT PRACTICE (BMP) FACILITY IS PROPOSED TO TREAT THE MAJORITY OF RUNOFF FROM PROPOSED IMPERVIOUS AREAS OF THE SITE. A CONTRIBUTION TO THE ALEXANDRIA WATER QUALITY IMPROVEMENT FUND WILL BE MADE FOR THE REMAINDER OF THE WATER QUALITY VOLUME NOT TREATED FOR THIS SITE. COMPLIANCE NARRATIVES AND COMPUTATIONS PER CITY CODE SECTION 13-109E ARE PROVIDED ON SHEET 6.

STORMWATER RUNOFF COMPUTATIONS:

EXISTING IMPERVIOUS AREA = 36,821 SQ.FT. OR 0.8453 ACRES PROPOSED IMPERVIOUS AREA = 36,768 SQ.FT. OR 0.8441 ACRES

PEAK DISCHARGE FLOWS WERE CALCULATED USING HYDROCAD SOFTWARE/SCS TR-20

 Q_{10} PRE = 7.24 CFS

IV. POST-DEVELOPMENT DECREASES

Q₂ DECREASE = 0.09 CFS

DETENTION VOLUME ESTIMATES DECREASE IN RUNOFF, THEREFORE NO DETENTION IS REQUIRED.

EXISTING SEWER SCHEDULE

EX. SAN. MH TOP=29.38 INV.IN=20.98(10",S)

(B) BENCHMARK #2 EX. SAN. MH

TOP=33.83

INV.OUT=26.83(12") 1 EX. COMB. MH TOP=28.52 INV.IN=21.52(15",W)

INV.IN=14.72(52",N) 2 EX. CURB INLET TOP=27.61 INV.IN=22.31(15",S)


> INV.IN = 21.71(15", W)INV.OUT=21.31(15")

TOP=27.16 INV.IN=22.06(15",N) INV.OUT=20.96(15",S) (4) EX. STORM MH TOP = 27.39

INV.IN=20.39(15",S) INV.IN=19.39(15",E) INV.OUT=19.29(15") 5 EX. CURB INLET

INV.OUT=22.46(15") 6 EX. STORM INLET TOP=23.54 INV.OUT=17.04(15")

TOP=29.31 INV.IN=22.61(15",E) INV.IN=22.61(15",N) INV.OUT=22.51(15")



1 inch = 20 ft.

APPROVED SPECIAL USE PERMIT NO. 2014-0043 DEPARTMENT OF PLANNING & ZONING THIS DRAWING IS A SERVICE DOCUMENT OF R.C. FIELDS & ASSOCIATES, INC. AND MAY NOT BE USED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION OF THE ENGINEER AND OR LAND SURVEYOR. EXISTING UTILITIES SHOWN ON THIS PLAN TAKEN FROM AVAILABLE RECORDS AND/OR FROM FIELD OBSERVATIONS. FOR EXACT LOCATIONS OF EXISTING UNDERGROUND UTILITIES, NOTIFY "MISS UTILITY" AT 1-800-552-7001, 72 HOURS BEFORE THE START OF ANY EXCAVATION OR CONSTRUCTION. LOCATION AND DEPTH OF ALL EXISTING UNDERGROUND UTILITIES TO BE VERIFIED BY CONTRACTOR PRIOR TO CONSTRUCTION. INTERFERENCE OR DISRUPTION OF SAME WILL NOT BE THE RESPONSIBILITY OF THIS OFFICE. DATE RECORDED ALL CONSTRUCTION SHALL CONFORM TO THE CURRENT STANDARDS AND SPECIFICATIONS OF CITY OF INSTRUMENT NO. DEED BOOK NO. DATE © 2015 R.C. FIELDS & ASSOCIATES, INC.

IRGINIA CIAL SPE(SHING XANDRIA OPMENT OF DE LIMINAR **—** 0

ANDREA SPRUCH

Lic. No. 047863 DECEMBER 21, 2015

PERMIT **REET**

Y

REVISION CHECKED: ACS DESIGN: AWB SCALE: 1" = 20DATE: AUG 2015 SHEET 6 OF

POST-DEVELOPMENT CONDITIONS:

I. PROJECT AREA = 42,746 SQ.FT. OR 0.9813 ACRES

II. WEIGHTED "CN" FACTOR CALCULATION

PRE-DEVELOPMENT "CN" = $(80 \times 0.1360 + 98 \times 0.8453) \div 0.9813 = 96$ POST-DEVELOPMENT "CN" = $(80 \times 0.1372 + 98 \times 0.8441) \div 0.9813 = 95$

III. PEAK DISCHARGE FOR DESIGN STORMS (Tc = 5 MIN) METHOD.

PRE-DEVELOPMENT Q_2 PRE = 4.35 CFS

POST-DEVELOPMENT

$Q_2 POST = 4.26 CFS$ Q_{10} POST = 7.17 CFS

Q₁₀ DECREASE = 0.07 CFS

V. DETENTION VOLUME

A BENCHMARK #1 3 EX. GRATE INLET INV.IN=20.68(12",N) INV.IN=20.48(12",E) INV.OUT=20.38(12")

INV.IN=26.93(10",NE) TOP=26.96 INV.IN=26.83(12",N) INV.IN=22.76(8")

INV.IN=16.12(12",E) 7 EX. STORM MH INV.OUT=14.67(52"x42")

Site Data							
Project Name: 1101 North Washing	ton Street						
Date: May 2015							
•							
	data input cells calculation cells						
	constant values						
Post-ReDevelopment Project	& Land Cover	Information	Total D	isturbed Acreage	1.15		
No. 11-14-114-1							
Constants							
Annual Rainfall (inches)	43						
arget Rainfall Event (inches)	1.00			N" 5110 (11)	1.00		
Phosphorus EMC (mg/L) Farget Phosphorus Target Load (lb/acre/yr)	0.26 0.41			Nitrogen EMC (mg/L)	1.86		
pj	0.90						
re-ReDevelopment Land Cover (acres)	A soils	B Soils	C Soils	D Soils	Totals		
Forest/Open Space (acres) undisturbed,							
rotected forest/open space or reforested land	0.00	0.00	0.00	0.00	0.00		
Managed Turf (acres) disturbed, graded for vards or other turf to be mowed/managed	0.00	0.00	0.00	0.14	0.14		
mpervious Cover (acres)	0.00	0.00	0.00	0.85	0.85		
·				Total	0.98		
Post-ReDevelopment Land Cover (acres)							
Con-100 Velopinent Land Cover (acres)	A soils	B Soils	C Soils	D Soils	Totals		
Forest/Open Space (acres) undisturbed,							
protected forest/open space or reforested land Managed Turf (acres) disturbed, graded for	0.00	0.00	0.00	0.00	0.00		
vanaged Turr (acres) disturbed, graded for vards or other turf to be mowed/managed	0.00	0.00	0.00	0.14	0.14		
mpervious Cover (acres)	0.00	0.00	0.00	0.84	0.84		
Area Check	Okay	Okay	Okay	Total Okay	0.98		
nea Olleck	Okay	Okay	Okay	Okay			
Rv Coefficients							
Forest/Open Space	A soils	B Soils 0.03	C Soils 0.04	D Soils 0.05			
Managed Turf	0.02	0.20	0.04	0.05			
mpervious Cover	0.95	0.95	0.95	0.95			
and Cover Summary	Listed	Adjuste d ¹		Land Cover Sumr	mary	Land Cover Summary	
Pre-Re Development				Post-Re Developm	nent	Post-Re Development New Impervi	ious
Forest/Open Space Cover (acres)	0.00	0.00		Forest/Open Space Cover	0.00		
orestropen space cover (acres)	0.00	0.00		Composite	0.00		
Composite Rv(forest)	0.00			Rv(forest)	0.00		
% Forest	0%	0%		% Forest	0%		
Managed Turf Cover (acres)	0.14	0.14		Managed Turf Cover (acres)	0.14		
Composite Rv(turf)	0.25	0.25		Composite Rv(turf)	0.25		
% Managed Turf	14%	14%		% Managed Turf	14%		
	0.85	0.85		ReDev. Impervious Cover (acres)	0.84	New Impervious Cover (acres)	0.0
mpervious Cover (acres)	U.U.J			Rv(impervious)	0.95	Rv(impervious)	0.9
• • • • • • • • • • • • • • • • • • • •	0.95				86%	% Impervious	Check Area
Rv(impervious)		86%		% Impervious		Total New Dev. Site Area (acres)	0.0
Rv(impervious) 6 Impervious	0.95 86%	86%		Total ReDev. Site		Iton ber bite Alea (acies)	
Rv(impervious) 6 Impervious Fotal Site Area (acres)	0.95	86% 0.98		The state of the s	0.98 0.85	New Dev. Site Rv	
mpervious Cover (acres) Rv(impervious) Impervious Total Site Area (acres) Site Rv	0.95 86% 0.98	86% 0.98		Total ReDev. Site Area (acres) ReDev. Site Rv	0.98	New Dev. Site Rv	
Rv(impervious) 6 Impervious Fotal Site Area (acres)	0.95 86% 0.98	86% 0.98		Total ReDev. Site Area (acres) ReDev. Site Rv	0.98	New Dev. Site Rv	
Rv(impervious) 6 Impervious Fotal Site Area (acres)	0.95 86% 0.98	86% 0.98		Total ReDev. Site Area (acres) ReDev. Site Rv	0.98 0.85	New Dev. Site Rv Post-Development Treatment	9.0
Rv(impervious) // Impervious Total Site Area (acres)	0.95 86% 0.98	0.98 0.85		Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft)	0.98 0.85		0.9
Rv(impervious) 6 Impervious Total Site Area (acres) Site Rv	0.95 86% 0.98 0.85	0.98 0.85		Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post-	0.98 0.85	Post-Development Treatment	0.9
Rv(impervious) 6 Impervious Fotal Site Area (acres) Site Rv Pre-Development Treatment Volume (acre-ft)	0.95 86% 0.98 0.85	0.98 0.85		Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft)	0.98 0.85 0.0697	Post-Development Treatment Volume (acre-ft)	0.000
Rv(impervious) 6 Impervious Total Site Area (acres) Site Rv	0.95 86% 0.98 0.85	0.98 0.85 0.0698		Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post- ReDevelopment Treatment Volume (cubic feet)	0.98 0.85 0.0697	Post-Development Treatment	0.000
Ry(impervious) 6 Impervious Fotal Site Area (acres) Fite Rv Pre-Development Treatment Volume (acre-ft) Pre-Development Treatment Volume (cubic	0.95 86% 0.98 0.85	0.98 0.85 0.0698		Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post- ReDevelopment Treatment Volume (cubic feet) Post-	0.98 0.85 0.0697	Post-Development Treatment Volume (acre-ft) Post-Development Treatment	0.000
re-Development Treatment Volume (cubic set)	0.95 86% 0.98 0.85	0.98 0.85 0.0698		Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post- ReDevelopment Treatment Volume (cubic feet) Post- ReDevelopment	0.98 0.85 0.0697	Post-Development Treatment Volume (acre-ft) Post-Development Treatment	0.000
Avimpervious Sotal Site Area (acres) Site Rv Pre-Development Treatment Volume (acre-ft) Pre-Development Treatment Volume (cubic bet) Pre-Development Load (TP) (lb/yr)	0.95 86% 0.98 0.85 0.0698	0.98 0.85 0.0698		Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post- ReDevelopment Treatment Volume (cubic feet) Post-	0.98 0.85 0.0697	Post-Development Treatment Volume (acre-ft) Post-Development Treatment Volume (cubic feet)	0.000
Ry(impervious) Cotal Site Area (acres) Cite Ry Pre-Development Treatment Volume (acre-ft) Pre-Development Treatment Volume (cubic bet) Pre-Development Load (TP) (lb/yr) Adjusted Land Cover Summary reflects the	0.95 86% 0.98 0.85 0.0698 3,038	0.98 0.85 0.0698 3,038		Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post- ReDevelopment Treatment Volume (cubic feet) Post- ReDevelopment Load (TP) (lb/yr)	0.98 0.85 0.0697 3,035	Post-Development Treatment Volume (acre-ft) Post-Development Treatment Volume (cubic feet)	0.000
Pre-Development Treatment Volume (cubic set) Pre-Development Treatment Volume (Tre-Development Treatment Volume (Cubic set) Pre-Development Load (TP) (Ib/yr) Adjusted Land Cover Summary reflects the and cover minus the pervious land cover (forest	0.95 86% 0.98 0.85 0.0698 3,038 1.91 pre redevelopment /open space or	0.98 0.85 0.0698 3,038		Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post- ReDevelopment Treatment Volume (cubic feet) Post- ReDevelopment Load (TP) (lb/yr)	0.98 0.85 0.0697 3,035	Post-Development Treatment Volume (acre-ft) Post-Development Treatment Volume (cubic feet)	0.000
Rv(impervious) 6 Impervious Fotal Site Area (acres) Site Rv Pre-Development Treatment Volume (acre-ft) Pre-Development Treatment Volume (cubic	0.95 86% 0.98 0.85 0.0698 3,038 1.91 pre redevelopment /open space or ious cover. The	0.98 0.85 0.0698 3,038	Pre	Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post- ReDevelopment Treatment Volume (cubic feet) Post- ReDevelopment Load (TP) (lb/yr)	0.98 0.85 0.0697 3,035	Post-Development Treatment Volume (acre-ft) Post-Development Treatment Volume (cubic feet) Post-Development Load (TP) (lb/yr)	0.000
Pre-Development Treatment Volume (acre-ft) Pre-Development Treatment Volume (cubic pet) Pre-Development Load (TP) (lb/yr) Adjusted Land Cover Summary reflects the period cover minus the pervious land cover (forest managed turf) acreage proposed for new impervious djusted total acreage is consistent with the Pocreage (minus the acreage of new impervious of the cover managed turb acreage of new impervious of the cover (minus the acreage of n	0.95 86% 0.98 0.85 0.0698 3,038 1.91 pre redevelopment lopen space or ious cover. The lost Redevelopment cover). The load	0.98 0.85 0.0698 3,038	Pro	Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post- ReDevelopment Treatment Volume (cubic feet) Post- ReDevelopment Load (TP) (lb/yr) Puction Required Belower-ReDevelopment Load duction Required for	0.98 0.85 0.0697 3,035 1.91	Post-Development Treatment Volume (acre-ft) Post-Development Treatment Volume (cubic feet) Post-Development Load (TP) (lb/yr) TP Load Reduction Required for	0.000
Ry(impervious) Fotal Site Area (acres) Site Ry Pre-Development Treatment Volume (acre-ft) Pre-Development Treatment Volume (cubic eet) Pre-Development Load (TP) (lb/yr) Adjusted Land Cover Summary reflects the and cover minus the pervious land cover (forest managed turf) acreage proposed for new impervious digusted total acreage is consistent with the Potacreage (minus the acreage of new impervious deduction requriement for the new impervious consistent with the Potacreage (minus the acreage of new impervious consistent consistent with the Potacreage (minus the acreage of new impervious consistent consistent with the Potacreage (minus the acreage of new impervious consistent consistent with the Potacreage (minus the acreage of new impervious consistent c	0.95 86% 0.98 0.0698 0.0698 3,038 1.91 pre redevelopment /open space or ious cover. The ost Redevelopment cover). The load over to meet the new	0.98 0.85 0.0698 3,038	Pro	Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post- ReDevelopment Treatment Volume (cubic feet) Post- ReDevelopment Load (TP) (lb/yr)	0.98 0.85 0.0697 3,035 1.91	Post-Development Treatment Volume (acre-ft) Post-Development Treatment Volume (cubic feet) Post-Development Load (TP) (lb/yr)	0.000
Ry(impervious) fotal Site Area (acres) Site Ry Pre-Development Treatment Volume (acre-ft) Pre-Development Treatment Volume (cubic eet) Pre-Development Load (TP) (lb/yr) Adjusted Land Cover Summary reflects the and cover minus the pervious land cover (forest nanaged turf) acreage proposed for new impervious reflects total acreage is consistent with the Polacreage (minus the acreage of new impervious of the coreage (minus the acreage of new impervious of new impervious of the coreage (minus the acreage of new impervious of new imper	0.95 86% 0.98 0.0698 0.0698 3,038 1.91 pre redevelopment /open space or ious cover. The ost Redevelopment cover). The load over to meet the new	0.98 0.85 0.0698 3,038	TP Load Re	Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post- ReDevelopment Treatment Volume (cubic feet) Post- ReDevelopment Load (TP) (lb/yr) Puction Required Belower-ReDevelopment Load duction Required for	0.98 0.85 0.0697 3,035 1.91	Post-Development Treatment Volume (acre-ft) Post-Development Treatment Volume (cubic feet) Post-Development Load (TP) (lb/yr) TP Load Reduction Required for	0.000
Pre-Development Treatment Volume (cubic eet) Pre-Development Load (TP) (lb/yr) Adjusted Land Cover Summary reflects the end cover minus the pervious land cover (forest nanaged turf) acreage proposed for new impervious reduction requriement for the new impervious coeduction requirement coeduction coeduction requirement coeduction coedu	0.95 86% 0.98 0.0698 0.0698 3,038 1.91 pre redevelopment /open space or ious cover. The ost Redevelopment cover). The load over to meet the new	0.98 0.85 0.0698 3,038	TP Load Re	Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post- ReDevelopment Treatment Volume (cubic feet) Post- ReDevelopment Load (TP) (lb/yr) Juction Required Belowe- ReDevelopment Load duction Required for eveloped Area (lb/yr)	0.98 0.85 0.0697 3,035 1.91	Post-Development Treatment Volume (acre-ft) Post-Development Treatment Volume (cubic feet) Post-Development Load (TP) (lb/yr) TP Load Reduction Required for	0.000
re-Development Treatment Volume (acre-ft) re-Development Treatment Volume (cubic set) re-Development Load (TP) (lb/yr) Adjusted Land Cover Summary reflects the and cover minus the pervious land cover (forest nanaged turf) acreage proposed for new impervious diusted total acreage is consistent with the Pocreage (minus the acreage of new impervious ceduction requirement for the	0.95 86% 0.98 0.0698 0.0698 3,038 1.91 pre redevelopment /open space or ious cover. The ost Redevelopment cover). The load over to meet the new	0.98 0.85 0.0698 3,038	TP Load Re	Total ReDev. Site Area (acres) ReDev. Site Rv Post- ReDevelopment Treatment Volume (acre-ft) Post- ReDevelopment Treatment Volume (cubic feet) Post- ReDevelopment Load (TP) (lb/yr) Juction Required Belower-ReDevelopment Load duction Required for eveloped Area (lb/yr) Reduction Required	0.98 0.85 0.0697 3,035 1.91	Post-Development Treatment Volume (acre-ft) Post-Development Treatment Volume (cubic feet) Post-Development Load (TP) (lb/yr) TP Load Reduction Required for	0.000

Drainage Area A												_		
Drainage Area A Land Cover (acres)												-		
	A soils	B Soils	C Soils	D Soils	Totals	Land Cover Rv								
Forest/Open Space (acres) – undisturbed, protected forest/open														
space or reforested land	0.00	0.00	0.00	0.00	0.00	0.00								
Managed Turf (acres) disturbed, graded for yards or other turf to be														
mowed/managed	0.00	0.00	0.00	0.00	0.00	0.25								
Impervious Cover (acres)	0.00	0.00	0.00	0.49	0.49	0.95								
				Total	0.50			Post Develop	ment Treatme	ent Volume (cf)	1704	Л		
Apply Practices that Remove Pollutants but	Do Not Re	educe Run	off Volur	ne										
	B 11 (B													
Apply Practices that Remove Pollutants but	Do Not Re	educe Run	off Volur	ne		Area								
Apply Practices that Remove Pollutants but	t Do Not Ro	educe Run	off Volu	me		(excluding					Phosphorus	Untreated		
Apply Practices that Remove Pollutants but	t Do Not Ro	educe Run	off Volui	me		(excluding areas treated by			Remaining		Load from	Phosphorus	Phosphorus	
					015	(excluding areas treated by upstream	Upstream RR	Runoff	Runoff	Phosphorus	Load from Upstream RR	Phosphorus Load to	Removed By	Phosphorus
Apply Practices that Remove Pollutants but		educe Run		me ption of Credit	Credit	(excluding areas treated by		Runoff Reduction (cf)	Runoff	Phosphorus	Load from	Phosphorus	-	Phosphorus
Practice					Credit	(excluding areas treated by upstream	Upstream RR	-1 -1 -2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	Runoff	Phosphorus	Load from Upstream RR	Phosphorus Load to	Removed By	Phosphorus
	l	Unit			Credit	(excluding areas treated by upstream	Upstream RR	-1 -1 -2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2	Runoff	Phosphorus	Load from Upstream RR	Phosphorus Load to	Removed By	Phosphorus
Practice	impervious ad	Unit acres draining to	Descrip	ption of Credit		(excluding areas treated by upstream practices)	Upstream RR Practices (cf)	Reduction (cf)	Runoff Volume (cf)	Phosphorus Efficiency (%)	Load from Upstream RR) Practices (Ibs)	Phosphorus Load to Practice (lbs.)	Removed By Practice (lbs.)	Phosphorus Load (lbs.)
Practice	impervious ad	Unit	Descrip			(excluding areas treated by upstream	Upstream RR	Reduction (cf)	Runoff	Phosphorus	Load from Upstream RR	Phosphorus Load to Practice (lbs.)	Removed By Practice (lbs.)	Phosphorus Load (lbs.)
Practice	impervious ad	Unit acres draining to	Descrip	ption of Credit		(excluding areas treated by upstream practices)	Upstream RR Practices (cf)	Reduction (cf)	Runoff Volume (cf)	Phosphorus Efficiency (%)	Load from Upstream RR) Practices (Ibs)	Phosphorus Load to Practice (lbs.)	Removed By Practice (lbs.)	Phosphorus Load (Ibs.)

Phosphorous				
TOTAL PHOSPHOROUS LOAD REDUCTION REQUIRED (LB/YEAR)	0.38			
(==:-=:-;	5.00			
RUNOFF REDUCTION (cf)	0			
PHOSPHOROUS LOAD REDUCTION ACHIEVED (LB/YR)	0.43			
ADJUSTED POST-DEVELOPMENT PHOSPHOROUS LOAD (TP) (lb/yr)	1.48			
REMAINING PHOSPHOROUS LOAD REDUCTION (LB/YR) NEEDED	CONGRATULATION	ISII VOLI EXCEEDED	THE TARGET REDUC	TION BY 0 I B/YEAR

STORM WATER QUALITY NARRATIVE (CITY CODE SECTION 13-109E COMPLIANCE):

THE PROPOSED REDEVELOPMENT (APPROXIMATELY 1.15 ACRES OF DISTURBANCE) GENERATES A NET DECREASE OF IMPERVIOUS AREA FROM PRE-DEVELOPMENT CONDITIONS. PER CITY CODE SECTION 13-109E-(2)(a), DEVELOPMENT OF PRIOR DEVELOPED LANDS DISTURBING GREATER THAN 1 ACRE AND RESULTING IN NO NET INCREASE IN IMPERVIOUS AREA MUST RESULT IN A 20% DECREASE IN PHOSPHORUS LOADING FROM THE PRE-DEVELOPMENT TOTAL PHOSPHORUS

THE VIRGINIA RUNOFF REDUCTION METHOD WAS UTILIZED TO DETERMINE THE STORM WATER QUALITY MANAGEMENT PERFORMANCE REQUIREMENTS FOR THIS PROJECT. COMPUTATIONS PROVIDED ON SHEET 6 DEMONSTRATE A NET DECREASE OF IMPERVIOUS AREA. A BMP FACILITY IS ALSO PROPOSED WITH THIS DEVELOPMENT. THIS WILL RESULT IN A 22.5% ([1-(1.48/1.91)]*100% = 22.5%) REDUCTION OF PHOSPHOROUS LOAD FROM THE SITE WHICH IS GREATER THAN THE MINIMUM REQUIREMENT OF 20% (SEE SPREADSHEET ON THIS SHEET). THEREFORE, THE WATER QUALITY MANAGEMENT PERFORMANCE REQUIREMENTS FOR THE PROPOSED DEVELOPMENT PER CITY CODE SECTION 13-109E-(4)(a) HAVE BEEN MET.

A CONTRIBUTION TO THE ALEXANDRIA WATER QUALITY IMPROVEMENT FUND WILL BE MADE FOR THAT PORTION OF THE WATER QUALITY VOLUME NOT TREATED IN COMPLIANCE WITH CITY CODE SECTION 13-109E-(5) AND SECTION 13-110.

PROJECT DESCRIPTION REDEVELOPMENT - HOTEL

DRAINAGE AREA	IMPERVIOUS	PERVIOUS	TOTAL
PROJECT AREA	0.8441	0.1372	0.9813
ON-SITE TREATED	0.4934	0.0025	0.4959
OFF—SITE TREATED	0.0000	0.0000	0.0000
TOTAL TREATED	0.4934	0.0025	0.4959
ON-SITE IMPERVIOUS AREAS DISCONNECTED BY A VEGETATIVE BUFFER	N/A		
TOTAL TREATED OR DISCONNECTED			0.4959

WATER QUALITY VOLUME DEFAULT

PROPOSED IMPERVIOUS: 0.8441 AC TREATMENT OF FIRST HALF INCH OF RUNOFF: 1,815 X 0.8441 = 1,532 CU. FT. WQV REQUIRED

WATER TREATMENT ON-SITE						
BMP TYPE	AREA TREATED BY BMP (ACRES)	IMPERVIOUS AREA TREATED BY BMP (ACRES)	BMP EFFICIENCY (%)			
HYDRO-DYNAMIC	0.4959	0.4934	40%			


TOTAL WQV TREATED: NO


WATER QUALITY VOLUME REQUIRED = 1,532 CU. FT. WATER QUALITY VOLUME TREATED = 1,815 X 0.4934 = 896 CU. FT.

PERCENT OF WATER QUALITY VOLUME TREATED = 58%

DETENTION ON SITE: NO

PROJECT IS WITHIN WHICH WATERSHED? POTOMAC RIVER PROJECT DISCHARGES TO WHICH BODY OF WATER? POTOMAC RIVER





PERMIT NSE CIAL XANDRIA, OPMENT ELIMINARY

REVISION

APPROVED SPECIAL USE PERMIT NO. 2014-0043 DEPARTMENT OF PLANNING & ZONING CHECKED: ACS DESIGN: AWB SCALE: N/A DATE: AUG 2015

THIS DRAWING IS A SERVICE DOCUMENT OF R.C. FIELDS & ASSOCIATES, INC. AND MAY NOT BE USED OR SITE PLAN NO. REPRODUCED WITHOUT THE WRITTEN PERMISSION OF THE ENGINEER AND OR LAND SURVEYOR. EXISTING UTILITIES SHOWN ON THIS PLAN TAKEN FROM AVAILABLE RECORDS AND/OR FROM FIELD OBSERVATIONS. FOR EXACT LOCATIONS OF EXISTING UNDERGROUND UTILITIES, NOTIFY "MISS UTILITY" AT 1-800-552-7001, 72 HOURS BEFORE THE START OF ANY EXCAVATION OR CONSTRUCTION. LOCATION AND DEPTH OF ALL EXISTING UNDERGROUND UTILITIES TO BE VERIFIED BY CONTRACTOR PRIOR TO CONSTRUCTION. INTERFERENCE OR DISRUPTION OF SAME WILL NOT BE THE RESPONSIBILITY OF THIS OFFICE. ALL CONSTRUCTION SHALL CONFORM TO THE CURRENT STANDARDS AND SPECIFICATIONS OF CITY OF ALEXANDRIA, VIRGINIA

© 2015 R.C. FIELDS & ASSOCIATES, INC. © 2015 R.C. FIELDS & ASSOCIATES, INC.

STORMWATER OUTFALL NARRATIVE:

PRE-DEVELOPMENT CONDITIONS:

THE 0.98 ACRE SITE IS LOCATED IN THE POTOMAC RIVER WATERSHED. IN EXISTING CONDITIONS, THE SITE CONSISTS OF A HOTEL WITH ASSOCIATED PARKING AND VERY LITTLE LANDSCAPED OPEN SPACE. THE PROJECT SITE HAS TWO OUTFALL POINTS.

OUTFALL #1: THE MAJORITY OF THE PROJECT SITE DRAINS TO THE EXISTING STORM SYSTEM IN THE SECOND STREET RIGHT-OF-WAY. RUNOFF FROM THE BUILDING AND THE MAJORITY OF THE SURFACE PARKING IS COLLECTED IN AN UNDERGROUND STORM SEWER SYSTEM THAT CONNECTS TO THE CITY MAINTAINED STORM SEWER SYSTEM LOCATED IN THE SECOND STREET RIGHT-OF-WAY. DRAINAGE IS CONVEYED WEST WHERE IS JOINS THE COMBINED SEWER SYSTEM WITHIN 15' OF THE PROJECT SITE. AT THIS POINT THE RUNOFF CONTINUES SOUTH IN THE EXISTING 52" X 42" COMBINED SEWER AND OUTFALLS TO THE POTOMAC RIVER.

OUTFALL #2: THE REMAINDER OF THE RUNOFF FROM THE PROJECT SITE EXITS THE PROPERTY AS NON-CONCENTRATED SHEET FLOW. A PORTION OF THE RUNOFF FROM THE PARKING LOT AND LANDSCAPED AREA FLOWS NORTHWEST TO THE EAST ABINGDON STREET RIGHT-OF-WAY AND IS COLLECTED BY STRUCTURE EX. 14. RUNOFF IS THEN CONVEYED NORTH VIA THE CITY MAINTAINED STORM SYSTEM WHERE IT JOINS AN EXISTING COMBINED SEWER SYSTEM APPROXIMATELY 75' FROM THE PROJECT SITE. DRAINAGE IS THEN CONVEYED SOUTH TO JOIN THE RUNOFF DESCRIBED IN OUTFALL #1 WHICH EVENTUALLY OUTFALLS TO THE POTOMAC RIVER.

POST-DEVELOPMENT CONDITIONS:

THE REDEVELOPMENT OF THE PROJECT PROPOSES A 4-STORY HOTEL WITH RESTAURANT AREA, RENOVATED SURFACE PARKING LAYOUT AND IMPROVED STREETSCAPE/OPEN SPACE. OVERALL IMPERVIOUS AREA WILL DECREASE WITH THE PROPOSED CONSTRUCTION. THE SITE WILL MAINTAIN TWO OUTFALL POINTS AS IN PRE-DEVELOPMENT CONDITIONS.

OUTFALL #1: AS IN EXISTING CONDITIONS, RUNOFF FROM THE BUILDING AND THE MAJORITY OF THE SURFACE PARKING IS COLLECTED IN AN UNDERGROUND STORM SEWER SYSTEM THAT CONNECTS TO THE CITY MAINTAINED STORM SEWER SYSTEM LOCATED IN THE SECOND STREET RIGHT—OF—WAY. DRAINAGE IS CONVEYED WEST WHERE IS JOINS THE COMBINED SEWER SYSTEM WITHIN 15' OF THE PROJECT SITE. AT THIS POINT THE RUNOFF CONTINUES SOUTH IN THE EXISTING 52" X 42" COMBINED SEWER AND OUTFALLS TO THE POTOMAC RIVER.

OUTFALL #2: A SMALL PORTION OF RUNOFF FROM THE FRONT SURFACE PARKING LOT AND LANDSCAPED OPEN SPACE EXITS THE SITE AS SHEET FLOW AND IS CAPTURED BY AN EXISTING CURB INLET (STRUCTURE EX. 14) WITHIN THE EAST ABINGDON STREET RIGHT—OF WAY. THIS SYSTEM CONTINUES SOUTH VIA THE CITY MAINTAINED COMBINED SEWER TO JOIN THE RUNOFF FROM OUTFALL #1 AS IN EXISTING CONDITIONS.

CONCLUSION:

THE POINT OF OUTFALL FOR OUTFALL #1 IS THE EXISTING GRATE INLET (EX 3) LOCATED SOUTH OF THE PROPERTY WITHIN SECOND STREET. THE POINT OF OUTFALL FOR OUTFALL #2 IS THE EXISTING CURB INLET (EX 14) LOCATED NORTHWEST OF THE PROPERTY WITHIN EAST ABINGDON DRIVE. THE LIMITS OF ANALYSIS INCLUDES ANALYZING THE OUTFALL SYSTEM 150' BEYOND THE POINT WHERE THE OUTFALL DRAINAGE AREA IS JOINED BY ANOTHER WATERSHED GREATER THAN 90% OF THE OUTFALL DRAINAGE AREA (POINT OF CONFLUENCE). FOR OUTFALL #1 THE END OF ANALYSIS IS THE EXISTING MANHOLE (EX 22) LOCATED SOUTH OF SECOND STREET AND FOR OUTFALL #2 IS THE EXISTING MANHOLE (EX 20) LOCATED IN THE GRASS FIELD BETWEEN WASHINGTON STREET AND EAST ABINGDON DRIVE. OUTFALL ANALYSIS COMPUTATIONS AND DRAINAGE AREA MAP WILL BE PROVIDED WITH THE FINAL SITE PLAN SUBMISSION.

COMPUTATIONS, TO BE PROVIDED WITH THE FINAL SITE PLAN SUBMISSION, WILL DEMONSTRATE THAT THE EXISTING SYSTEM EXPERIENCES LOCALIZED FLOODING IN EXISTING CONDITIONS AND THAT THE PEAK FLOW RATE IS BEING REDUCED WITH THE PROPOSED DEVELOPMENT. THE FLOOD PROTECTION FOR THIS SITE IS THEREFORE IN COMPLIANCE WITH SECTION 13-109F(2)(b)(ii). DUE TO SITE DRAINAGE OUTFALLING TO AN EXISTING UNDERSIZED STORM SEWER SYSTEM, NO OFFSITE IMPROVEMENTS TO THE SYSTEM ARE REQUIRED.

PER THE LIMITS OF ANALYSIS PER CITY CODE SECTION 13-109F-2(d)(i) AND REDUCED POST-DEVELOPMENT RUNOFF RATE FOR THE 10-YEAR, 24-HOUR STORM, THE PROJECT POST-DEVELOPMENT RUNOFF WILL NOT EXACERBATE ANY EXISTING DOWNSTREAM CAPACITY CONDITIONS.

0' 150' 300'

THIS DRAWING IS A SERVICE DOCUMENT OF R.C. FIELDS & ASSOCIATES, INC. AND MAY NOT BE USED OR REPRODUCED WITHOUT THE WRITTEN PERMISSION OF THE ENGINEER AND /OR LAND SURVEYOR.

EXISTING UTILITIES SHOWN ON THIS PLAN TAKEN FROM AVAILABLE RECORDS AND/OR FROM FIELD OBSERVATIONS. FOR EXACT LOCATIONS OF EXISTING UNDERGROUND UTILITIES, NOTIFY "MISS UTILITY" AT 1-800-552-7001, 72 HOURS BEFORE THE START OF ANY EXCAVATION OR CONSTRUCTION.


LOCATION AND DEPTH OF ALL EXISTING UNDERGROUND UTILITIES TO BE VERIFIED BY CONTRACTOR PRIOR TO CONSTRUCTION. INTERFERENCE OR DISRUPTION OF SAME WILL NOT BE THE RESPONSIBILITY OF THIS OFFICE.

ALL CONSTRUCTION SHALL CONFORM TO THE CURRENT STANDARDS AND SPECIFICATIONS OF CITY OF ALEXANDRIA, VIRGINIA

© 2015 R.C. FIELDS & ASSOCIATES, INC.

EERING • LAND SURVEYING • PI
Washington Street

Washington Street



PRELIMINARY DEVELOPMENT SPECIAL USE PERMIT

1101 NORTH WASHINGTON STREET

CITY OF ALEXANDRIA, VIRGINIA


DATE REVISION

CHECKED: ACS
DESIGN: AWB

SCALE: 1" = 150'

DATE: AUG 2015

SHEET 8 OF 1






USE PERMIT STREET USE SPECIAL VASHINGT ALEXANDRIA **A** OF DE **PRELIMINARY** _ 0


REVISION CHECKED: ACS DESIGN: AWB SCALE: AS NOTED

DATE: AUG 2015

SHEET 9 OF 13

© 2015 R.C. FIELDS & ASSOCIATES, INC.






SPECIAL USE I SHINGT ALEXANDRIA OF _


REVISION SCALE: AS NOTED

DATE: AUG 2015




FIRE TRUCK ROUTE GRAPHIC


SCALE: 1"=50'



LOADING TRUCK DETAIL (NTS)



STAGE COACH DETAIL





47.38


FIRE TRUCK (TOWER 203)
feet
Width : 8.17
Track : 8.17
Lock to Lock Time : 6.0
Steering Angle : 24.6


FIRE TRUCK DETAIL


COMPACT CAR DETAIL (NTS)














LOADING TRUCK TURNING MOVEMENT SCALE: 1"=30"

	DIRECTOR DATE
	DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES
THIS DRAWING IS A SERVICE DOCUMENT OF R.C. FIELDS & ASSOCIATES, INC. AND MAY NOT BE USED OR	SITE PLAN NO.
REPRODUCED WITHOUT THE WRITTEN PERMISSION OF THE ENGINEER AND /OR LAND SURVEYOR.	
EXISTING UTILITIES SHOWN ON THIS PLAN TAKEN FROM AVAILABLE RECORDS AND/OR FROM FIELD	DIRECTOR DATE
OBSERVATIONS. FOR EXACT LOCATIONS OF EXISTING UNDERGROUND UTILITIES. NOTIFY "MISS UTILITY" AT	
1-800-552-7001, 72 HOURS BEFORE THE START OF ANY EXCAVATION OR CONSTRUCTION.	
LOCATION AND DEPTH OF ALL EXISTING UNDERGROUND UTILITIES TO BE VERIFIED BY CONTRACTOR PRIOR TO	CHAIRMAN, PLANNING COMMISSION DATE
CONSTRUCTION. INTERFERENCE OR DISRUPTION OF SAME WILL NOT BE THE RESPONSIBILITY OF THIS OFFICE.	DATE RECORDED
ALL CONCEDUCTION CHALL CONFORM TO THE CHIPDENT STANDARDS AND SPECIFICATIONS OF SITY OF	
ALL CONSTRUCTION SHALL CONFORM TO THE CURRENT STANDARDS AND SPECIFICATIONS OF CITY OF ALEXANDRIA, VIRGINIA © 2015 R.C. FIELDS & ASSOCIATES, INC.	INSTRUMENT NO. DEED BOOK NO. DATE
© 2013 N.C. TIELDS & ASSOCIATES, INC.	

				ᅵ
		DATE	REVISION	
ı				<u> </u>
	APPROVED			
	SPECIAL USE PERMIT NO. 2014-0043			╛
	DEPARTMENT OF PLANNING & ZONING			┧┾
				€
	DIRECTOR DATE DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES	CHECK	(ED: ACS	
	SITE PLAN NO.	DESIGN	N: AWB	
	DIRECTOR DATE	SCALE	: AS NOTED	
	CHAIRMAN, PLANNING COMMISSION DATE	DATE:	AUG 2015	-
)	DATE RECORDED	SHFF	r 1 1 of 1 3	

ANDREA SPRUCH Lic. No. 047863 DECEMBER 21, 2015

SE PERMIT
TREET


NSE

SPECIAL IGTON

PRELIMINARY DEVELOPMENT SPE 1101 NORTH WASHINGT

ALEXANDRIA,

CITY OF



USE OUTLINED IN THE FLOW

GENERATION ANALYSIS

SANITARY SEWER FLOW CALCULATIONS:

BLD#	USE	DESIGN FLOW	UNIT	SIZE	GAL/DAY	GAL/HR	CFS	PEAK CFS (x4)	FLOWS TO
230-244	Single Family Townhouses	350	Unit	15	5,250	219	0.0081	0.0325	Α
245	Office/Retail	200	1000 SF	47,836	9,567	399	0.0148	0.0592	Α
246	Office/Retail	200	1000 SF	104,931	20,986	874	0.0325	0.1299	Α
SITE	Hotel Restaurant/Meeting Room	50	Seat	60	3,000	125	0.0046	0.0186	PR
SITE	Hotel Rooms	130	Room	95	12,350	515	0.0191	0.0764	PR
1-52	Single Family Townhouses	350	Unit	52	18,200	758	0.0282	0.1126	В
53	Office/Retail	200	1000 SF	39,543	7,909	330	0.0122	0.0489	В
54-60	Single Family Townhouses	350	Unit	7	2,450	102	0.0038	0.0152	В
61-180	Multi-Family Condos	350	Unit	120	42,000	1,750	0.0650	0.2599	В
181-229	Single Family Townhouses	350	Unit	49	17,150	715	0.0265	0.1061	В
	TOTAL				138,862	5786	0.2148	0.8593	

SANITARY SEWER OUTFALL CALCULATIONS:

THE AVERAGE DAY AND PEAK HOUR WASTEWATER DISCHARGE FLOW CALCULATIONS WERE COMPUTED USING THE METHOD PROVIDED BY THE CITY OF ALEXANDRIA IN MEMORANDUM TO INDUSTRY NO. 06-14. THE PROPOSED USE FOR THIS PROJECT WILL BE 95 HOTEL ROOMS AND A RESTAURANT/MEETING ROOM WITH 60 SEATS. THE AVERAGE DAILY FLOW IS DESCRIBED BELOW:

HOTEL: $\frac{130 \text{ GPD}}{\text{ROOM}}$ X 95 ROOMS = 12,350 GPD OR 0.0191 CFS

RESTAURANT/MEETING ROOM: $\frac{50 \text{ GPD}}{\text{SEAT}}$ X 60 SEATS = 3,000 GPD OR 0.0046 CFS

TOTAL AVERAGE DAILY FLOW = 15,350 GPD OR 0.0237 CFS

TO ACCOUNT FOR THE DAILY PEAK PERIOD, THE ABOVE FLOW IS MULTIPLIED BY A FACTOR OF 4:

15,350 GPD X 4 = 61,400 GPD0.0237 CFS X 4 = 0.0948 CFS

TOTAL PEAK FLOW = 61,400 GPD OR 0.0948 CFS

SANITARY SEWER OUTFALL NOTE:

THIS PROJECT IS ANTICIPATED TO GENERATE AN EXCESS OF 10,000 GPD IN SANITARY WASTE OUTFLOW. A FLOW OF APPROXIMATELY 15,350 GPD IS EXPECTED FOR THIS DEVELOPMENT RESULTING IN A PEAK FLOW OF 61,400 GPD. THEREFORE, THE PROJECT IS SUBJECT TO A SANITARY SEWER OUTFALL ANALYSIS. THIS SANITARY SEWER OUTFALL ANALYSIS SHOWS ADEQUACY OF SANITARY SEWER OUTFALL IN ACCORDANCE WITH MEMO TO INDUSTRY 06-14. THE GENERAL AREA IS NOT KNOWN TO HAVE SANITARY SEWER CAPACITY PROBLEMS.

THIS PROJECT SHALL CONNECT TO THE 12" SANITARY SEWER IN THE PRIVATE DRIVE AISLE EAST OF THE HOTEL. THE SANITARY SEWER FLOWS SOUTH WEST TOWARDS SECOND STREET WHERE IT JOINS A 52"x42" COMBINED TRUNK SEWER.

SANITARY SEWER OUTFALL CALCULATIONS:

STRU	CTURE	FACIL	ITY ID		٥	2				12	S)	z	T	_		S)	I
FROM	ТО	FROM	10	INCREMENTAI "Q" (CFS)	ACCUMULATED "Q" (CFS)	PIPE DIAMETEF (IN)	SLOPE (%)	MATERIAL	u.,	MAXIMUM "Q" (CFS)	MAXIMUM VELOCITY (FPS	LENGTH OF RU (FT)	UPPER INVER	LOWER INVERT	FALL (FT)	NORMAL VELOCITY (FPS	NORMAL DEPT
Α	PR	005082SSMH	N/A	0.2216	0.2216	12	1.76%	DIP	0.013	4.94	6.04	281.50	26.83	21.87	4.96	3.09	0.15
PR	В	N/A	005086SSMH	0.0950	0.3166	12	1.79%	DIP	0.013	4.97	6.08	61.03	21.77	20.68	1.09	3.46	0.18
В	С	005086SSMH	005087SSMH	0.5428	0.8593	12	2.90%	RCP	0.015	5.49	6.72	146.70	20.38	16.12	4.26	4.97	0.28

<u>SURVEY NOTE:</u> STRUCTURE INFORMATION FOR STRUCTURES A—C OBTAINED FROM FIELD SURVEY. ALL OTHER STRUCTURE INFORMATION OBTAIN FROM ALEXANDRIA GIS.

THIS DRAWING IS A SERVICE DOCUMENT OF R.C. FIELDS & ASSOCIATES, INC. AND MAY NOT BE USED OR SITE PLAN NO. REPRODUCED WITHOUT THE WRITTEN PERMISSION OF THE ENGINEER AND OR LAND SURVEYOR.

APPROVED


DEPARTMENT OF PLANNING & ZONING

EXISTING UTILITIES SHOWN ON THIS PLAN TAKEN FROM AVAILABLE RECORDS AND/OR FROM FIELD OBSERVATIONS. FOR EXACT LOCATIONS OF EXISTING UNDERGROUND UTILITIES, NOTIFY "MISS UTILITY" AT 1-800-552-7001, 72 HOURS BEFORE THE START OF ANY EXCAVATION OR CONSTRUCTION. LOCATION AND DEPTH OF ALL EXISTING UNDERGROUND UTILITIES TO BE VERIFIED BY CONTRACTOR PRIOR TO CONSTRUCTION. INTERFERENCE OR DISRUPTION OF SAME WILL NOT BE THE RESPONSIBILITY OF THIS OFFICE. © 2015 R.C. FIELDS & ASSOCIATES, INC. ALL CONSTRUCTION SHALL CONFORM TO THE CURRENT STANDARDS AND SPECIFICATIONS OF CITY OF ALEXANDRIA, VIRGINIA © 2015 R.C. FIELDS & ASSOCIATES, INC.


DATE | REVISION SPECIAL USE PERMIT NO. 2014-0043 CHECKED: ACS DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES DESIGN: AWB SCALE: 1" = 200'DATE: AUG 2015


ANDREA SPRUCH Lic. No. 047863 DECEMBER 21, 2015

PERMIT **ECIAL** SP **OPMENT** DEVEL



PRELIMINARY ONLY. NOT FOR RECORDATION !!






- 1. PLANT MATERIAL SHALL BE FURNISHED AND INSTALLED AS INDICATED, INCLUDING ALL LABOR, MATERIALS, PLANTS, EQUIPMENT, INCIDENTALS, AND CLEAN-UP.
- 2. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PLANTING AT CORRECT GRADES AND ALIGNMENT. LAYOUT TO BE APPROVED BY OWNERS' REPRESENTATIVE PRIOR TO INSTALLATION
- 3. PLANTS SHALL BE TYPICAL OF THEIR SPECIES AND VARIETY; HAVE NORMAL GROWTH HABITS, WELL-DEVELOPED DENSELY FOLIATED
- BRANCHES, AND VIGOROUS ROOT SYSTEMS; AND BE FREE FROM DEFECTS AND INJURIES. 4. CONTRACTOR SHALL REPORT ANY SOIL OR DRAINAGE CONDITIONS CONSIDERED DETRIMENTAL TO GROWTH OF PLANT MATERIAL
- 5. ALL PLANT MATERIAL SHALL BE GUARANTEED BY THE CONTRACTOR TO BE IN VIGOROUS GROWING CONDITION. PROVISION SHALL BE MADE FOR A GROWTH GUARANTEE OF AT LEAST ONE YEAR FROM THE DATE OF ACCEPTANCE FOR TREES, SHRUBS, GROUNDCOVER AND PERENNIALS. REPLACEMENTS SHALL BE MADE AT THE BEGINNING OF THE FIRST SUCCEEDING PLANTING SEASON. ALL REPLACEMENTS SHALL HAVE A GUARANTEE EQUAL TO THAT STATED ABOVE.
- 6. PLANT MATERIAL SHALL BE PLANTED ON THE DAY OF DELIVERY IF/WHEN PRACTICAL. IN THE EVENT THAT THIS IS NOT POSSIBLE, THE CONTRACTOR SHALL PROTECT STOCK NOT PLANTED. PLANTS SHALL NOT REMAIN UNPLANTED FOR LONGER THAN A THREE-DAY PERIOD AFTER DELIVERY. ANY PLANTS NOT INSTALLED DURING THIS PERIOD SHALL BE REJECTED, UNLESS OWNER AND CONTRACTOR PROVIDE OTHERWISE BY WRITTEN AGREEMENT
- 7. QUALITY AND SIZE OF PLANTS, SPREAD OF ROOTS, AND SIZE OF ROOT BALL SHALL BE IN ACCORDANCE WITH THE MOST RECENT VERSION OF ANSI Z60 "AMERICAN STANDARD FOR NURSERY STOCK" PUBLISHED BY THE AMERICAN ASSOCIATION OF NURSERYMEN, INC.
- 8. ALL PLANTS SHALL BE PLANTED IN AMENDED TOP SOIL THAT IS THOROUGHLY WATERED AND TAMPED AS BACK-FILLING PROCESSES PLANTING MIX TO BE AS SHOWN ON PLANTING DETAILS. LARGE PLANTING AREAS TO INCORPORATE FERTILIZER AND SOIL CONDITIONERS AS
- STATED IN PLANTING SPECIFICATIONS. 9. PLANTS SHALL NOT BE BOUND WITH WIRE OR ROPE AT ANY TIME SO AS TO DAMAGE THE BARK OR BREAK BRANCHES. PLANTS SHALL BE HANDLED FORM THE BOTTOM OF THE BALL ONLY.
- 10.PLANTING OPERATIONS SHALL BE PERFORMED DURING PERIODS WITHIN THE PLANTING SEASON WHEN WEATHER AND SOIL CONDITIONS ARE SUITABLE AND IN ACCORDANCE WITH ACCEPTED LOCAL PRACTICE. PLANTS SHALL NOT BE INSTALLED IN TOP SOIL THAT IS IN A MUDDY OR FROZEN CONDITION. ALL PLANT MATERIAL SHALL BE SPRAYED WITH "WILT-PRUF" OR EQUAL AS PER MANUFACTURER'S INSTRUCTIONS.
- 11.NO PLANT, EXCEPT GROUND COVERS, SHALL BE PLANTED LESS THAN TWO FEET FROM EXISTING STRUCTURES AND SIDEWALKS. 12. SET ALL PLANTS PLUMB AND STRAIGHT. SET AT SUCH LEVEL THAT A NORMAL OR NATURAL RELATIONSHIP TO THE GROUND IF THE PLANT WITH
- THE GROUND SURFACE WILL BE ESTABLISHED. LOCATE THE PLANT IN THE CENTER OF THE PIT. 13. ALL INJURED ROOTS SHALL BE PRUNED TO MAKE CLEAN ENDS BEFORE PLANTING UTILIZING CLEAN, SHARP TOOLS. IT IS ADVISABLE TO PRUNE APPROXIMATELY 1/3 OF THE GROWTH OF LARGE TREES (2" CALIPER AND GREATER) BY THE REMOVAL OF SUPERFLUOUS BRANCHES, THOSE WHICH CROSS, THOSE WHICH RUN PARALLEL, ETC. MAIN LEADER OF TREES SHALL NOT BE CUT BACK. LONG SIDES BRANCHES SHALL BE SHORTENED.
- 14.EACH TREE AND SHRUB SHALL BE PRUNED IN ACCORDANCE WITH STANDARD HORTICULTURAL PRACTICE TO PRESERVE THE NATURAL CHARACTER OF PLANT. PRUNING SHALL BE DONE WITH CLEAN, SHARP TOOLS.
- 15. TREES SHALL BE SUPPORTED IMMEDIATELY AFTER PLANTING. ALL TREES 6" AND GREATER IN CALIPER SHALL BE GUYED. SMALLER TREES SHALL BE STAKED. GUYING WIRES AND STAKES SHALL BE INSTALLED AS INDICATED. THE LANDSCAPE CONTRACTOR SHALL REMOVE STAKING. GUYING AND TREE WRAP AT THE END OF ONE YEAR MAINTENANCE AND GUARANTEE PERIOD.
- 16. ALL PLANTING BEDS SHALL BE MULCHED WITH 3" LAYER OF MULCH.
- 17.NEW PLANTING AREAS AND SOD SHALL BE ADEQUATELY WATERED TO ESTABLISH THE PROPOSED PLANTS AND LAWN.
- 18. ALL PLANTS SHOWN ON THE APPROVED LANDSCAPE PLAN SHALL BE INSTALLED, INSPECTED AND APPROVED BY THE LANDSCAPE ARCHITECT OR HIS REPRESENTATIVE. THE LANDSCAPE ARCHITECT SHALL TAKE INTO ACCOUNT SEASONAL CONSIDERATIONS IN THIS REGARD. TREES, SHRUBS, VINES AND GROUNDCOVER AS REQUIRED BY OR ASSOCIATED WITH A SUBDIVISION OR SITE PLAN APPROVED BY THE PLANNING AUTHORITIES SHALL BE INSTALLED DURING THE FOLLOWING PLANTING SEASONS: LAWNS: 03/15 TO 06/15 AND 09/15 TO 12/01. THE FOLLOWING TREE VARIETIES SHALL NOT BE PLANTED DURING THE FALL PLANTING SEASON DUE TO THE HAZARDS ASSOCIATED WITH PLANTING THESE TREES IN THIS SEASON: ACER RUBRUM POPULUS SPP.; BETULA SPP. PRUNUS SPP.; CARPINUS SPP. PYRUS SPP.; CRATECUS SPP. QUERCUS SPP.; KOELREUTERIA PANICULATA SALIX SPP.; LIQUIDAMBAR STYRACIFLUA TILIA TOMENTOSA; LIRIODENDRON TULIPIFERA ZELKOVA; PLATANUS ACERIFOLIA; ANY PLANTING INSTALLED IN CONFLICT WITH THIS REQUIREMENT MUST RECEIVE WRITTEN APPROVAL OF THE LANDSCAPE ARCHITECT PRIOR TO PLANTING. FAILURE TO COMPLY WITH THESE REQUIREMENTS WILL REQUIRE THE REMOVAL OF THE PLANTING IN QUESTION. THIS REQUIREMENT DOES NOT APPLY TO SEEDING OR SODDING OR PLANTINGS SPECIFICALLY FOR SOIL

STABILIZATION PURPOSES. PLANTINGS ASSOCIATED WITH ANY LOT GIVEN A CERTIFICATE OF OCCUPANCY OUTSIDE THESE PERIODS SHALL BE

- PROVIDED DURING THE PREVIOUS OR NEXT APPROPRIATE SEASON. 19. ALL DISTURBED AREAS SHALL BE TREATED WITH 4" TOP SOIL SODDED OR SEEDED AS NOTED IN ACCORDANCE WITH PERMANENT
- STABILIZATION METHODS INDICATED ON SOIL EROSION AND SEDIMENT CONTROL SHEET.
- 20.CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR ALL PLANT MAINTENANCE; INCLUDING SHRUBS AND GROUNDCOVER, AND SHALL MAINTAIN AREA IN A WEED AND DEBRIS FREE CONDITION THROUGHOUT THE ONE-YEAR GUARANTEE PERIOD, UNLESS OTHERWISE SPECIFIED. 21.CONTRACTOR SHALL LAYOUT AND CLEARLY STAKE ALL PROPOSED IMPROVEMENTS INCLUDED ON THIS PLAN.
- 22.CONTRACTOR TO VERIFY PLANT LIST TOTALS WITH QUANTITIES SHOWN ON PLAN. LANDSCAPE ARCHITECT SHALL BE ALERTED BY CONTRACTOR OF ANY DISCREPANCIES PRIOR TO FINAL BID NEGOTIATION. UNIT PRICES FOR ALL MATERIAL SHALL BE SUPPLIED TO THE OWNER AT BIDDING TIME.
- 23.ALL MATERIALS SHALL BE SUBJECT TO APPROVAL BY THE LANDSCAPE ARCHITECT. OWNER SHALL RECEIVE TAG FROM EACH PLANT SPECIES AND A LIST OF PLANT SUPPLIERS. WHERE ANY REQUIREMENTS ARE OMITTED FROM THE PLANT LIST, THE PLANTS FURNISHED SHALL MEET THE NORMAL REQUIREMENTS FOR THE VARIETY PER THE AMERICAN STANDARD FOR NURSERY STOCK, LATEST EDITION, PUBLISHED BY THE AMERICAN ASSOCIATION OF NURSERYMEN (AAN). PLANTS SHALL BE PRUNED PRIOR TO DELIVERY ONLY UPON THE APPROVAL OF THE LANDSCAPE ARCHITECT.
- 24.SIZES SPECIFIED IN THE PLANT LIST ARE MINIMUM SIZES TO WHICH THE PLANTS ARE TO BE JUDGED. FAILURE TO MEET MINIMUM SIZE ON ANY PLANT WILL RESULT IN REJECTION OF THAT PLANT.
- 25.ALL PLANTS SHALL BE FRESHLY DUG, SOUND, HEALTHY, VIGOROUS, WELL BRANCHED, FREE OF DISEASE, INSECT EGGS, AND LARVAE, AND SHALL HAVE ADEQUATE ROOT SYSTEMS.
- 26.ALL CONTAINER GROWN MATERIAL SHALL BE HEALTHY, VIGOROUS, WELL-ROOTED PLANTS AND ESTABLISHED IN THE CONTAINER IN WHICH
- THEY ARE SOLD. THE PLANTS SHALL HAVE TOPS WHICH ARE GOOD QUALITY AND ARE IN A HEALTHY GROWING CONDITION. 27.GROUPS OF SHRUBS SHALL BE PLACED IN A CONTINUOUS MULCH BED WITH SMOOTH CONTINUOUS LINES. ALL MULCHED BED EDGES SHALL BE CURVILINEAR IN SHAPE FOLLOWING THE CONTOUR OF THE PLANT MASS. TREES LOCATED WITHIN FOUR FEET OF SHRUB BEDS SHALL
- SHARE SAME MULCH BED. 28. TREES SHALL BE LOCATED A MINIMUM OF 3' - 4' FROM WALLS AND WALKS WITHIN THE PROJECT. IF CONFLICTS ARISE BETWEEN ACTUAL SIZE OF AREA AND PLANS, CONTRACTOR SHALL CONTACT LANDSCAPE ARCHITECT FOR RESOLUTION. FAILURE TO MAKE SUCH CONFLICTS KNOWN TO THE OWNER OR LANDSCAPE ARCHITECT WILL RESULT IN CONTRACTOR'S LIABILITY TO RELOCATE MATERIALS.
- 29.TREE STAKING AND GUYING SHALL BE DONE PER DETAILS. CONTRACTOR SHALL ENSURE THAT TREES REMAIN VERTICAL AND UPRIGHT FOR THE DURATION OF THE GUARANTEE PERIOD.
- 30.CROWN OF ROOT BALL SHALL BE HIGHER (AFTER SETTLING) THAN ADJACENT SOIL.
- 31. TAGS AND TWINE ARE TO BE REMOVED AND BURLAP IS TO BE ROLLED BACK ONE-THIRD ON ALL B&B PLANT MATERIAL. REMOVE BURLAP IF IT IS NON-BIODEGRADABLE. FOR STREET TREES TAGS, TWINE, CORD, BURLAP AND WIRE BASKET TO BE CUT 12" DOWN SIDE OF ROOT BALL AND REMOVED FROM PROJECT SITE.
- 32.SHRUBS AND GROUND COVERS SHALL BE TRIANGULARLY SPACED AT SPACING SHOWN ON PLANTING PLANS.
- 33.SHADE TREES: HEIGHT SHALL BE MEASURED FROM THE CROWN OF THE ROOT BALL TO THE TOP OF MATURE GROWTH. SPREAD SHALL BE MEASURED TO THE END OF BRANCHING EQUALLY AROUND THE CROWN FROM THE CENTER OF THE TRUNK. MEASUREMENTS ARE NOT TO INCLUDE ANY TERMINAL GROWTH. SINGLE TRUNK TREES SHALL BE FREE OF "V" CROTCHES THAT COULD BE POINTS OF WEAK LIMB STRUCTURE OR DISEASE INFESTATION. SHRUBS: HEIGHT SHALL BE MEASURED FROM THE GROUND TO THE AVERAGE HEIGHT OF THE TOP OF THE PLANT. SPREAD SHALL BE MEASURED TO THE END OF BRANCHING EQUALLY AROUND THE SHRUB MASS. MEASUREMENTS ARE NOT TO
- INCLUDE ANY TERMINAL GROWTH. 34.ALL SUBSTITUTIONS OF PLANT MATERIAL ARE TO BE REQUESTED IN WRITING TO THE LANDSCAPE ARCHITECT AND APPROVED BY THE OWNER.
- IF CONTRACTOR FAILS TO SUBMIT A WRITTEN REQUEST, IT WILL RESULT IN LIABILITY TO THE CONTRACTOR. 35.ALL CONTRACTORS SHALL BE REQUIRED TO COMPLETELY REMOVE ALL TRASH, DEBRIS AND EXCESS MATERIALS FROM THE WORK AREA AND
- THE PROPERTY, ESPECIALLY AT ALL CURB, GUTTERS AND SIDEWALKS DAILY DURING INSTALLATION. 36.DEAD PLANTS ARE TO BE REMOVED FROM THE JOB BY THE CONTRACTOR WEEKLY. CONTRACTOR SHALL MAINTAIN AN UPDATED,
- COMPREHENSIVE LIST OF ALL DEAD MATERIALS REMOVED FROM THE JOB SITE. A COPY OF THE LIST IS TO BE SUBMITTED TO THE OWNER AT THE END OF EVERY MONTH DURING THE CONTRACT PERIOD.
- 37.TOPSOIL REQUIRED FOR SOIL MIXES AND SPECIAL SEEDING AREAS SHALL BE PROVIDED BY LANDSCAPE CONTRACTOR. CONTRACTOR MUST LOAD, HAUL, MIX, AND SPREAD ALL TOPSOIL AND OTHER SOIL ADDITIVES ARE REQUIRED.
- 38. CONTRACTOR SHALL GUARANTEE ALL LANDSCAPE IMPROVEMENTS, INCLUDING SEEDING, FOR ONE FULL YEAR AS REQUIRED BY THE SPECIFICATIONS. CONTRACTOR MUST CONTACT THE OWNER AT LEAST TEN WORKING DAYS IN ADVANCE TO SCHEDULE ACCEPTANCE INSPECTION(S). CONTRACTOR MUST REPLACE ALL DEAD OR UNACCEPTABLE PLANTS DURING THE FOLLOWING RECOMMENDED PLANTING
- 39. THE SPECIFICATIONS FOR ALL WORK INCLUDED IN THIS CONTRACT SHALL BE LANDSCAPE SPECIFICATIONS GUIDELINES FOR CITY OF ALEXANDRIA VIRGINIA, CURRENT EDITION, UNLESS OTHERWISE NOTED ON THESE PLANS.

PLANTING MIX NOTES:

- . THE RECOMMENDED PLANTING MEDIUM SHOULD CONTAIN GOOD TOP SOIL THAT WILL SUSTAIN PLANT GROWTH.
- 2. THE TOP SOIL SHALL NOT BE LACKING IN POTASSIUM, PHOSPHORUS, MAGNESIUM OR CALCIUM. THE TOP SOIL SHALL NOT CONTAIN ANY MATERIALS TOXIC TO PLANT GROWTH.
- 3. THE TOP SOIL SHALL BE A SANDY CLAY LOAM OR A SILTY CLAY LOAM WITH WELL AGGREGATED CLAYS AND A MINIMUM OF 4% (FOUR PERCENT) ORGANIC MATTER.
- 4. THE SOILS PH RANGE SHOULD BE WITHIN 5.5 TO 7.0 AND ADJUSTED AS NECESSARY FOR INDIVIDUAL PLANT SPECIES REQUIREMENTS.
- 5. A SOIL TEST SHALL BE PERFORMED BY A FULL-SERVICE TESTING COMPANY AND THE RESULTS SHALL BE PROVIDED TO THE LANDSCAPE ARCHITECT PRIOR TO INSTALLATION OF PLANTING MEDIUM.
- 6. IF A LOCAL, REPUTABLE TESTING COMPANY CANNOT BE EMPLOYED, A&L LABS IS AVAILABLE TO CONDUCT THE TESTING. CONTACT THEM
 - A&L ANALYTICAL LABORATORIES, INC.
 - 2790 WHITTEN ROAD
- MEMPHIS, TN 38133 1-800-264-4522
- 7. THE LAB SHALL PERFORM AN S1A TEST AND SUBMIT THE RESULTS TO STUDIO 39 LANDSCAPE ARCHITECTURE, PC.



TREE PLANTING Scale: 1/4" = 1'-0" L3.01

L3.01/

SECTION

-MULTI-STEMMED SPECIMEN TREE

-12 GAUGE GALVANIZED WIRE

DOUBLE STRAND TWISTED

-3" LAYER OF SHREDDED

_3" SAUCER

-FLAGGING

-6" HT. MOUND

NOTES:

HARDWOOD BARK MULCH

-ROOT BALL - REMOVE 1 OF

ROPES/ METAL BASKETS

-2" x 2" x 18" HARDWOOD

PLANTING SOIL MIX

BURLAP FROM TOP: REMOVE ALL

BLACK RUBBER HOSE

- STAKES TO BE DRIVEN UNTIL FIRMLY SET INTO

- CONTRACTOR TO REGRADE, SOD OR

HYDROSEED & STRAW MULCH ALL AREAS

SECTION

SPECIMEN SHRUB -3" LAYER OF SHREDDED

- SPECIMEN TREE

METAL BASKETS

-3" SAUCER

-BLACK RUBBER HOSE

-12 GAUGE GALVANIZED WIRE

-ROOT BALL - REMOVE 3 OF BURLAP FROM TOP, REMOVE ALL ROPES/

DOUBLE STRAND TWISTED

-3" LAYER OF SHREDDED

HARDWOOD BARK MULCH

GUY STAKES, 3 PER TREE,

120° APART, DRIVEN AT 45°

-UNDISTURBED SUBGRADE

UNDISTURBED GRADE

-PLANTING SOIL MIX

-6" HT. MOUND

DISTURBED

ROOTBALL - REMOVE 1/3 OF BURLAP FROM TOP, REMOVE ALL ROPES AND METAL BASKETS -SOIL MIX

HARDWOOD BARK MULCH

OPTIMUM MOISTURE CONTENT NOTES:

TAMP EXISTING SOIL AT 85%

- SCARIFY ROOTS OF ROOT BOUND PLANTS - PLANT SPACING VARIES (SEE PLANS) - PRUNE ALL BROKEN, DISEASED & WEAK BRANCHES - ALL SHRUB BEDS TO BE COMPLETELY EXCAVATED OF ALL EXISTING SOIL TO DEPTH REQUIRED FOR

SOIL MIX BACK FILL REMOVE ALL STRINGS, RIBBONS & TAGS FROM PLANTS

APPROVED

DEPARTMENT OF PLANNING & ZONING

SITE PLAN NO.

SECTION



STUDIO39

Landscape Architecture, P.C.

6416 Grovedale Drive, Suite 100-A

Alexandria, Virginia 22310

Tel: 703.719.6500 Fax: 703.719.6503

Email: frontdesk@studio39.com

TRE

SHIN

 \vdash

Lic.No.000802 12.21.15

NOTES AND

DETAILS

DRAWN: PROJECT NO: 12.21.15

DSUP

-2" x 2" x 18" HARDWOOD 2 1/2 TIMES TREE ROOTBALL

TREE GUYING PLANTING - SPECIMEN TREE Scale: 1/4" = 1'-0"

GUY STAKES, 3 PER TREE 120° APART, DRIVEN AT 45°

-UNDISTURBED SUBGRADE 2 1/2 TIMES SHRUB ROOTBALLS - STAKES TO BE DRIVEN UNTIL FIRMLY SET INTO UNDISTURBED GRADE

SHRUB PLANTING

TREE GUYING PLANTING - MULTI-STEMMED Scale: 1/4" = 1'-0"

2 1/2 TIMES TREE ROOTBALL

SECTION

\L3.01 \int Scale: 1/2" = 1'-0"

RTY OF STUDIO 39 LANDSCAPE ARCHITECTURE, P.C. AND

REVISIONS:


LANDSCAPE

DESIGN: CHECKED: DD

SPECIAL USE PERMIT NO. ____2014-0043 DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES


CHAIRMAN, PLANNING COMMISSION DATE RECORDED


DEED BOOK NO.



RUST ORLING

1101 North





RUST ORLING ARCHITECTURE

1215 CAMERON STREET ALEXANDRIA, VA 22314

T - 703.836.3205 F - 703.548.4779 admin@rustorling.com www.rustorling.com

1101 North Washington Street

1101 North Washington Street Alexandria, VA 22314

14.059

REVISIONS

DATE DESCRIPTION

PRELIMINARY SITE PLAN 12.21.15

4TH FLOOR PLAN AND ROOF PLAN

APPROVED

SPECIAL USE PERMIT NO. 2014-0043
DEPARTMENT OF PLANNING & ZONING

DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES


DIRECTOR DATE


INSTRUMENT NO. DEED BOOK NO. PAGE NO.

SITE PLAN NO. _

CHAIRMAN, PLANNING COMMISSION

SHEET NO.







-BAY BELOW

— METAL EQUIP. (TYP)
(SMALLER EQUIP. TO BE
LOCATED OUTSIDE MECH.

EQUIP. WELL)

- ELEVATOR OVERRUN

- MECHANICAL

EQUIP. WELL

- METAL ROOF

─NEW CANOPY

----- ELEVATOR OVERRUN

----ROOF BELOW

BAY BELOW

- METAL ROOF

NEW ROOF PLAN

1/16" = 1'-0"

BELOW

METAL EQUIP. WELL (FOR LARGE EQUIP)

--- CHUTE VENT

TERRACE BELOW ----

NEW PORTE


COCHERE BELOW —


TERRACE BELOW ———

FLAT ROOF


FLAT ROOF

NEW FOURTH FLOOR PLAN 1/16" = 1'-0"














FAR CALCULATIONS	
CORE DEDUCTIONS (TOTAL FLOORS 2-4)	2,526
CORE DEDUCTIONS (GROUND FLOOR)	1,338
GROSS FLOOR AREA	62,403
TOTAL DEDUCTIONS	3,864
PROPOSED DEDUCTIONS AS % OF GROSS FLOOR AREA	6.19%

RUST ORLING
ARCHITECTURE 1215 CAMERON STREET ALEXANDRIA, VA 22314 T - 703.836.3205 F - 703.548.4779 admin@rustorling.com www.rustorling.com

GROSS FLOOR AREA

PLAN LEGEND

AREAS DEDUCTED FROM GROSS FLOOR AREA TO DETERMINE FAR: STAIRWAYS

• MECHANICAL SPACES • ELEVATOR SHAFTS / VERTICAL

APPROVED
SPECIAL USE PERMIT NO. 2014-0043
DEPARTMENT OF PLANNING & ZONING

DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES

INSTRUMENT NO. DEED BOOK NO. PAGE NO.

SITE PLAN NO.

CHAIRMAN, PLANNING COMMISSION

CHASES • CEILING HEIGHT BELOW 7'-6"

1101 North Washington Street

JOHN W. RUST Lic. No. 003940 12/21/15

1101 North Washington Street Alexandria, VA 22314

14.059

REVISIONS

DATE DESCRIPTION

PRELIMINARY SITE PLAN

12.21.15

FAR DIAGRAMS


SHEET NO.

[/]FOR ILLUSTRATIVE PURPOSES ONLY

TYP. UPPER LEVEL FLOOR PLAN AREA DEDUCTIONS 1/16" = 1'-0"

FOR ILLUSTRATIVE PURPOSES ONLY





RUST ORLING ARCHITECTURE

1215 CAMERON STREET ALEXANDRIA, VA 22314

T - 703.836.3205 F - 703.548.4779 admin@rustorling.com www.rustorling.com

1101 North Washington Street

1101 North Washington Street Alexandria, VA 22314

14.059

REVISIONS

PRELIMINARY SITE PLAN 12.21.15

EXTERIOR

WASHINGTON STREET ELEVATION (CURRENT)

APPROVED

DIRECTOR

CHAIRMAN, PLANNING COMMISSION

SITE PLAN NO. _

SPECIAL USE PERMIT NO. 2014-0043
DEPARTMENT OF PLANNING & ZONING

DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES

DIRECTOR DATE

INSTRUMENT NO. DEED BOOK NO. PAGE NO.

3/32" = 1'-0"

ELEVATIONS

SHEET NO.



JOHN W. RUST Lic. No. 003940 12/21/15

RUST ORLING ARCHITECTURE

1215 CAMERON STREET ALEXANDRIA, VA 22314

T - 703.836.3205 F - 703.548.4779 admin@rustorling.com www.rustorling.com

1101 North Washington Street

1101 North Washington Street Alexandria, VA 22314

14.059

REVISIONS

DATE DESCRIPTION

PRELIMINARY SITE PLAN 12.21.15

EXTERIOR

ELEVATIONS

APPROVED
SPECIAL USE PERMIT NO. 2014-0043
DEPARTMENT OF PLANNING & ZONING

DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES

DIRECTOR DATE

INSTRUMENT NO. DEED BOOK NO. PAGE NO.

SITE PLAN NO. ___

CHAIRMAN, PLANNING COMMISSION

SHEET NO.



1101 North Washington Street

JOHN W. RUST Lic. No. 003940 12/21/15

1215 CAMERON STREET ALEXANDRIA, VA 22314

T - 703.836.3205 F - 703.548.4779 admin@rustorling.com www.rustorling.com

1101 North Washington Street Alexandria, VA 22314

14.059

REVISIONS

DATE DESCRIPTION

PRELIMINARY SITE PLAN 12.21.15

NORTH ELEVATION 3/32" = 1'-0"

> **EXTERIOR ELEVATIONS**

APPROVED
SPECIAL USE PERMIT NO. 2014-0043
DEPARTMENT OF PLANNING & ZONING DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES SITE PLAN NO. _ DIRECTOR DATE

CHAIRMAN, PLANNING COMMISSION

INSTRUMENT NO. DEED BOOK NO. PAGE NO.

SHEET NO.

EXISTING PRIVATE ACCESS ROAD EXISTING SERPENTINE
WALL TO REMAIN ∠ SITE ENTRANCE HOTEL SERVICE DOORS-PROPOSED PORTE COCHERE BEYOND


ELEVATOR OVERRUN BEYOND —


- EXISTING RESIDENTIAL BUILDING

EXISTING TREE BEYOND TO REMAIN

MIDPOINT OF SLOPED ROOF

(A)





RUST ORLING ARCHITECTURE

1215 CAMERON STREET ALEXANDRIA, VA 22314

T - 703.836.3205 F - 703.548.4779 admin@rustorling.com www.rustorling.com

1101 North Washington Street

1101 North Washington Street Alexandria, VA 22314

14.059

REVISIONS

DATE DESCRIPTION

PRELIMINARY SITE PLAN 12.21.15

STREETSCAPES

SHEET NO.

A3.1



WASHINGTON STREET STREETSCAPE

APPROVED
SPECIAL USE PERMIT NO. 2014-0043
DEPARTMENT OF PLANNING & ZONING

DIRECTOR DATE

DIRECTOR DATE


INSTRUMENT NO. DEED BOOK NO. PAGE NO.

SITE PLAN NO.

CHAIRMAN, PLANNING COMMISSION

DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES

1" = 25'-0"





Lic. No. 003940 12/21/15

RUST ORLING
ARCHITECTURE

1215 CAMERON STREET ALEXANDRIA, VA 22314

T - 703.836.3205 F - 703.548.4779 admin@rustorling.com www.rustorling.com

VIEW FROM SOUTH

N.T.S.



1101 North Washington Street

1101 North Washington Street Alexandria, VA 22314

N.T.S.

REVISIONS

14.059

DATE DESCRIPTION

PRELIMINARY SITE PLAN 12.21.15

MASSING MODEL


SHEET NO.

VIEW FROM EAST

- ENTRANCE AND PORTE COCHERE FEATURE AT APPROXIMATE CENTER OF WASHINGTON STREET OPEN SPACE

AERIAL VIEW

 \bigcirc



AERIAL VIEV

APPROVED SPECIAL USE PERMIT DEPARTMENT OF PLANNING &	
DIRECTOR	DATE
DEPARTMENT OF TRANSPORTATION SITE PLAN NO.	
DIRECTOR	DATE
CHAIRMAN, PLANNING COMMISSION	DATE
DATE RECORDED	

JOHN W. RUST Lic. No. 003940
12/21/15

ARCHITECT

RUST ORLING
ARCHITECTURE

1215 CAMERON STREET ALEXANDRIA, VA 22314

T - 703.836.3205 F - 703.548.4779 admin@rustorling.com www.rustorling.com

1101 North Washington Street

1101 North Washington Street Alexandria, VA 22314

14.059

REVISIONS


DATE DESCRIPTION

PRELIMINARY SITE PLAN 12.21.15

SHADOW STUDY

SHEET NO.

A4.2



12.21.15

N.T.S.

APPROVED
SPECIAL USE PERMIT NO. 2014-0043
DEPARTMENT OF PLANNING & ZONING

DIRECTOR
DEPARTMENT OF TRANSPORTATION & ENVIRONMENTAL SERVICES
SITE PLAN NO.

DIRECTOR
DATE

CHAIRMAN, PLANNING COMMISSION
DATE

INSTRUMENT NO. DEED BOOK NO. PAGE NO.

SHADOW STUDY

PRELIMINARY

SITE PLAN

Lic. No. 003940 12/21/15

RUST ORLING
ARCHITECTURE

1215 CAMERON STREET ALEXANDRIA, VA 22314

T - 703.836.3205 F - 703.548.4779 admin@rustorling.com www.rustorling.com

1101 North

Washington

Street

1101 North

Washington Street Alexandria, VA

22314

14.059

REVISIONS

DATE DESCRIPTION

SHEET NO.

A4.3